

Señor

Jefe de la División de Nuevas Creaciones

Superintendencia de Industria y Comercio

Ministerio de Desarrollo Económico

E S D

SUPERINDUSTRIA Y COMERCIO
Radicación : 01106735 00000001 Folios 60
Fecha (AMD) 2002-02-20 14:35 00
Trámite : 002 PATENTES 0 1 REGISTRADO/ 329 COMPLETOS
Dependencia: 2020 DIVISION DE NUEVAS CREACIONES

Ref Expediente No 01 106 736

Solicitud de Patente de Invención para

" PAÑO LIMPIADOR CON BACTERICIDA "

Solicitante THE CLOROX COMPANY

PRESENTACION DE DOCUMENTOS

MARGARITA CASTELLANOS ABONDANO, mayor de edad, identificada y domiciliada como aparece al pie de mi firma, atentamente me permito presentar los siguientes documentos

Documento de prioridad Estadounidense No 09/737 641[✓] del 14 de Diciembre de 2000, debidamente legalizado por apostilla y traducción oficial

Dibujo formal (figura 1)

Documento de cesión, debidamente legalizado por Apostilla y traducción oficial del mismo

En consecuencia, atentamente solicito a Ud se anexasen dichos documentos al expediente correspondiente a esta solicitud de Patente de Invención

Del Señor Jefe,

Margarita Castellanos Abondano
Margarita Castellanos Abondano
C C No 39 779 654 de Usaquén
T P.A. No 70819 del C Sup de la Judicatura
Carrera 9 No 93 - 09 - Bogotá
Teléfonos 610 74 80 y 610 74 60

Bogotá,

10 FEB. 2002

CA 67

APOSTILLE*(Convention de La Haye du 5 octobre 1961)*

1 Country United States of America

This public document

2 has been signed by T Lawrence

3 acting in the capacity of Certifying Officer

4 bears the seal/stamp of Patent and Trademark Office

Certified

5 at Washington, D C

6 the seventeenth of January, 2002

7 by Assistant Authentication Officer, United States Department of State

8 No 02006296-4

9 Seal/Stamp

10 Signature

Sonya N Johnson

DORA DUQUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
NOR. 02751 / 81 01164/97 JUSTICIA
REP DE COLOMBIA

PA 498730

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

December 05, 2001

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM
THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK
OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT
APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A
FILING DATE UNDER 35 USC 111

APPLICATION NUMBER 09/737,641

FILING DATE December 14, 2000

By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS



T. Lawrence

T. LAWRENCE

Certifying Officer

DORA DUQUE DE BERNAL
TRADUCCION E INTERPRETE OFICIAL
FOL 02733/ 21 01144/97 GICJOS
REP DE C L 121A

12-18-00

A

6C

12/14/00
1376 U S PTO

PATENT APPLN TRANSMISSION
CORPORATIONS (LARGE BUSINESSES)

DOCKET NO CLX-12905

ASST COMMISSIONER FOR PATENTS
Washington, D C. 20231

1376 U S PTO
09/737641
12/14/00

Sir

This is a request for the filing of an Original (nonprovisional) Patent Application.

Transmitted herewith for filing under 37 C.F.R. 1.53(b) is the patent application entitled _____

"BACTERICIDAL CLEANING WIFE"

X The inventor(s) of the subject patent application are as follows Shuman Mitra, Richard B. Simon, Wayne B. Scott, Kenneth Vieira & Glen A. Shaffer

Enclosed are:

X 37 Pages of the specification, abstract and claims

X 1 Sheets of drawings

X Declaration or Oath.

X This application is not to be published under 35 U.S.C. 122(b). It is certified that the invention disclosed in the application has not been and will not be the subject of an application filed in another country, or under a multilateral international agreement, that requires publication at eighteen months after filing.

X The Assignee of this application is The Clorox Company, a Delaware corporation

The fee has been calculated as shown below

For	Claims as Filed				Basic Fee \$710.00
	Number Filed	Number Extra	Rate		
Total Claims	21 20 =	1	x \$18		18 00
Independent Claims	4 - 3 =	1	x \$80		80 00
Total Filing Fee -->					\$808.00


X Assignment (\$40 00)

X A check in the amount of \$ 848 00 to cover the required fees is enclosed.

"Express Mail" mailing label number EF127264057 US

X General Authorization to Charge Deposit Account For All Required Fees, Fees Under 37 C.F.R. 1.17, or All Required Extension of Time Fees. Should any additional fees be required in connection with this application, during the entire pendency of the application, the Commissioner is authorized to charge any fees which may be required, or credit any overpayment to Account No. 22-0347. This transmission form is submitted in triplicate.

VICKERS, DANIELS & YOUNG

By 
ROBERT V VICKERS
Reg. No. 19,504
50 Public Square, Suite 2000
Cleveland, Ohio 44113-2235
Phone (216) 623-0040
Fax (216) 623-0407

BACTERICIDAL CLEANING WIPE

The present invention relates to an improved general purpose cleaning wipe which includes a wipe combined with a liquid cleaning composition having a biocide and a biocide release agent. Although the invention is principally directed to a cleaning wipe, the invention has broader applications and includes an improved liquid solution comprising a biocide and a biocide release agent that can be used alone or in combination with a towel, cloth, rag, sponge, squeegee, and the like.

BACKGROUND OF THE INVENTION

Cleaning wipes have long been used for a variety of purposes. Such cleaning wipes have contained various compounds to accomplish their intended purpose. For example, cleaning wipes have included inverse emulsions (i.e. water-in-liquid) to clean infants. Cleaning wipes have also included waxes to polish and clean furniture. Cleaning wipes have further included soaps and detergents to clean an individual's hands, countertops, floors, and the like. Cleaning wipes have also included ammonia to clean glass surfaces. Alcohol and various other biocides have been included on cleaning wipes to disinfect a variety of surfaces.

One type of biocide that has been used in cleaning wipes is quaternary ammonium salts commonly referred to as quats. Liquid cleaners applied to cleaning wipes typically include relatively large amounts of quat. It has been observed that only about 50% of the quat on a cleaning wipe is released from the wipe when the wipe is applied to a surface. As a result, added quat is included in the liquid cleaner to ensure that the desired amount of quat transfers to the cleaned surface. Although quats are excellent biocides, quats can cause skin irritation when used in too high of concentrations. Furthermore, liquid cleaners having a high quat content are subject to various local, state and/or federal regulations due to the toxicity of the quat in high concentrations. In addition to the regulatory and skin irritation concerns associated with quats, quats are typically the highest cost component of the cleaner, thus larger quat concentrations translate into higher product costs.

There have been various attempts to develop liquid cleaners having improved quat release from the cleaning wipes. Some cleaning formulations use a high weight percentage of isopropyl alcohol to promote quat release from the cleaning wipe. It has been observed that isopropyl alcohol in amounts of over about 12% can improve the quat release from the wipe. The use of isopropyl alcohol is also beneficial in that the alcohol has its own antimicrobial properties and cost substantially less than quats. Although the use of isopropyl alcohol in the cleaning formulation improves quat release from the wipe, a substantial amount of quat still remains on the cleaning wipe after use. In addition, local, state and/or federal governments have begun to promulgate regulations on the amount of isopropyl alcohol that can be used in cleaners. Indeed, in California, regulations have been proposed to regulate the use of cleaners containing over 5 weight percent isopropyl alcohol. As a result, cleaners having high concentrations of isopropyl alcohol may be less preferred.

In view of the present state of the art of cleaning wipes containing quats, there is a demand for a quat containing liquid cleaner that can be applied to a cleaning wipe formulated to have improved quat release without having to incorporate high weight percentages of isopropyl alcohol or any other type of alcohol.

SUMMARY OF THE INVENTION

The present invention is directed to an improved cleaning wipe impregnated with a liquid cleaning composition that includes a biocide and a biocide release agent. The cleaning composition is generally a liquid cleaner; however, the cleaning composition may be in a solid or semi-solid form. The cleaning composition can be concentrated or unconcentrated. The cleaning composition is generally applied to a cleaning wipe and loaded onto the cleaning wipe to a desired loading ratio, however, the cleaning composition can be used separately from a cleaning wipe. When the cleaning composition is loaded or impregnated onto a cleaning wipe, the cleaning composition is formulated to have a viscosity that allows such loading. Typically, the viscosity of the cleaning composition is less than about 1,000 centipoise ("cps") when the cleaning composition is loaded or impregnated onto a cleaning wipe. The viscosity of the cleaning composition can be greater than 1000 cps when the cleaning composition is used separately from a cleaning wipe.

In one aspect of the present invention, the dry cleaning wipe onto which the cleaning composition is loaded generally includes an absorbent and/or adsorbent material. In one embodiment, the cleaning wipe includes, but is not limited to, a nonwoven material. In one aspect of this embodiment, the nonwoven material includes, but is not limited to, nonwoven, fibrous sheet materials. In another aspect of this embodiment, the nonwoven material includes, but is not limited to, meltblown, coform, air-laid, spun bond, wet laid, bonded-carded web materials, and/or hydroentangled (also known as spunlaced) materials. In another embodiment, the cleaning wipe includes woven materials. In one aspect of this embodiment, the woven material includes, but is not limited to, cotton fibers, cotton/nylon blends and/or other textiles. In yet another embodiment, the cleaning wipe includes a sponge and/or sponge-like material. In one aspect of this embodiment, the sponge and/or sponge-like material includes, but is not limited to, regenerated cellulose and/or polyurethane foams. In still another embodiment, the cleaning wipe includes wood pulp, a blend of wood pulp, and/or synthetic fibers. In one aspect of this embodiment, the synthetic fibers include, but are not limited to, polyester, rayon, nylon, polypropylene, polyethylene, and/or cellulose polymers. In still another embodiment, the cleaning wipe includes a binder. In a further embodiment, the liquid loading capacity of the cleaning wipe is sufficient to retain the desired amount of cleaning composition on the cleaning wipe. In one aspect of this embodiment, the liquid loading capacity of the cleaning wipe is at least about 10% of the dry weight of the cleaning wipe. In another aspect of this embodiment, the liquid loading capacity of the cleaning wipe is about 50%-1000% of the dry weight of the cleaning wipe. This loading capacity is expressed as loading $\frac{1}{2}$ to 10 times the weight (or, more accurately, the mass) of the dry cleaning wipe. In still another aspect of this embodiment, the liquid loading capacity of the cleaning wipe is about 200%-800% of the dry weight of the cleaning wipe. In yet another aspect of this embodiment, the liquid loading capacity of the cleaning wipe is about 250%-500% of the dry weight of the cleaning wipe. In still yet another aspect of this embodiment, the liquid loading capacity of the cleaning wipe is about 300%-450% of the dry weight of the cleaning wipe. In still a further embodiment, the cleaning composition is impregnated, dosed, loaded, metered, or otherwise dispensed onto the cleaning wipe. The loading

of the cleaning wipe can be accomplished in several ways including, but not limited to, treating each individual wipe with a discrete amount of cleaning composition, mass treating a continuous web of cleaning wipes with the cleaning composition, soaking the entire web of cleaning wipes in the cleaning composition, spraying the cleaning composition in a stationary or moving web of cleaning wipes, and/or impregnating a stack of individually cut and sized cleaning wipes in a dispenser. In yet a further embodiment, the cleaning wipe has a density of about 0.01-1,000 grams per square meter (referred to as "basis weight"). In one aspect of this embodiment, the cleaning wipe has a density of about 25-120 grams/m². In still yet a further embodiment, the cleaning wipe is produced as a sheet or web which is cut, die-cut or otherwise sized into the appropriate shape and size. In another embodiment, the cleaning wipe has a wet tensile strength of about 25-250 Newton/m. In one aspect of this embodiment, the cleaning wipe has a wet tensile strength of about 75-170 Newton/m. Manufacturers of cleaning wipes that can be used in the present invention include, but are not limited to, Kimberly-Clark, E.I. Du Pont de Nemours and Company, Dexter, American Nonwovens, James River, BBA Nonwoven, and PGI. Specific, nonlimiting examples of cleaning wipes from these manufacturers are disclosed in Bouchette et al., United States Patent Nos. 4,781,974 and 4,615,937, Clark et al., United States Patent No. 4,666,621, Amundson et al., WO 98/03713, Cabell et al., United States Patent No. 5,908,707, Mackey et al., WO 97/40814, Mackey et al., WO 96/14835, and Moore, EP 750063, all of which are incorporated herein by reference.

In another aspect of the present invention, the cleaning wipe is individually sealed with a heat-scalable or glueable thermoplastic overwrap (such as polyethylene, Mylar and the like). In one embodiment, the cleaning wipes are packaged as numerous, individual sheets which are impregnated with the cleaning composition of the present invention. In another embodiment, the cleaning wipes are formed as a continuous web during the manufacturing process and loaded into a dispenser, such as a canister with a closure or a tub with closure. The closure is used to seal the loaded cleaning wipes from the external environment and prevents premature volatilization of the components of the cleaning composition. In one aspect of this embodiment, the dispenser includes a plastic such as, but not limited to, high density polyethylene, polypropylene, polycarbonate, polyethylene

AS
72

pterethalate (PET), polyvinyl chloride (PVC), and/or other rigid plastic. In another aspect of this embodiment, the continuous web of cleaning wipes is threaded through an opening in the top of the dispenser. In still another aspect of this embodiment, the dispenser includes a severing arrangement to cut a portion of the cleaning wipe after being removed from the dispenser. The severing arrangement can include, but is not limited to, a knife blade, serrated edge or the like. In still yet another aspect of this embodiment, the continuous web of cleaning wipes is scored, folded, segmented, and/or partially cut into uniform or non-uniform sizes and/or lengths. In a further aspect of this embodiment, the cleaning wipes are interleaved so that the removal of one cleaning wipe advances the next in the opening of the dispenser.

In still another aspect of the present invention, the cleaning composition includes an effective amount of biocide to obtain the desired disinfecting qualities of the cleaning composition. The cleaning composition can include one or more biocides to achieve the desired disinfecting qualities of the cleaning composition. Such biocides can include, but are not limited to, alcohols, chlorinated hydrocarbons, organometallics, halogen-releasing compounds, metallic salts, pine oil, organic sulfur compounds, iodine compounds, silver nitrate, quaternary ammonium compounds (quats), and/or phenolics. In one embodiment, the cleaning composition includes a cationic biocide. In one aspect of this embodiment, the cationic biocide includes one or more quats. Quats are capable of imparting a broad spectrum antimicrobial or germicidal properties to the cleaning composition. In another aspect of this embodiment, one or more of the quats included in the cleaning composition have at least one higher molecular weight group and at least one lower molecular weight group linked to a common, positively charged nitrogen atom. The one or more higher molecular weight groups include, but are not limited to, higher alkyl groups containing about 6-30 carbon atoms that are branched, unbranched, saturated and/or unsaturated. The one or more lower molecular weight groups include, but are not limited to, 1-12 carbon atoms that are branched, unbranched, saturated, and/or unsaturated. Specific lower molecular weight substituents include, but are not limited to, alkyls of 1 to 4 carbon atoms (e.g. methyl and ethyl), alkyl ethers, hydroxyalkyls, and/or benzyls. One or more of the higher and/or lower molecular weight substituents may include, or may be

replaced by, an aryl moiety. Specific aryl moieties include, but are not limited to, benzyl, ethyl benzyl and/or phenyl. In another aspect of this embodiment, an electrically balancing anion (counterion) is linked to the positively charged nitrogen atom. Such anion includes, but is not limited to, a halide, acetate, nitrite, or lower alkylsulfate. Specific anions include, but are not limited to, bromide, sulfate, iodide, alkylcarboxylate, methanesulfate, ethanesulfate, phosphate, carboxylic acid, or chloride. In still another aspect of this embodiment, the quat is the principle biocide in the cleaning composition. In still yet another aspect of this embodiment, specific quats that can be used in the cleaning formulation include, but are not limited to, alkyl ammonium halides such as lauryl trimethyl ammonium chloride and dilauryl dimethyl ammonium chloride, alkyl aryl ammonium halides such as octadecyl dimethyl benzyl ammonium bromide, ethyl dimethyl stearyl ammonium chloride, trimethyl stearyl ammonium chloride, trimethyl octyl ammonium chloride, dimethyl ethyl lauryl ammonium chloride, dimethyl propyl myristyl ammonium chloride, dinonyl dimethyl ammonium chloride, didecyl dimethyl ammonium chloride, dundecyl dimethyl ammonium chloride, didodecyl dimethyl ammonium chloride, dinonyl ethyl ammonium chloride, dimethyl ethyl benzyl ammonium chloride, 3-(trimethoxysilyl) propyldidodecylmethyl ammonium chloride, 3-(trimethoxysilyl) propyloctadecyldimethyl ammonium chloride, dimethyl dioctyl ammonium chloride, didodecyl dimethyl ammonium chloride, dimethyl ditetradecyl ammonium chloride, dihexadecyl dimethyl ammonium chloride, dimethyl dioctadecyl ammonium chloride, decyl dimethyl octyl ammonium chloride, dimethyl dodecyl octyl ammonium chloride, benzyl decyl dimethyl ammonium chloride, benzyl dimethyl dodecyl ammonium chloride, benzyl dimethyl tetradecyl ammonium chloride, decyl dimethyl (ethyl benzyl) ammonium chloride, decyl dimethyl (dimethyl benzyl)-ammonium chloride, (chlorobenzyl)-decyl dimethyl ammonium chloride, decyl-(dichlorobenzyl)-dimethyl ammonium chloride, benzyl didodecyl methyl ammonium chloride, benzyl didodecyl methyl ammonium chloride, benzyl ditetradecyl methyl ammonium chloride, benzyl dodecyl ethyl methyl ammonium chloride, and the like. Some examples of commercially available quats include didodecyl dimethyl ammonium chloride, available as BTC 1010 from Stepan Chemical Co, BARDAC 2250 from Lonza, Inc, FMB 210-15 from Huntington,

Maquat 4450-E from Mason, dialkyl dimethyl ammonium chloride, available as BTC 818 from BARDAC 2050, Inc., FMB 302 and Maquat 40 from Mason, and/or alkyl dimethyl benzyl ammonium chloride available as BTC 835 and BARQUAT MB-50 from Lonza, Inc., and FMB 451-5 and MC 1412 from Mason. Some quats are sold as mixtures of two or more different quats. Examples of these commercially available quat mixtures include, but are not limited to, twin chain blend/alkyl benzyl ammonium chloride compounds available as BARDAC®205M, BARDAC®208M, and BARQUAT 4250Z from Lonza, Inc., as BTC 885, BTC 888 and BTC 2250 from Stepan Chemical Co., as FMB 504 and FMB 504-8 from Huntington, and as MQ 615M and MQ 624M from Mason. In another embodiment, the quat content of the cleaning composition is greater than about 0.04 weight percent of the cleaning composition when the quat functions as the primary biocide in the cleaning composition. As can be appreciated, when other biocides are included with the quat in the cleaning composition, the quat content can be lower than about 0.04 weight percent of the cleaning composition. A quat content of lower than about 0.04 weight percent, when the quat functions as the primary biocide in the cleaning composition, may not eliminate a majority of common microorganisms when exposed to the cleaning composition. A quat content of about 0.04 weight percent and greater has been found to eliminate a majority, if not all, of the microorganisms that come in contact with the cleaning composition. The upper limit to the quat content of the cleaning composition can be significantly greater than about 0.04 weight percent, however, the quat content is typically limited by economic cost considerations, local, state and/or federal regulatory restrictions, formula solubility requirements, streaking properties of the cleaning composition, skin irritation considerations, and/or the intended use of the cleaning composition. Typically, the quat content of the cleaning composition is no more than about 5 weight percent. A quat content that exceeds about 5 weight percent generally results in the final product having a prohibitive cost since the quat is typically the highest costing component of the cleaning composition. In addition, a quat content exceeding about 5 weight percent may be subject to strict local, state and/or federal regulations due to the toxicity of the cleaning composition. However, absent the cost and regulatory barriers, the quat content can exceed about 5 weight percent when the

cleaning composition is used in applications which require a high quat content. In one aspect of this embodiment, the quat content of the cleaning composition is about 0.05-5 weight percent. In another aspect of this embodiment, the quat content of the cleaning composition is about 0.08-5 weight percent. In still another aspect of this embodiment, the quat content of the cleaning composition is about 0.1-2 weight percent. In yet another aspect of this embodiment, the quat content of the cleaning composition is about 0.1-1 weight percent. In still yet another aspect of this embodiment, the quat content of the cleaning composition is about 0.15-0.8 weight percent. In a further aspect of this embodiment, the quat content of the cleaning composition is about 0.175-0.6 weight percent. In yet a further aspect of this embodiment, the quat content of the cleaning composition is about 0.2-0.5 weight percent. In still a further aspect of this embodiment, the quat content of the cleaning composition is about 0.25-0.4 weight percent.

In yet another aspect of the present invention, the cleaning composition includes an effective amount of biocide release agent to increase the amount of biocide released from the cleaning wipe onto a surface to be disinfected. It has been found that a significant amount of biocide that includes cationic compounds are retained on a cleaning wipe during use of the cleaning wipe. Typically, about 50 weight percent of the cationic biocide in the cleaning composition is retained on the cleaning wipe after use. As a result, the cationic biocide content of the cleaning composition must be increased to compensate for this high retention phenomena. As a result, the cationic biocide content is at least doubled in the cleaning composition. It has been found that one source of this retention is related to the cationic properties of the biocide and the anionic properties of the cleaning wipe. Cleaning wipes that include wood pulp, a blend of wood pulp and/or synthetic fibers that are at least partially derived from wood pulp, include several anionic species such as carboxylate, ester groups and the like. These anionic species tend to bond to the cationic biocide thereby resulting in the biocide being retained on the cleaning wipe. The biocide release agent is formulated to mitigate or prevent this bonding phenomena thereby enabling the cleaning composition to include a lower biocide content without adversely affecting the disinfecting efficacy of the cleaning wipe. The biocide release agent is a cationic compound designed to compete with the cationic biocide for the

anionic species sites on the cleaning wipe thereby causing increased biocide release from the cleaning wipe during use of the cleaning wipe. The biocide release agent binds with the anionic species sites thereby freeing the cationic biocide from the cleaning wipe and allowing the biocide to be transferred to a surface to be cleaned. In one embodiment, the biocide release agent is formulated to have a higher affinity for the anionic species sites than the cationic biocide such that the site competition between the cationic biocide and the biocide release agent favors the biocide release agent. In one aspect of this embodiment, the affinity of the biocide release agent for the anionic species sites is significantly greater than the affinity of the cationic biocide for the anionic species sites thereby resulting in substantially irreversible bonding of the biocide release agent with the anionic species sites on the cleaning wipe. In another embodiment, the biocide release agent includes a cationic salt. Salts are desirable biocide release agents in that such compounds are generally inexpensive when compared to many types of cationic biocides. A variety of different salts can be used such as, but not limited to, monovalent salts, divalent salts, organic salts, and the like. These salts include, but are not limited to, acetates, acetylides, ammonium salts (excluding quats), arsenates, arsenites, azides, borohalide salts, bicarbonates, bisulfides, borides, borohydrides, borohalides, carbonates, citrates, cyanates, cyanides, formates, germanates, glycinate, halates, halides, hydrides, hydroselenides, hydrosulphides, hydroxides, imides, metaniobates, metaantates, metavanadates, nitrates, nitrides, nitrites, oxides, perchlorates, phosphates, phosphonium salts, selenides, selenites, selenates, sulphides, sulphates, ternary salts, tetraalkyl ammonium salts (excluding quats), tellurides, thiocyanates, and/or vanadates. In one aspect of this embodiment, the biocide release agent includes, but is not limited to, potassium citrate, sodium citrate, sodium tartrate, potassium tartrate, potassium lactate, sodium lactate, salicylate salts of sodium and/or potassium, magnesium sulphate, sodium chloride, ammonium chloride, and/or potassium chloride. In another embodiment, a sufficient amount of biocide release agent is included in the cleaning composition to reduce the cationic biocide retention on the cleaning wipe to less than about 50%. In one aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 45%.

77 80


In another aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 40%. In still another aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 35%. In yet another aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 30%. In still yet another aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 25%. In a further aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 20%. In still a further aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 15%. In yet a further aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 10%. In still yet a further aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 5%. In another aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 3%. In still another aspect of this embodiment, the cleaning composition includes a sufficient amount of biocide release agent to reduce the cationic biocide retention on the cleaning wipe to less than about 1%. In still another embodiment, the biocide release agent is present in the cleaning composition such that the biocide release agent has an effective ionic strength to cause a desired amount of cationic biocide to be released from the cleaning wipe. In one aspect of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is at least about 5×10^{-3} mol/l. It has been found that an ionic strength of less than about 5×10^{-3} mol/l does not result in an appreciable increase in cationic biocide release from the cleaning wipe. In another aspect

09737641-121400

of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is about 5×10^{-3} - 18 mol/l. In still another aspect of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is at least about 1×10^{-2} mol/l. In yet another aspect of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is about 1×10^{-2} - 5 mol/l. In still yet another aspect of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is about 2×10^{-2} - 1 mol/l. In a further aspect of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is about 3×10^{-2} - 0.4 mol/l. In yet a further aspect of this embodiment, the effective ionic strength of the biocide release agent in the cleaning composition is about 4×10^{-2} - 0.2 mol/l. The weight percent of the biocide release agent in the cleaning composition to achieve a particular ionic strength in the cleaning composition is a function of the molecular weight of the biocide release agent and the ionic strength of the biocide release agent. In yet another embodiment, the biocide release agent content of the cleaning composition is at least about 0.025 weight percent and can constitute up to about 90 weight percent. In one aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.03 - 10 weight percent. In another aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.04 - 5 weight percent. In still another aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.08 - 3 weight percent. In yet another aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.1 - 2.5 weight percent. In still yet another aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.2 - 2.5 weight percent. In a further aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.5 - 2 weight percent. In still a further aspect of this embodiment, the biocide release agent content of the cleaning composition is about 0.75 - 1.8 weight percent.

In still another aspect of the present invention, the cleaning composition includes an effective amount of surfactant. The inclusion of the surfactant in the cleaning composition improves the cleaning performance of the cleaning composition (e.g. improve wetting properties of the cleaning

composition, stabilizes components in the cleaning composition, functions as an emulsifying agent, etc) A variety of surfactants can be used in the cleaning composition. Such surfactants include anionic, cationic, zwitterionic, and/or amphoteric surfactants. Many of these surfactants are described in McCutcheon's Emulsifiers and Detergents (1997), Kirk-Othmer Encyclopedia of Chemical Technology, 3rd Ed., Volume 22, pp. 332-432 (Marcel-Dekker, 1983), and McCutcheon's Soaps and Detergents (N Amer 1984), the contents of which are hereby incorporated by reference. In one embodiment, the surfactant includes, but is not limited to, glycoside, glycols, ethylene oxide and mixed ethylene oxide/propylene oxide adducts of alkylphenols, the ethylene oxide and mixed ethylene oxide/propylene oxide adducts of long chain alcohols or of fatty acids, mixed ethylene oxide/propylene oxide block copolymers, esters of fatty acids and hydrophilic alcohols, sorbitan monooleates, alkanolamides, soaps, alkylbenzene sulfonates, olefin sulfonates, paraffin sulfonates, propionic acid derivatives, alcohol and alcohol ether sulfates, phosphate esters, amines, amine oxides, alkyl sulfates, alkyl ether sulfates, sarcosinates, sulfoacetates, sulfosuccinates, cocoamphocarboxy glycinate, salts of higher acyl esters of isethionic acid, salts of higher acyl derivatives of taurine or methyltaurine, phenol poly ether sulfates, higher acyl derivatives of glycine and methylglycine, alkyl aryl polyether alcohols, salts of higher alkyl substituted imidazolium dicarboxylic acids, ferchones, tannins, naphthosulfonates, monochloroacetic anthraflavins, hippuric, anthranilic, naphthoic, phthalic, carboxylic acid salts, acrylic acids, phosphates, alkylamine ethoxylates, ethylenediamine alkoxylates, betaines, sulfobetaines, and/or imidazolines. In one aspect of this embodiment, the surfactant includes, but is not limited to, lauryl sulfate, lauryl ether sulfate, cocamidopropylbetaine, alkyl polyglycosides, and/or amine oxides. In another aspect of this embodiment, the surfactant includes an amine oxide having the general formula.



wherein R_1 is a C_{6-30} alkyl, and R_2 and R_3 are C_{1-4} alkyl or hydroxyalkyl. These amine oxides can be ethoxylated and/or propoxylated. One specific amine oxide includes, but is not limited to, alkyl di

(hydroxy lower alkyl) amine oxides, alkylamidopropyl di (lower alkyl) amine oxides, alkyl di (lower alkyl) amine oxides, and/or alkylmorpholine oxides, wherein the alkyl group has 5-25 carbons and can be branched, unbranched, saturated, and/or unsaturated. Nonlimiting examples of amine oxides include, but are not limited to, lauryl amine oxide sold under the name Barlox 12 from Lonza. In another embodiment, the surfactant, when included in the cleaning composition, is present in an amount of at least about 0.001 weight percent of the cleaning composition. The amount of surfactant present in the cleaning composition is controlled to reduce the raw material cost of the cleaning composition and/or to restrict the dissolved actives which can contribute to residues remaining when the cleaning composition is applied to a surface. In one aspect of this embodiment, the surfactant content in the cleaning composition is about 0.01 - 5 weight percent. In another aspect of this embodiment, the surfactant content in the cleaning composition is about 0.05 - 3 weight percent. In yet another aspect of this embodiment, the surfactant content in the cleaning composition is about 0.075 - 2 weight percent. In still another aspect of this embodiment, the surfactant content in the cleaning composition is about 0.1 - 1 weight percent. In yet another aspect of this embodiment, the surfactant content in the cleaning composition is about 0.15 - 0.8 weight percent. In still yet another aspect of this embodiment, the surfactant content in the cleaning composition is about 0.2 - 0.4 weight percent. In a further aspect of this embodiment, the surfactant content in the cleaning composition is less than about 0.5 weight percent.

In still another aspect of the present invention, the cleaning composition includes a builder detergent. The builder detergent, when used, increases the effectiveness of the surfactant in the cleaning composition when a surfactant is included in the cleaning composition. The builder detergent also functions as a softener and/or a sequestering and buffering agent in the cleaning composition. A variety of builder detergents can be used in the cleaning composition. Such builder detergents include, but are not limited to, phosphate-silicate compounds, zeolites, alkali metal, ammonium and substituted ammonium polyacetates, trialkali salts of nitrilotriacetic acid, carboxylates, polycarboxylates, carbonates, bicarbonates, polyphosphates, aminopolycarboxylates, polyhydroxysulfonates, and/or starch derivatives. In one embodiment, the builder detergent includes

polyacetate and/or polycarboxylate compounds. In one aspect of this embodiment, the polyacetate and/or polycarboxylate compounds include, but are not limited to, sodium, potassium, lithium, ammonium, and substituted ammonium salts of ethylenediamine tetraacetic acid, ethylenediamine triacetic acid, ethylenediamine tetrapropionic acid, diethylenetriamine pentaacetic acid, nitrilotriacetic acid, oxydisuccinic acid, iminodisuccinic acid, mellitic acid, polyacrylic acid or polymethacrylic acid and copolymers, benzene polycarboxylic acids, gluconic acid, sulfamic acid, oxalic acid, phosphonic acid, phosphonic acid, organic phosphonic acids, acetic acid, and citric acid. These builder detergents can also exist either partially or totally in the hydrogen ion form. In another aspect of this embodiment, the builder detergent includes EDTA and/or EDTA salts. When EDTA salts are included in the cleaning composition, the EDTA salts contribute to the release of the cationic biocide from the cleaning wipe when the cleaning composition is loaded onto a cleaning wipe. The cationic properties of the EDTA salts compete for the anionic species sites on the cleaning wipe thereby causing some cationic biocide to be released from the cleaning wipe. Although the EDTA salts contribute to some cationic biocide release when sufficient amounts of EDTA salts are included in the cleaning agent, the amount of cationic biocide release attributable to the EDTA salts is very small due to the low ionic strength of the EDTA salts. Consequently, EDTA salts in the cleaning composition are not a substitute for the biocide release agent, and the absence of a biocide release agent from the cleaning composition results in little or no measurable reduction in cationic biocide retention on the cleaning wipe. In one specific aspect, the builder agent includes sodium and/or potassium salts of EDTA. In still another embodiment, the builder detergent includes substituted ammonium salts. In one aspect of this embodiment, the substituted ammonium salts include, but are not limited to, ammonium salts of methylamine, dimethylamine, butylamine, butylenediamine, propylamine, triethylamine, trimethylamine, monoethanolamine, diethanolamine, triethanolamine, isopropanolamine, ethylenediamine tetraacetic acid and/or propanolamine. In yet another embodiment, the cleaning composition includes at least about 0.001 weight percent builder detergent when builder detergent is included in the cleaning composition. In one aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.01 - 2 weight

percent. In another aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.01 - 1 weight percent. In still another aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.01 - 0.8 weight percent. In yet another aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.05 - 0.75 weight percent. In still yet another aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.05 - 0.5 weight percent. In a further aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.07 - 0.3 weight percent. In still a further aspect of this embodiment, the builder detergent content in the cleaning composition is about 0.09 - 0.25 weight percent.

In still another aspect of the present invention, the cleaning composition includes a solvent. The solvent is used to dissolve various components in the cleaning composition so as to form a substantially uniformly dispersed mixture. In addition to the dispersion and solubilizing functions of the solvent, the solvent can function as a cleaning agent to help loosen and solubilize compounds such as greasy or oily soils from surfaces, a residue inhibiting agent to help reduce residues left behind on a cleaned surface, and/or a disinfecting agent to help eliminate various bacteria and/or viruses on a cleaned surface. In one embodiment, the solvent is water soluble and/or a dispersable organic solvent. In another embodiment, the solvent rapidly volatilizes. In one aspect of this embodiment, the solvent has a vapor pressure of at least about 0.001 mm Hg at about 25° C. In another aspect of this embodiment, the solvent volatilizes in no more than about 5 minutes at ambient temperature (about 25° C) after contact with a surface. In another embodiment, the solvent volatilizes from a surface substantially without leaving a residue. In still another embodiment, the solvent includes, but is not limited to, C₁₋₆ alkanols, C₁₋₆ diols, C₁₋₆ alkyl ethers of alkylene glycols, C₃₋₂₄ alkylene glycol ethers, polyalkylene glycols, short chain carboxylic acids, short chain esters, isoparaffinic hydrocarbons, mineral spirits, alkylaromatics, terpenes, terpene derivatives, terpenoids, terpenoid derivatives, formaldehyde, and/or pyrrolidones. In one aspect of this embodiment, the alkanol includes, but is not limited to, methanol, ethanol, n-propanol, isopropanol, butanol, pentanol, and/or hexanol, and their various positional isomers. In another aspect of this embodiment, the diols

include, but are not limited to, methylene, ethylene, propylene and/or butylene glycols. In still another aspect of this embodiment, alkylene glycol ether solvents include, but are not limited to, ethylene glycol monopropyl ether, ethylene glycol monobutyl ether, propylene glycol n-propyl ether, propylene glycol monobutyl ether, propylene glycol t-butyl ether, diethylene glycol monoethyl or monopropyl or monobutyl ether, di- or tri-polypropylene glycol methyl or ethyl or propyl or butyl ether, acetate and/or propionate esters of glycol ethers. In yet another aspect of this embodiment, the short chain carboxylic acids include, but are not limited to, acetic acid, glycolic acid, lactic acid and/or propionic acid. In still yet another aspect of this embodiment, the short chain esters include, but are not limited to, glycol acetate, and/or cyclic or linear volatile methylsiloxanes. In a further aspect of this embodiment, water insoluble solvents such as isoparaffinic hydrocarbons, mineral spirits, alkylaromatics, terpenoids, terpenoid derivatives, terpenes, and/or terpenes derivatives are mixed with a water soluble solvent when included in the cleaning composition. When water insoluble solvents are mixed with a water soluble solvent in the cleaning composition, the weight percentage of the water insoluble solvent in the cleaning composition is generally less than about 10 weight percent, typically less than about 5 weight percent, and more typically less than about 1 weight percent of the cleaning composition. As can be appreciated, the cleaning composition can be a non aqueous cleaner wherein little, if any, water is included in the cleaning composition. In such a formulation, weight percentage of the water insoluble solvent can be greater than about 10 weight percent. In one specific aspect, the water insoluble solvent includes, but is not limited to, tertiary alcohols, hydrocarbons (e.g. alkanes), pine-oil, terpenoids, turpentine, turpentine derivatives, terpenoid derivatives, terpinolenes, limonenes, pinenes, terpene derivatives, benzyl alcohols, phenols, and/or their homologues. Certain terpene derivatives that can be used include, but are not limited to, d-limonene, TERPENE EX, dipentene and oc-pinene. In still a further aspect of this embodiment, the pyrrolidones include, but are not limited to, N-methyl-2-pyrrolidone, N-octyl-2-pyrrolidone and/or N-dodecyl-2-pyrrolidone. In still another embodiment, the cleaning composition includes at least about 0.5 weight percent solvent when solvent is included in the cleaning composition. Typically, the cleaning composition includes at least about 0.5 weight percent solvent

00737641-121400

86
83

to avoid solubility problems which can result from the combination of various components of the cleaning composition. In one aspect of this embodiment, the solvent content in the cleaning composition is about 1 - 70 weight percent. In another aspect of this embodiment, the solvent content in the cleaning composition is about 2 - 30 weight percent. In still another aspect of this embodiment, the solvent content in the cleaning composition is about 2 - 10 weight percent. In yet another aspect of this embodiment, the solvent content in the cleaning composition is about 2.5 - 7 weight percent. In still yet another aspect of this embodiment, the solvent content in the cleaning composition is about 2.75 - 6 weight percent. In a further aspect of this embodiment, the solvent content in the cleaning composition is about 2.75 - 5 weight percent. In still a further aspect of this embodiment, the solvent content in the cleaning composition is less than about 5 weight percent.

In still yet another aspect of the present invention, the cleaning composition includes water. The water can be tap water, distilled water, deionized water, and/or industrial soft water. The amount of water in the cleaning composition depends on whether the cleaning composition is an aqueous or nonaqueous composition. In one embodiment, the water is deionized water and/or industrial soft water. The use of deionized water and/or industrial soft water reduces residue formation and limits the amount of undesirable metal ions in the cleaning composition. In another embodiment, the cleaner composition is an aqueous composition, and the water constitutes at least a majority weight percent of the cleaning composition. In one aspect of this embodiment, the water content in the cleaning composition is at least about 70 weight percent. In another aspect of this embodiment, the water content in the cleaning composition is at least about 80 weight percent. In still another aspect of this embodiment, the water content in the cleaning composition is at least about 90 weight percent. In yet another aspect of this embodiment, the water content in the cleaning composition is at least about 95 weight percent.

In a further aspect of the present invention, the cleaning composition includes one or more adjuncts. The adjuncts include, but are not limited to, buffering and pH adjusting agents, fragrances or perfumes, waxes, dyes and/or colorants, solubilizing materials, stabilizers, thickeners, defoamers, hydrotropes, lotions and/or mineral oils, enzymes, bleaching agents, cloud point modifiers,

88
85

preservatives, and/or polymers. In one embodiment, the buffering and pH adjusting agents, when used, include, but are not limited to, organic acids, mineral acids, alkali metal and alkaline earth salts of silicate, metasilicate, polysilicate, borate, carbonate, carbamate, phosphate, polyphosphate, pyrophosphates, triphosphates, tetraphosphates, ammonia, hydroxide, monoethanolamine, monopropylamine, diethanolamine, dipropylamine, triethanolamine, and/or 2-amino-2-methylpropanol. In another embodiment, the waxes, when used, include, but are not limited to, carnauba, beeswax, spermaceti, candelilla, paraffin, lanolin, shellac, esparto, ouricuri, polyethylene wax, chlorinated naphthalene wax, petrolatum, microcrystalline wax, ceresine wax, ozokerite wax, and/or rezowax. In yet another embodiment, the solubilizing materials, when used, include, but are not limited to, hydrotropes (e.g. water soluble salts of low molecular weight organic acids such as the sodium and/or potassium salts of xylene sulfonic acid). In another embodiment, the acids, when used, include, but are not limited to, organic hydroxy acids, citric acids, keto acids, and the like. In still another embodiment, thickeners, when used, include, but are not limited to, polyacrylic acid, xanthan gum, calcium carbonate, aluminum oxide, alginates, guar gum, methyl, ethyl, clays, and/or propylhydroxycelluloses. In yet another embodiment, defoamers, when used, include, but are not limited to, silicones, aminosilicones, silicone blends, and/or silicone/hydrocarbon blends. In still yet another embodiment, lotions, when used, include, but are not limited to, achlorophene and/or lanolin. In a further embodiment, enzymes, when used, include, but are not limited to, lipases and proteases, and/or hydrotropes such as xylene sulfonates and/or toluene sulfonates. In a further embodiment, bleaching agents, when used, include, but are not limited to, peracids, hypochlorite sources, hydrogen peroxide, and/or sources of hydrogen peroxide. In a further embodiment, preservatives, when used, include, but are not limited to, mildewstat or bacteriostat, methyl, ethyl and propyl parabens, short chain organic acids (e.g. acetic, lactic and/or glycolic acids), bisguanidine compounds (e.g. Dantagard and/or Glydant) and/or short chain alcohols (e.g. ethanol and/or IPA). In one aspect of this embodiment, the mildewstat or bacteriostat includes, but is not limited to, mildewstats (including non-isothiazolone compounds) include Kathon GC, a 5-chloro-2-methyl-4-isothiazolin-3-one, Kathon ICP, a 2-methyl-4-isothiazolin-3-one, and a blend thereof, and Kathon

09737541-121400

886, a 5-chloro-2-methyl-4-isothiazolin-3-one, all available from Rohm and Haas Company; Bronopol, a 2-bromo-2-nitropropane 1, 3diol, from Boots Company Ltd., Proxel CRL, a propyl-p-hydroxybenzoate, from ICI PLC, Nipasol M, an o-phenyl-phenol, Na⁺ salt, from Nipa Laboratories Ltd., Dowicide A, a 1,2-Benzisothiazolin-3-one, from Dow Chemical Co, and Irgasan DP 200, a 2,4,4'-trichloro-2-hydroxydiphenylether, from Ciba-Geigy A.G. In still a further embodiment, polymers, when used, include, but are not limited to, polysaccharides, polycarboxylates, polystyrenesulfonates, acrylate polymers, polyethyleneimines, polyvinylpyrrolidones, methylvinyl ether, polyvinyl alcohols, silicones, and/or polyethylene glycols. In one aspect of this embodiment, the polymer, when used, is generally a water soluble or dispersable polymer having a molecular weight of generally below 2,000,000 daltons. In another aspect of this embodiment, polysaccharide polymers include, but are not limited to, substituted cellulose materials like carboxymethylcellulose, ethyl cellulose, hydroxyethylcellulose, hydroxypropylcellulose, hydroxymethylcellulose, succinoglycan and naturally occurring polysaccharide polymers like xanthan gum, guar gum, locust bean gum, tragacanth gum or derivatives thereof, sodium caseinate, gelatin, cationic cellulose ether, and/or Polymer JR. In still another aspect of this embodiment, polycarboxylates include, but are not limited to, ethylene, simple olefin, styrene, alpha-methylstyrene, methyl, ethyl and C₃₋₈ alkyl acrylates and methacrylates, isobornyl methacrylate, acrylamide, hydroxyethyl acrylate and methacrylate, hydroxypropyl acrylate and methacrylate, N-vinyl pyrrolidone, butadiene, isoprene, vinyl halides such as vinyl chloride and vinylidene chloride, alkyl maleates, alkyl fumarates, acrylic acid, methacrylic acid, polycarboxylic acids, sulfonic acids, phosphoric acids, maleic anhydride, ethylene and/or propylene. In yet another aspect of this embodiment, polystyrenesulfonates include, but are not limited to, Flexan 130, Versa TL-4, and/or Versa TL501 from ALCO Corporation. In still another aspect of this embodiment, acrylate polymers include, but are not limited to, cationic acrylic water soluble polymers that are copolymers of cationic quaternized acrylates, methacrylates, acrylamides, and methacrylamides, and/or copolymers of one or more acidic monomers such as acrylic acid, methacrylic acid or maleic anhydride with at least one other ethylenically unsaturated monomer selected from a group of ethylene and other simple olefin, styrene, alpha-methylstyrene,

09737641.121400

20

25

25

25

88

Another and/or alternative object of the present invention is to provide a cleaning composition having a reduced toxicity without impairing the disinfecting attributes of the cleaning composition.

Yet another and/or alternative object of the present invention is to provide a cleaning composition having a reduced raw material cost.

Still another and/or alternative object of the present invention is to provide a cleaning composition that exhibits reduced streaking and/or filming.

These and other objects and advantages will become apparent to those skilled in the art upon reading and following the description of the invention taken together with the accompanied drawing.

BRIEF DESCRIPTION OF THE DRAWING

Reference may now be made to the drawing, which illustrates various attributes of the invention wherein,

FIGURE 1 is a graphical illustration of the percentage of quat recovered from the cleaning wipe as a function of the weight percentage of salt in the cleaning composition.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The improved cleaning composition of the present invention can be used independently from or in conjunction with an absorbent material. The cleaning composition is particularly formulated to be loaded onto a cleaning wipe which cleaning wipe includes wood pulp and/or wood pulp derivatives and will be described with particular reference thereto

The cleaning composition is loaded onto a cleaning wipe which is made of an absorbent/adsorbent material. Typically, the cleaning wipe has at least one layer of nonwoven material. Nonlimiting examples of commercially available cleaning wipes that can be used include DuPont 8838, Dexter ZA, Dexter 10180, and Dexter M10201. All of these cleaning wipes include a blend of polyester and wood pulp. Dexter M10201 also includes rayon, a wood pulp derivative. The loading ratio of the cleaning composition onto the cleaning wipe is about 2-5 1, and typically about 3-4 1. The cleaning composition is loaded onto the cleaning wipe in any number of manufacturing methods. Typically, the cleaning wipe is soaked in the cleaning composition for a


00737541-121400

period of time until the desired amount of loading is achieved. The cleaning wipe loaded with the cleaning composition provides excellent cleaning with no or little streaking/filming. The basic components of the aqueous cleaning composition include

- (i) a biocide,
- (ii) a biocide release agent, and
- (iii) water

Additional components can be included in the cleaning composition to add one or more attributes to the cleaning composition and/or to enhance the attributes of the cleaning composition.

The biocide in the cleaning composition includes a cationic compound. The cationic biocide typically includes one or more quaternary ammonium compounds (quats). Quats are desirable in that such compounds have a broad spectrum antimicrobial or germicidal properties. A variety of different quats can be used in the cleaning composition. The general structure for the quat is



wherein X is an anion such as chloride, bromide, iodide, carbonate and/or an alkyl carboxylate, and $R_1 - R_4$ are straight chain, branched chain and/or cyclic chain groups. Typically, the quat is an alkyl dimethylbenzylammonium quat, an alkyl dimethylethylbenzylammonium quat and/or an alkyl dimethylammonium quat. One particular nonlimiting quat that can be used in the cleaning composition is a combination of alkyl dimethylbenzylammonium chloride (C_{14} - 60%, C_{16} - 30%, C_{12} - 5%, C_{18} - 5%) and alkyl dimethylethylbenzylammonium chloride (C_{12} - 68%, C_{14} - 32%). This quat combination is commercially available as Barquat 4250Z by Lonza.

The quat content of the cleaning composition is typically maintained above about 0.04 weight percent and less than about 5 weight percent. Generally, the quat content of the cleaning composition is about 0.1-0.5 weight percent. This weight percentage range for the quat in the

cleaning composition is selected to disinfect most common household and industrial surfaces. Common types of bacteria that are destroyed by the cleaning composition include, but are not limited to, staphylococcus aureus (staph) and/or salmonella choleraesuis (salmonella).

The biocide release agent used in the cleaning composition includes a cationic compound that is designed to compete with the cationic biocide for anionic species sites on the cleaning wipe. The cationic biocide release agent typically includes a cationic salt. Generally, a commonly available salt is used so as to minimize the raw material cost of the cleaning composition. In addition, a salt having a relatively high ionic strength per mole of salt is selected to minimize the amount of salt needed in the cleaning composition thereby also minimizing the raw material cost of the cleaning composition. Nonlimiting examples of salts that can be used in the cleaning composition include potassium citrate, sodium citrate, magnesium sulphate, sodium chloride, ammonium chloride, and/or potassium chloride. The one or more salts are added to the cleaning composition in an amount to cause over about 50% of the cationic biocide to be released from the cleaning wipe when the cleaning wipe is applied to a surface to be cleaned. Generally, the salt content of the cleaning composition is sufficient to cause at least about 75% of the cationic biocide to release from the cleaning wipe. Typically, the ionic strength of the one or more salts in the cleaning composition is about 1×10^{-3} - 2 mol/l, and the weight percent of the salt in the cleaning composition is about 0.04 - 5 weight percent.

The water used in the cleaning composition constitutes a majority of the cleaning composition. Typically, the aqueous cleaning composition includes at least about 80 weight percent water. The water is typically deionized water and/or industrial soft water so as to reduce residue formation and limit the amount of undesirable metal ions in the cleaning composition.

The cleaning composition typically includes a builder detergent, solvent, and/or surfactant. The builder detergent is used to increase the effectiveness of the surfactant in the cleaning composition, as a softener and/or as a sequestering and buffering agent in the cleaning composition. Typically, the builder detergent includes sodium and/or potassium salts of EDTA. The builder detergent content in the cleaning composition is typically about 0.01 - 0.8 weight percent. The

94
91

solvent is used as a dispersion and solubilizing agent for the components of the cleaning composition, as a cleaning agent to help loosen and solubilize compounds, a residue inhibiting agent, and/or a secondary disinfecting agent. Typically, the solvent is an alkanol such as methanol, ethanol, n-propanol, isopropanol, butanol, pentanol, and/or hexanol. The amount of solvent in the cleaning composition is generally limited to less than 10 weight percent of the cleaning composition and typically less than about 5 weight percent of the cleaning composition. The lower solvent weight percentages are especially desirable in jurisdictions wherein regulations require solvent concentrations of less than 5-10 weight percent in the cleaning composition. The surfactant is used to improve the cleaning performance of the cleaning composition. A variety of anionic, cationic and/or amphoteric surfactants can be included in the cleaning composition. Typically, the surfactant includes an amine oxide. Generally, the surfactant content of the cleaning composition is about 0.01 - 5 weight percent.

In addition to the inclusion of a builder detergent, solvent and/or surfactant in the cleaning composition, the cleaning composition can additionally or alternatively include one or more adjunct components such as buffering and pH adjusting agents, fragrances or perfumes, dyes and/or colorants, solubilizing materials, thickeners, defoamers, polymers, lotions and/or mineral oils, enzymes, bleaching agents, and/or preservatives.

A general formulation of the cleaning composition in weight percent is as follows:

Biocide	0.05 - 5%
Biocide release agent	0.03 - 10%
Water	at least 5%

wherein the ionic strength of the biocide release agent is at least about 5×10^{-3} mol/l.

Several specific, nonlimiting, examples of the cleaning composition in weight percent are as follows:

98
92

EXAMPLE 1

Biocide	0.05 - 5%
Biocide release agent	0.03 - 10%
Builder detergent	0.001 - 2%
Solvent	0.5 - 70%
Surfactant	0.001 - 5%
Water	at least 10%

wherein the ionic strength of the biocide release agent is at least about 5×10^{-3} mol/l

EXAMPLE 2

Biocide	0.1 - 2%
Biocide release agent	0.08 - 3%
Builder detergent	0.01 - 2%
Solvent	2 - 30%
Surfactant	0.05 - 3%
Water	at least 60%

wherein the ionic strength of the biocide release agent is at least about 1×10^{-2} mol/l

EXAMPLE 3

Biocide	0.15 - 0.8%
Biocide release agent	0.1 - 2.5%
Builder detergent	0.01 - 0.8%
Solvent	2 - 10%
Surfactant	0.075 - 2%
Water	at least 80%

wherein the ionic strength of the biocide release agent is about 2×10^{-2} - 1 mol/l

96
93

EXAMPLE 4

Biocide	0.2 - 0.5%
Biocide release agent	0.5 - 2%
Builder detergent	0.05 - 0.5%
Solvent	2.75 - 8%
Surfactant	0.15 - 0.8%
Water	at least 85%

wherein the ionic strength of the biocide release agent is about 3×10^{-2} - 0.4 mol/l

EXAMPLE 5

Biocide	0.25 - 0.4%
Biocide release agent	0.75 - 1.8%
Builder detergent	0.075 - 0.25%
Solvent	2.75 - 5%
Surfactant	0.2 - 0.4%
Water	at least 85%

wherein the ionic strength of the biocide release agent is about 4×10^{-2} - 0.2 mol/l

EXAMPLE 6

Barquat 4250Z	0.3 - 0.4%
Potassium Citrate	0.9 - 1.1%
Disodium EDTA	0.09 - 0.15%
Isopropanol	3.5 - 5%
Lauryl Dimethyl Amine Oxide	0.2 - 0.4%
Water	at least 90%

wherein the ionic strength of the salts in the cleaning composition is about 3.5×10^{-2} - 5×10^{-2} mol/l

09737647.121400
10
15
20
25

94

EXAMPLE 7

BTC 2250	0.3 - 0.4%
Sodium Citrate	0.9 - 1.1%
DiPotassium EDTA	0.09 - 0.15%
Isopropanol	3.5 - 5%
Lauryl Dimethyl Amine Oxide	0.2 - 0.4%
Water	at least 90%

wherein the ionic strength of the salts in the cleaning composition is about 3.75×10^{-2} - 5.4×10^{-3} mol/l

Several specific, nonlimiting examples of the cleaning composition loaded onto a cleaning wipe in weight percentage of the loaded cleaning wipe are as follows

EXAMPLE 8

Biocide	0.025 - 4.17%
Biocide release agent	0.015 - 8.33%
Builder detergent	0.0005 - 1.67%
Solvent	0.25 - 58.3%
Surfactant	0.0005 - 4.17%
Water	at least 5%
Dry cleaning wipe	16.7 - 50%
Loading ratio	1 - 5:1

wherein the ionic strength of the biocide release agent is at least about 5×10^{-3} mol/l

EXAMPLE 9

Biocide	0.1 - 0.64%
Biocide release agent	0.067 - 2%
Builder detergent	0.0067 - 0.64%
Solvent	1.3 - 8%
Surfactant	0.05 - 1.6%

004121-14976760
09737647-121400

93
95

Water	at least 53%
Dry cleaning wipe	20 - 33%
Loading ratio	2 - 4 1

wherein the ionic strength of the biocide release agent is at least about 2×10^{-2} - 1 mol/l

5

EXAMPLE 10

Barquat 4250 Z	0.23 - 0.32%
Potassium Citrate	0.7 - 0.88%
Disodium EDTA	0.07 - 0.12%
Isopropanol	2.7 - 4%
Barlox 12	0.155 - 0.32%
Water	at least 70%
DuPont 8838	20 - 22.2%
Loading ratio	3.5 - 4 1

wherein the ionic strength of the salts in the cleaning composition is about 3.5×10^{-2} - 5×10^{-2} mol/L

The inclusion of a cationic biocide release agent in the cleaning composition positively affects the cationic biocide retention in a cleaning wipe. As illustrated in Table 1 below, and in FIGURE 1, the increase in salt content of the cleaning composition results in a decrease in quat retention and an increase in quat recovery. Several trials were conducted using two types of cleaning wipes and five different types of biocide release agents. The biocide used in the cleaning composition was Barquat 4250Z by Lonza. The cleaning composition included about 0.37 weight percent biocide, about 0.3 weight percent amine oxide, about 0.1 weight percent sodium EDTA, 4.9 weight percent isopropanol, and the balance water. Each cleaning wipe had a loading ratio of cleaning composition to cleaning wipe of about 3.75 1.

09737641.121400
10
15

20

99
96

TABLE 1
Low Quat Bactericidal Wipe Effective of salts on Quat released (Quat level =0.29%)

% Salt	% Quat Recovery with K-Citrate (DuPont 8838)	% Quat Recovery with KCl (DuPont 8838)	% Quat Recovery with Na-Citrate (DuPont 8838)	% Quat Recovery with MgSO ₄ (DuPont 8838)	% Quat Recovery with NH ₄ Cl (Dexter ZA)
0	52	51			
0 00304					67 4
0 00595					73 1
0 1013	57	60	59	71	75 9
0.304	75	69	73	79	82 1
0 697	88	77	90	91	82 4
1 0	98	86	89	96	96 3

As illustrated above, the quat retention in the cleaning wipe is about 50% when the salt was not added to the cleaning composition. The results in Table 1 illustrate that the quat retention is substantially reduced by increasing the concentration of salt in the cleaning composition. The variances in measured quat retention are believed to be due to the type of cleaning wipe used and the ionic strength of the salt. In every test, the inclusion of salt in the cleaning composition resulted in an increased quat release from the cleaning wipe. FIGURE 1 graphically illustrates the quat retention on a DuPont 8838 cleaning wipe as a function of the salt content of the cleaning composition.

Another set of tests were conducted to determine if there was any effect on the quat release level from the cleaning wipe as a function of the type of cleaning wipe. The results of these tests are illustrated in Table 2. The biocide used in the cleaning composition was Barquat 4250Z by Lonza. The cleaning composition included about 0.3 weight percent amine oxide, about 0.1 weight percent sodium EDTA, about 4.9 weight percent isopropanol, and the balance water. The biocide

09737541-121400
15

100
92

release agent used was potassium citrate. Two concentrations of potassium citrate were used, namely, 1.0 and 0.304 weight percent of the cleaning composition. The cleaning wipe was DuPont 8838 having a loading ratio of cleaning composition to cleaning wipe of about 3.75:1.

TABLE 2

5 Effect of Different Cleaning Wipes on Quat Released using K Citrate

Cleaning Wipe	% Quat Released
Dexter 10180 (0.24% K Citrate)	78
Dexter M10201 (0.24% K Citrate)	93
Dexter ZA (0.24% K Citrate)	83
Dexter 10180 (0.79% K Citrate)	100
Dexter M10201 (0.79% K Citrate)	100
Dexter ZA (0.79% K Citrate)	100

The test results in Table 2 reveal that an increase in quat release from the cleaning wipe occurred regardless of the type of wood pulp containing cleaning wipe. In addition, the test results confirmed that increased salt concentrations in the cleaning composition resulted in decreased quat retention.

Another set of tests were conducted to determine if there was any effect on the quat release as a function of the amount of quat in the cleaning composition. The results of these tests are illustrated in Table 3. The biocide used in the cleaning composition was Barquat 4250Z by Lonza. The cleaning composition included about 0.3 weight percent amine oxide, about 1 weight percent potassium citrate, about 0.1 weight percent sodium EDTA, about 4.9 weight percent isopropanol, and the balance water. The cleaning wipe was DuPont 8838 having a loading ratio of cleaning composition to cleaning wipe of about 3.75:1.

101
98

TABLE 3

Effect of different quat levels on quat released (K citrate = 1.0%)

% Quat in Cleaning Composition	% K-citrate = 1.0%
0	N/A
0.507	100%
0.101	99.6%
0.203	95.8%
0.279	94.2%
0.367	95.2%

The results in Table 3 indicate that the amount of quat release is not adversely affected by the amount of quat in the cleaning composition.

Several tests were also conducted to determine whether the salt in the cleaning agent adversely affected the bactericidal efficacy of the cleaning composition. In each test conducted, the salt did not adversely affect the bactericidal efficacy of the cleaning composition. In addition, it was found that the salts alone had little or no bactericidal efficacy.

The invention has been described with reference to a preferred embodiment and alternates thereof. It is believed that many modifications and alterations to the embodiments disclosed will readily suggest itself to those skilled in the art upon reading and understanding the detailed description of the invention. It is intended to include all such modifications and alterations insofar as they come within the scope of the present invention.

We claim

1 A cleaning composition adapted to be loaded on a cleaning wipe comprising a cationic biocide, a cationic biocide release agent and water, said cationic biocide release agent having an ionic strength in said cleaning composition of at least about 5×10^{-3} mol/l.

2 The cleaning composition as defined in claim 1, wherein said cationic biocide release agent has an ionic strength in said cleaning composition of at least about 5×10^{-3} mol/l to about 18 mol/l

3 The cleaning composition as defined in claim 2, wherein said cationic biocide release agent has an ionic strength in said cleaning composition of at least about 1×10^{-2} mol/l to about 5 mol/l

4 The cleaning composition as defined in claim 1, wherein said cationic biocide includes a quaternary ammonium compound.

5 The cleaning composition as defined in claim 2, wherein said cationic biocide includes a quaternary ammonium compound.

Si

103
100

CLX-12905

6 The cleaning composition as defined in claim 1, wherein said cationic biocide release agent includes a salt selected from the group consisting of acetates, acetylides, ammonium salts, arsenates, astatides, azides, bihalide salts, bicarbonates, bisulfides, borides, borohydrides, borohalides, carconates, citrates, cyanates, cyanides, formates, germanates, glycinate, halates, halides, hydrides, hydroselenides, hydrosulphides, hydroxides, imides, metamobates, metaantalates, metavanadates, nitrates, nitrides, nitrites, oxides, perchlorates, phosphates, phosphonium salts, selenides, selenites, selenates, sulphides, sulphates, ternary salts, tetraalkyl ammonium salts (excluding quats), tellurides, thiocyanates, vanadates, and mixtures thereof

7 The cleaning composition as defined in claim 5, wherein said cationic biocide release agent includes a salt selected from the group consisting of acetates, acetylides, ammonium salts, arsenates, astatides, azides, bihalide salts, bicarbonates, bisulfides, borides, borohydrides, borohalides, carconates, citrates, cyanates, cyanides, formates, germanates, glycinate, halates, halides, hydrides, hydroselenides, hydrosulphides, hydroxides, imides, metamobates, metaantalates, metavanadates, nitrates, nitrides, nitrites, oxides, perchlorates, phosphates, phosphonium salts, selenides, selenites, selenates, sulphides, sulphates, ternary salts, tetraalkyl ammonium salts (excluding quats), tellurides, thiocyanates, vanadates, and mixtures thereof

8 The cleaning composition as defined in claim 6 wherein said cationic biocide release agent includes a salt selected from the group consisting of potassium citrate, sodium citrate, magnesium sulphate, sodium chloride, ammonium chloride, potassium chloride, mixtures thereof

DOA DUQIF DE 1921
17 11 1921
18 11 1921
19 11 1921

704
101

9 The cleaning composition as defined in claim 1, including at least an effective amount of surfactant.

10 The cleaning composition as defined in claim 8, including at least an effective amount of surfactant.

11 The cleaning composition as defined in claim 1, including at least an effective amount of solvent.

12 The cleaning composition as defined in claim 10, including at least an effective amount of solvent.

13 The cleaning composition as defined in claim 11, wherein said solvent includes a compound selected from the group consisting of methanol, ethanol, n-propanol, isopropanol, various positional isomers of butanol, pentanol, hexanol, and mixtures thereof

14. The cleaning composition as defined in claim 12, wherein said solvent includes a compound selected from the group consisting of methanol, ethanol, n-propanol

09737644-121400

105
102

CLX-12905

15 The cleaning composition as defined in claim 1, including at least an effective amount of builder detergent.

16 The cleaning composition as defined in claim 14, including at least an effective amount of builder detergent.

17 The cleaning composition as defined in claim 15, wherein said builder detergent includes a compound selected from the group consisting of sodium EDTA, disodium EDTA, potassium EDTA, dipotassium EDTA, and mixtures thereof.

18 The cleaning composition as defined in claim 16, wherein said builder detergent includes a compound selected from the group consisting of sodium EDTA, disodium EDTA, potassium EDTA, dipotassium EDTA, and mixtures thereof.

- 19 A disinfecting cleaning wipe having reduced biocide retention comprising
- a. a wipe having at least one layer of absorbent or adsorbent material, said wipe including a material selected from the group consisting of wood pulp, wood pulp derivative, and mixtures thereof, and
 - b. a cleaning composition impregnated on said wipe, said cleaning composition including a cationic biocide, a cationic biocide release agent and water, said cationic biocide release agent having an ionic strength in said cleaning composition of at least about 5×10^{-3} mol/L.

-35-

DORA DUQUE DE BERNIAL

TRADUCTORA Y INTERPRETE OFICIAL

RES 0275 / 81 17 JUSTICIA

SEP 17 1981

103/106

20 A method for cleaning a surface with a cleaning wipe comprising

a. providing a cleaning wipe having at least one layer of absorbent or adsorbent material,

b. impregnating said cleaning wipe with a cleaning composition, said cleaning composition including a cationic biocide, a cationic biocide release agent and water, said cationic biocide release agent having an ionic strength in said cleaning composition of at least about 5×10^{-3} mol/l, and

c. contacting said surface with the cleaning wipe to at least partially disinfect said surface, said wipe including a material selected from the group consisting of wood pulp, wood pulp derivative, and mixtures thereof,

21 A dispenser for cleaning wipes comprising a container containing at least one cleaning wipe, said cleaning wipe including a wipe impregnated with a cleaning composition, said wipe having at least one layer of absorbent or adsorbent material, said wipe including a material selected from the group consisting of wood pulp, wood pulp derivative and mixtures thereof, said cleaning composition including a cationic biocide, a cationic biocide release agent and water, said cationic biocide release agent having an ionic strength in said cleaning composition of at least about 5×10^{-3} mol/l.

DORA DUQUE DE BERNAL
 TRADUPTA E INTERPRETE OFICIAL
 RES. 02-55/ 8 Y 0144/97, MINISTERIA
 DE JUSTICIA

104 107

CLX-12905

ABSTRACT OF THE DISCLOSURE

A cleaning composition loaded on a cleaning wipe having improved biocidal release from the cleaning wipe. The cleaning composition includes a cationic biocide, a cationic biocide release agent and water. The cationic biocide release agent has an ionic strength in the cleaning composition of at least about 5×10^{-3} mol/L.

09737641.121400

105 108

Docket No. CLX-12905

VICKERS, DANIELS & YOUNG
50 PUBLIC SQUARE, SUITE 2000
CLEVELAND, OHIO 44113-2235

DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION/CONTINUATION-IN-PART PATENT APPLICATION

As a below named inventor, I hereby declare that.

My residence, post office address and citizenship are as stated beneath my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

"Bactericidal Cleaning Wipe"

the specification of which

 X is attached hereto

 was filed on as Application Serial No.
and was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability and/or examination of this application in accordance with Title 37, Code of Federal Regulations §1.56(a)

I hereby claim priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent, inventor's certificate or provisional application listed below, and I have also identified below any foreign application for patent, inventor's certificate or provisional application having a filing date before that of the application on which priority is claimed.

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below, and, insofar as the subject matter of each of the claims of this application/continuation-in-part application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112. I acknowledge the duty to disclose information material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

Application Serial No. Filing Date Status

Application Serial No. Filing Date Status

DBK PQA - Rev 10/00

"Express Mail", mailing label number EF127264057US Page 1

09737541-121400

105
106

I hereby appoint the firm of Vickers, Daniels & Young, Robert V Vickers (Reg. No. 19,504), E. Kent Daniels, Jr (Reg. No. 19,598), Thomas E. Young (Reg. No. 28,924), and Brian E. Turing (Reg. No. 35,394), 50 Public Square, Suite 2000, Cleveland, Ohio 44113-2235, to act jointly or severally as my attorneys, each with full power of substitution and revocation, to prosecute said application and to transact all business in the Patent and Trademark Office and/or all the competent international authorities in connection with an international application connected therewith.

And I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Shuman Mitra
SHUMAN MITRA

Richard E. Simon
RICHARD E. SIMON

Residence and) 4637 Sandyford Court
Post Office) Dublin, California
Address) 94568
)

Residence and) 324 Ridgeview Drive
Post Office) Tracy, California
Address) 95377
)

Citizenship United States

Citizenship United States

Dated this 13th day of December, 2000

Dated this 13th day of December, 2000

Wayne B. Scott
WAYNE B. SCOTT

Kenneth Vieira
KENNETH VIEIRA

Residence and) 2168 Youngs Court
Post Office) Walnut Creek, California
Address) 94596
)

Residence and) 5433 Arrowhead Ct.
Post Office) Livermore,
Address) California
) 94550

Citizenship Canada

Citizenship United States

Dated this 13 day of December, 2000

Dated this 13th day of December, 2000

09737611-121400

107 110

Glen A. Shaffer
GLEN A. SHAFFER


Residence and) 56 Rotary Way, Apt. A
Post Office) Vallejo, California
Address) 94591
)

Citizenship United States

Dated this 15th day of December, 2002

0073751-11400

108 HT



109 113

_____**TRADUCCION OFICIAL No 02-0210**_____

de un documento escrito en INGLÉS el cual para su identificación lleva el
sello de la Traductora e Intérprete Oficial, Res 2755/68 y 01144/97 de
Minjusticia, al igual que la presente _____

ESTADOS UNIDOS DE AMERICA

A TODOS A QUIENES LOS PRESENTES LLEGAREN

DEPARTAMENTO DE COMERCIO DE ESTADOS UNIDOS

Oficina de Patentes y Marcas de Estados Unidos

Diciembre 5 2001

**LA PRESENTE ES PARA CERTIFICAR QUE LA ANEXA ES COPIA AUTENTICA DE
LOS REGISTROS DE LA OFICINA DE PATENTES Y MARCAS DE ESTADOS UNIDOS
DE LOS DOCUMENTOS DE LA SOLICITUD DE PATENTE IDENTIFICADA MÁS
ADELANTE QUE REUNE LOS REQUISITOS PARA QUE SE LE CONCEDA UNA
FECHA DE PRESENTACION BAJO LA NORMA USC 35 111**

SOLICITUD NUMERO 09/737 641

FECHA PRESENTACION Diciembre 14, 2000

Por autoridad del

COMISIONADO DE PATENTES Y MARCAS

(fdo) ilegible

T LAWRENCE

Funcionario de Certificación

(Sello en oblea dorada)

(No se traduce el formato ni la descripción)

TRAPO LIMPIADOR BACTERICIDA

DORA DUQUE DE BERNAL
TRADUCTORA E INTÉRPRETE OFICIAL
RES. 02766/93 Y 01144/97 - MINJUSTICIA
REP DE COLOMBIA

REIVINDICACIONES

- 1 Una composición limpiadora adaptado para saturar un trapo de limpieza, el cual comprende un biocida catiónico, un agente que suelta el biocida catiónico y agua dicho agente que suelta el biocida catiónico tiene una resistencia iónica en dicha composición limpiadora de por lo menos 5×10^{-3} mol/l
- 2 La composición limpiadora como se define en la reivindicación 1, caracterizado porque dicho agente de relevo de biocida catiónico tiene una resistencia iónica en dicha composición limpiadora de por lo menos 5×10^{-3} mol/l hasta aproximadamente 18 mol/l
3. La composición limpiadora como se define en la reivindicación 2, caracterizada porque dicho agente soltador de biocida catiónico tiene una resistencia iónica en dicha composición limpiadora de por lo menos 1×10^{-3} mol/l hasta cerca de 5 mol/l
- 4 La composición limpiadora que se define en la reivindicación 1 caracterizada porque dicho biocida catiónico incluye un compuesto de amonio cuaternario
- 5 La composición limpiadora que se define en la reivindicación 2, caracterizada porque dicho biocida catiónico incluye un compuesto de amonio cuaternario
- 6 La composición limpiadora que se define en la reivindicación 1, caracterizada porque dicho agente soltador de biocida catiónico incluye una sal seleccionada del grupo que consiste en acetatos, acetiluros, sales de amonio, arsenatos, asatridas, azidas, sales de

DORA DUCHE DE BERNAL
 TRADUCTORA E INTERPRETE OFICIAL
 C.C. 09799/10 - 0144/07 JUSTICIA
 DE COLOMBIA

112

bihaluro bicarbonatos, bisulfuros, boruros borohidruros borohaluros
carconatos, citratos cianatos, cianuros formatos germanatos
glicinatos halatos, haluros hidruros hidroselenidas hidrosulfuros
hidróxidos, imidas, mataniobatos metaantolatos, metavanadatos,
nitratos, nitruros nitritos óxidos, percloratos, fosfatos, sales de
fosfonio selenidas selenitas selenatos sulfuros sulfatos, sales
temanas, sales de amonio de tetraalquilo (excluyendo cuaternarias)
teluros, tiocianatos, vanadatos y mezclas de los mismos

7 La composición limpiadora que se define en la reivindicación 5,
caracterizada porque dicho agente soltador de biocida catiónico
incluye una sal seleccionada del grupo que consiste en acetatos,
acetiluros sales de amonio, arsenatos astatidas, azidas sales de
bihaluro, bicarbonatos, bisulfuros, boruros, borohidruros, borohaluros,
carconatos citratos, cianatos, cianuros, formatos germanatos
glicinatos halatos haluros hidruros, hidroselenidas hidrosulfuros
hidróxidos imidas, mataniobatos metaantolatos metavanadatos,
nitratos, nitruros, nitritos, óxidos, percloratos fosfatos, sales de
fosfonio selenidas, selenitas selenatos, sulfuros sulfatos sales
temanas, sales de amonio de tetraalquilo (excluyendo cuaternarias)
teluros tiocianatos vanadatos y mezclas de los mismos

8 La composición limpiadora que se define en la reivindicación 6
caracterizada porque dicho agente soltador de biocida catiónico
incluye una sal seleccionada del grupo que consiste en citrato de
potasio citrato de sodio sulfato de magnesio cloruro de sodio
cloruro de amonio cloruro de potasio mezclas de los mismos

DORA DUGUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
REG. 02735/ 02 111 3737
B.O. 02 13 2004

115 119

3 Actuando en su carácter de Funcionario de Certificación

4 Lleva el sello de la Oficina de Patentes y Marcas

CERTIFICADO

5 En Washington, D C

6 El día diecisiete de Enero de 2002

7 por Funcionario de Autenticación Asistente, Depto de Estado de Estados Unidos

8 No 02006296-4

9 Sello (en dorado)

10 Firma

(fdo) ilegible

Sonya N Johnson

(Sello en relieve)

ES TRADUCCION FIEL Y COMPLETA, a la cual me remito

Bogotá, D C Febrero 18 2002


DORA DUQUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
REL 02755/66 Y 01144/97 - CUCUNUBA
REP DE COLOMBIA

MINISTERIO DE RELACIONES
EXTERIORES
201327
201327
CUYA FIRMA ACEPTA EL
DOCUMENTO DESENERA
LAS FUNCIONES INDICADAS

NO SE ADOPTA
RESPONSABILIDAD DEL TEXTO
2002 FEB 18 P 12 39
JEFE DE LEGATIZACIONES
SANTAFE DE BOGOTA D.C.

FIG. 1

% DE COMPUESTO DE AMONIO CUATERNARIO RECUPERADO EN
FUNCION DE LAS CONCENTRACIONES DE SAL



COLOMBIA

SS

4833-
121

117

APOSTILLE

(Convention de La Haye du 5 octobre 1961)

1 Country *United States of America*

This public document

2 has been signed by P R Grant

3 acting in the capacity of Certifying Officer

4 bears the seal/stamp of Patent and Trademark Office

Certified

5 at Washington, D C

6 the seventeenth of January, 2002

7 by *Assistant Authentication Officer United States Department of State*

8 No 02006296-3

9 Seal/Stamp

10 Signature

Sonya N Johnson

516

118 - T22

A 499083

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office

December 07, 2001

THIS IS TO CERTIFY THAT ANNEXED IS A TRUE COPY FROM THE
RECORDS OF THIS OFFICE OF A DOCUMENT RECORDED ON
December 14, 2000



By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS

P. R. GRANT
Certifying Officer

17

NO 119 123

01-02-2001

Docket No CLX-12905

FORM PTO-1595
(Rev 10-96)

12/14/00

REC



U.S. DEPARTMENT OF COMMERCE
Patent and Trademark Office

OMB No. 0651-0011 (exp 4/94)

101567484

To the Honorable Commissioner of Patents and Trademarks Please record the attached original documents or copy thereof

1 Name of conveying party(ies)
Shuman Mitra Richard E Simon, Wayne B Scott,
Kenneth Vieira and Glen A Shaffer

Additional name(s) of conveying party(ies) attached? [] Yes [X] No

2 Name and address of receiving party(ies)

Name The Clorox Company

Internal Address

3 Nature of conveyance

[X] Assignment [] Merger

[] Security Agreement [] Change of Name

[] Other

Execution Date December 13 2000

Street Address 1221 Broadway

City Oakland State CA ZIP 94612

Additional name(s) & address(es) attached? [] Yes [X] No

9/737641

4 Application number(s) or patent number(s)
If this document is being filed together with a new application, the execution date of the application is December 13 2000

A Patent Application No (s)

B Patent No (s)

Additional numbers attached? [] Yes [X] No

5 Name and address of party to whom correspondence concerning document should be mailed

Name ROBERT V VICKERS

Internal Address

Street Address VICKERS, DANIELS & YOUNG
50 PUBLIC SQUARE, SUITE 2000
CLEVELAND, OHIO 44113 2235

6 Total number of applications and patents involved 1

7 Total fee(37 CFR 3.41) \$ 40.00

☒ Enclosed

☒ You are authorized to charge our deposit account for any additional fee required

8 Deposit account number 22-0347

A duplicate copy of this form is attached

12/20/2000 HLEJ33 00000120 09737641

DO NOT USE THIS SPACE

04 FC-581

40.00 DP

9 Statement and signature

To the best of my knowledge and belief the foregoing information is true and correct and any attached copy is a true copy of the original document

Robert V Vickers

NAME of Person Signing

12/14/2000
DATE

Total number of pages including cover sheet, attachments and documents [4]

Mail documents to be recorded with required cover sheet information to
Commissioner of Patents and Trademarks
Box Assignments
Washington, D C 20231

"Express Mail" mailing label number EF 127264057 US
PATENT

REEL 011376 FRAME 0790

52

(JOINT INVENTORS)

Docket No. CLX-12905

VICKERS, DANIELS & YOUNG
50 PUBLIC SQUARE, SUITE 2000
CLEVELAND, OHIO 44113-2235

ASSIGNMENT

WHEREAS, ASSIGNORS

Shuman Mitra
Richard E. Simon
Wayne B. Scott
Kenneth Vieira
Glen A. Shaffer

of the Cities, Counties and States, respectively of
Dublin, Alameda County, CA
Tracy, San Joaquin County, CA
Walnut Creek, Contra Costa County, CA
Livermore, Alameda County, CA
Vallejo, Solano County, CA

have made an invention in "Bactericidal Cleaning Wipe"

and have executed on *December 13, 2000*, respectively, an application for
Letters Patent of the United States on said invention, hereinafter referred to as "said application".

AND, WHEREAS,

The Clorox Company a Delaware corporation

having its principal place of business at 1221 Broadway
Oakland, California 94612

hereinafter called ASSIGNEE, is desirous of acquiring the entire worldwide rights, title and interest
in, to and under said invention and said application.

NOW THEREFORE

For good and valuable consideration, the receipt and sufficiency of which is acknowledged,
ASSIGNORS hereby sell, transfer and assign to the ASSIGNEE, its successors, assigns, nominees,
or other legal representatives the full, exclusive, entire, worldwide rights, title and interest in, to and
under said invention as described and claimed in said application, the same to be held and enjoyed
by ASSIGNEE for its own use and enjoyment, and for the use and enjoyment of its successors,
assigns, nominees, or other legal representatives, to the end of the term or terms for which said
Letters Patent are or may be granted, reissued or extended, as fully and entirely as the same would
have been held and enjoyed by ASSIGNORS if this assignment and sale had not been made; all of
the entire rights, title and interest in and to said invention and said application, and all original and

120 124

39

2425

121

reissued patents granted for said invention, and all divisions, continuations-in-part and continuations of said application, including the subject matter of any and all claims which may be obtained in every patent, and the right, where such right can be legally exercised, in ASSIGNEE'S own name to apply for and obtain patents in countries foreign to the United States, including the full right to claim for any such application the benefits of the International Convention and the Patent Cooperation Treaty as fully and entirely as ASSIGNORS could have done if the foreign application had been filed in the names of the ASSIGNORS, and the entire interest in any Letters Patent which may be granted on any such application in such foreign countries, and ASSIGNORS authorize and request the Commissioner of Patents of the United States, and any official of any country or countries foreign to the United States whose duty it is to issue patents on applications as aforesaid, to issue the said Letters Patent to ASSIGNEE, its successors, assigns, nominees or other legal representatives, as ASSIGNEE and owner of the said entire rights, and ASSIGNORS covenant that ASSIGNORS have full right to convey the said entire interest herein assigned and that ASSIGNORS have not executed and will not execute any agreement in conflict herewith, and ASSIGNORS will communicate to ASSIGNEE, its successors, assigns, nominees or other legal representatives all facts known to ASSIGNORS respecting said invention, whenever requested, and testify in any legal proceedings, sign all lawful papers, execute and deliver all divisional, continuing and reissue applications, make all rightful oaths or declarations and do all lawful acts requisite for the application for such divisional, continuing or reissue applications, or the procuring thereof, and that if and when ASSIGNEE, its successors, assigns, nominees, or other legal representatives desire to file a disclaimer relating thereto ASSIGNORS will, upon request, sign and deliver all lawful papers requisite for the filing of such disclaimer; and,

ASSIGNORS further covenant and agree that ASSIGNORS will, at any time upon request, do everything possible to aid ASSIGNEE, its successors, assigns, nominees, or other legal representatives, either in the name of ASSIGNORS or ASSIGNEE, to apply for, obtain and enforce proper patent protection for said invention in all countries, according to the International Convention and the Patent Cooperation Treaty and all the laws and treaties in force, all without further consideration but at the expense of ASSIGNEE, its successors, assigns, nominees or other legal representatives.


IN WITNESS WHEREOF, this assignment has been executed by the undersigned.

Sh. Mitra
SHUMAN MITRA

STATE OF California)
COUNTY OF Alameda) SS

Subscribed and sworn to before me this 13 day of December 2002

Suzanne M. English
Notary Public




Si 122

Richard E. Simon
RICHARD E. SIMON

STATE OF California)
COUNTY OF Alameda) SS

Subscribed and sworn to before me this 13 day of December 2000




Suzanne M. English
Notary Public

Wayne B. Scott
WAYNE B. SCOTT

STATE OF California)
COUNTY OF Alameda) SS

Subscribed and sworn to before me this 13 day of December 2000




Suzanne M. English
Notary Public

Kenneth Vieira
KENNETH VIEIRA

STATE OF California)
COUNTY OF Alameda) SS

Subscribed and sworn to before me this 13 day of December 2000




Suzanne M. English
Notary Public

Glen A. Shaffer
GLEN A. SHAFFER

STATE OF California)
COUNTY OF Alameda) SS

Subscribed and sworn to before me this 13 day of December 2000



Suzanne M. English
Notary Public

Page 3

RECORDED 12/14/2000

PATENT
REEL 011378 FRAME 0793

CLEVELAND, OHIO 44113-2235

CESION

123

✓

CONSIDERANDO que los Cedentes SHUMAN MITRA, RICHARD E SIMON, WAYNE B SCOTT, KENNETH VIEIRA, GLEN A. SHAFFER de las ciudades, condados y estados, respectivamente de Dublin, Condado de Alameda, CA, Tracy, Condado de San Joaquin, CA, Walnut Creek, Condado de Contra Costa, CA, Livermore, Condado de Alameda, CA, Vallejo, Condado de Solano, hemos realizado una invención de un "Trapo Limpiador Bactericida" y hemos firmado el 13 de Diciembre de 2000, respectivamente, una solicitud de Patente de los Estados Unidos sobre dicha invención, que en adelante se llamará "dicha invención", y

- 1 CONSIDERANDO QUE THE CLOROX COMPANY, una sociedad de Delaware con domicilio comercial en 1221 Broadway, Oakland, California, 94612 en adelante llamada la CESIONARIA, desea adquirir todo el derecho, título e intereses en y sobre dicha solicitud y dicha invención en todo el mundo, EN CONSECUENCIA, por una consideración valiosa y positiva, cuyo recibo y suficiencia se reconozca, los CEDENTES por medio del presente venden, ceden, traspasan a favor de LA CESIONARIA, sus sucesores, cesionarios, adjudicatarios y otros representantes legales, pleno, exclusivo y total derecho, título e intereses en y sobre dicha solicitud como se describe y reivindica en dicha solicitud, para que la misma se tenga y se disfrute por la CESIONARIA para su propio uso y goce, y para el

DORA DUQUE DE BERNAL
TRADUJORA INTERPRETE OFICIAL
REG. 02755-01144/97 DE JUSTICIA
E. DE C. A.

620

128
124

uso y goce de sus sucesores, cesionarios, adjudicatarios u otros representantes legales, hasta la finalización del periodo o periodos para los cuales dicha Patente sea o pueda ser otorgada, reexpedida o prorrogada, tan plena y cabalmente como si la misma hubiese sido tenida y disfrutada por los CESIONARIOS si esta cesión y venta no se hubiesen hecho, todos derecho pleno, título e interés en y sobre dicha invención y dicha solicitud, y toda patente original o reexpedida otorgada para dicha invención y toda división, continuación en parte y continuaciones de dicha solicitud, incluyendo el asunto de toda y cualquiera reivindicaciones que puedan ser obtenidos en cada patente y el derecho, donde el mismo pueda ser legalmente ejercido, en nombre propio del CESIONARIO para solicitar y obtener patentes en países distintos a los Estados Unidos, incluyendo derecho pleno a reclamar sobre cualquier solicitud los beneficios de la Convención Internacional y Tratado de Cooperación de Patentes que plenamente los CEDENTES puedan haber tenido si la solicitud extranjera se hubiese presentado a nombre de los CEDENTES, y todo interés en cualquier Patente que pueda ser otorgada sobre tal solicitud en tales países extranjeros, y los CEDENTES autorizan y solicitan al Comisionado de Patentes de los Estados Unidos y cualquier funcionario de cualquier país o países distintos a los Estados Unidos cuyo deber sea expedir patentes a solicitudes hechas como se dijo antes, para que expidan dicha Patente a la CESIONARIA, sus

DORA DUQUE D^a PERAL
TRADUCCION E INSCRIPCION DE OFICINA
RFS 02755/38 Y 01. 14/01. 1971
REP. DE VENEZUELA

63

729
125

sucesores, cesionarios, adjudicatarios u otros representantes legales, como CESIONARIA y propietaria de dicho derecho pleno, y los CEDENTES manifiestan que ellos tienen pleno derecho para comprometer dicho interés pleno aquí cedido y que los CEDENTES no han otorgado y no otorgarán ningún contrato que esté en conflicto con el presente, y los CEDENTES comunicarán a la CESIONARIA, sus sucesores, cesionarios, adjudicatarios u otros representantes legales todos los hechos conocidos por los CEDENTES con respecto a dicha invención, cuando se les solicite y a testificar en cualquier proceso legal, firmar papeles legales, otorgar y entregar toda solicitud de división, continuación y reexpedición, harán todos los juramentos legales o declaraciones y harán todos los actos legales requeridos para la solicitud de división, continuación o reexpedición, o procurarán la misma y que cuando el CESIONARIO, sus sucesores, cesionarios, adjudicatarios u otros representantes legales deseen presentar una demanda con relación a la misma, los CEDENTES firmarán y entregarán todos los documentos legales requeridos para presentar dicha demanda, y

LOS CEDENTES se comprometen y acuerdan que éstos en cualquier momento a solicitud, harán todo lo que sea posible para colaborar con la CESIONARIA sus sucesores, cesionarios, adjudicatarios u otros representantes legales, ya sea en nombre de los CEDENTES o de la CESIONARIA para solicitud, obtener y exigir la protección adecuada de

DORA DUGUE DE BERNAL
DORA DUGUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
BEL 02755/98 Y 01144/97 CIJUDISTICA
REP DE COLOMBIA

130
126

patente para dicha invención en todos los países, de acuerdo con la
Convención Internacional y Tratado de Cooperación de Patentes y todas
las leyes y tratados vigentes, todo ello sin que haya lugar a
compensación distinta a sufragar los gastos por parte de la
CESIONARIA, sus sucesores, cesionarios, adjudicatarios u otros
representantes legales

EN TESTIMONIO DE LO CUAL, esta cesión ha sido otorgada por los
suscritos

(fdo) ilegible

SHUMAN MITRA

ESTADO DE CALIFORNIA

CONDADO DE ALAMEDA

Suscrito y jurado ante mí hoy día 13 de Diciembre de 2000

(fdo) Suzanne M English

Notario Publico

(Sello) SUZANNE M ENGLISH

Comisión No 1183798 -- Notario Público -- California

Condado de Alameda

Mi comisión vence Mayo 16, 2002

(fdo) ilegible

RICHARD E SIMON

ESTADO DE CALIFORNIA

CONDADO DE ALAMEDA

DOÑA RICHARDE E. SIMON
T. N. -- -- -- -- --
RES. 027

65

431
127

Suscrito y jurado ante mí hoy día 13 de Diciembre de 2000

(fdo) Suzanne M English

Notario Publico

(Sello) SUZANNE M ENGLISH

Comisión No 1183798 -- Notario Publico -- California

Condado de Alameda

Mi comisión vence Mayo 16, 2002

(FDO) Wayne B Scott

Wayne B Scott

ESTADO DE CALIFORNIA

CONDADO DE ALAMEDA

Suscrito y jurado ante mí hoy día 13 de Diciembre de 2000

(fdo) Suzanne M English

Notario Publico

(Sello) SUZANNE M ENGLISH

Comisión No 1183798 -- Notario Publico -- California

Condado de Alameda

Mi comisión vence Mayo 16, 2002

(fdo) ilegible

Kenneth Vieira

ESTADO DE CALIFORNIA

CONDADO DE ALAMEDA

Suscrito y jurado ante mí hoy día 13 de Diciembre de 2000

DORA DUQUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
REG. 02755/66 P.O. 14/93 J.L. JUSTICIA
REG. DE CCLO. 304

6/2

122
128

(fdo) Suzanne M English

Notario Publico

(Sello) SUZANNE M ENGLISH

Comisión No 1183798 -- Notario Publico -- California

Condado de Alameda

Mi comisión vence Mayo 16, 2002

(fdo) ilegible

Glen A Shaffer

ESTADO DE CALIFORNIA

CONDADO DE ALAMEDA

Suscrito y jurado ante mí hoy día 13 de Diciembre de 2000

(fdo) Suzanne M English

Notario Público

(Sello) SUZANNE M ENGLISH

Comisión No 1183798 -- Notario Público -- California

Condado de Alameda

Mi comisión vence Mayo 16, 2002

APOSTILLA

(Convención de La Haya de octubre 5, 1961)

- 1 País Estados Unidos de América
- 2 Este documento público ha sido firmado por P R Grant
- 3 Actuando en su carácter de Funcionario de Certificación
- 4 Lleva el sello de la Oficina de Patentes y Marcas

DORA DUQUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
REG. 02751/98 Y 01144/97 JI JUSTIA
REP DE COLOMBIA

67

133

129

CERTIFICADO

5 En Washington D C

6 El diecisiete de Enero, 2002

7 por Funcionario de Autenticación Asistente, Depto de Estado de Estados Unidos

8 No 02006296-3

9 Sello (en dorado)

10 Firma

(fdo) ilegible

Sonya N Johnson

(Sello en relieve)

ES TRADUCCION FIEL Y COMPLETA, a la cual me remito,

Bogotá D C Febrero 14 2002

DORA DUQUE DE BERNAL
TRADUCTORA E INTERPRETE OFICIAL
CEL. 09753/68 Y 01144/97 - MINISTERIO DE JUSTICIA
REP DE COLOMBIA

HO SE ASUME
RESPONSABILIDAD DEL TEXTO
2002 FEB 18 P 12 32
JEFE DE LEGALIZACIONES
SANTAFE DE BOGOTA D.C.

MINISTERIO DE RELACIONES
EXTERIORES
2002 FEB 14
CUIA FIRMA APARECE EN EL
DOCUMENTO DESU PENIA
LAS FUNCIONES INDICADAS

68