

Brigard & Cast

Abogados

SUPERINDUSTRIA Y COMERCIO

Radicacion : 00048550 00000004

Fecha (AMD): 2003-02-27 15:50:55

Folios: 2

Tramite : 002 PATENTES D 1 REGISTRO/ 538 PETICION

Dependencia: 2020 DIVISION DE NUEVAS CREACIONES

Apartado 3692

Cra. 7 16-56

Bogotá - Colombia S.A.

Tel. Conm. 3802200

Tel./Fax: (57.1) 2827976

(57.1) 3802700

E.Mail:bricas@brigardycastro.com.co

AS: 82.706

Señores

SUPERINTENDENCIA DE INDUSTRIA Y COMERCIO

DIVISION DE NUEVAS CREACIONES

E. S. D.

REF.: Expediente No: 00 048.550 solicitud de Patente a nombre de
COLGATE – PALMOLIVE COMPANY

RAMIRO CASTRO DUQUE, vecino de Bogotá, portador de la tarjeta profesional No. 1003 del Consejo Superior de la Judicatura, obrando como apoderado de la Sociedad COLGATE – PALMOLIVE COMPANY, según lo acredita el documento de poder protocolizado en la Secretaría General bajo el No. 131, de acuerdo con el Artículo 44 de la Decisión 486 de la Comisión de la Comunidad andina, me permito solicitar que se examine si la invención contenida en la solicitud en referencia es patentable.

De acuerdo con lo anterior, me permito anexar el recibo oficial de caja No. 03-11,652 por valor de \$335.000.

Señor Superintendente,



RAMIRO CASTRO DUQUE

C.C. No. 170.322 de Bogotá

Código 340

T.P. No.1003 del C.S.J.

Cra 7 No. 16-56 Piso 9

Febrero 26, 2003

CPB/hsr



159

Industria y Comercio

SUPERINTENDENCIA

162

SUPERINDUSTRIA Y COMERCIO
Radicacion : 00040530 00000004 Folios: 2
Fecha (ARD): 2003-02-27 15:50:55
Tramite : 002 PATENTES D 1 REGISTRO/ 538 PETICION
Dependencia: 2020 DIVISION DE NUEVAS CREACIONES

NIT : 800176089-2

RECIBO OFICIAL DE CAJA : 03 - 11,652
FECHA : FEBRERO 14 DE 2003

***** CONSIGNACION *****

DEPOSITANTE	TIPO PAGO	BANCO	CUENTA	No. PAGO	FECHA PGO	Vr. PAGO
BRIGARD & CASTRO LTDA	CONSIGNACION	BANCO POPULAR	050-00110-6	2198049	14/02/2003	20,230,000.00

***** CONCEPTO *****

CANT.	RENTISTICO	CONCEPTO	TOTAL CONCEPTO
1	50005-01-01 SOLICITUDES	85 EXAMEN DE PATENTABILIDAD DE INVEN	335,000.00
TOTAL :			\$ 335,000.00

SON: TRESCIENTOS TREINTA Y CINCO MIL PESOS

RESPONSABLE :

RECIBO DE CAJA APLICADO AL EXPEDIENTE No. _____

Carrera 13 No. 27-00 Pisos 5, 7 y 10
Conmutador 382 0840
Fax 350 5220
E-mail: info@sic.gov.co
www.sic.gov.co
Bogotá, D.C., Colombia

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 698 660 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
28.02.1996 Bulletin 1996/09

(51) Int. Cl.⁶: C11D 1/62, C11D 3/20,
C11D 3/33, C11D 3/43

(21) Application number: 95110077.5

(22) Date of filing: 28.06.1995

(84) Designated Contracting States:
DE ES GB

(30) Priority: 22.08.1994 JP 196621/94

(71) Applicant: Kao Corporation
Chuo-Ku Tokyo (JP)



(72) Inventors:
• Inoue, Takumi
Hage-gun, Tochigi (JP)

• Iso, Naoki
Tochigi (JP)
• Tsukuda, Kazunori
Tochigi (JP)

(74) Representative: Hansen, Bernd, Dr. Dipl.-Chem. et
al
D-81925 München (DE)

(54) Detergent composition for hard surface

(57) A detergent composition for hard surfaces includes (a) 0.1-30 wt.% of a cationic surfactant represented by the general formula (1) or (2):



wherein R¹ is a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, R² is a methyl group or a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, R³ is a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, and X is a halogen atom or a residue of an alkylsulfuric acid; (b) 0.1-20 wt.% of a sequestering agent; and (c) 0.1-20 wt.% of a water-soluble solvent. The composition has a pH of 3-12. Since the detergent composition is excellent in the ability to decompose and solubilize metallic soap scum, the dirt on a bathtub and the like in a bathroom can be quickly and easily cleansed off.

163
160

164
161**Description****BACKGROUND OF THE INVENTION**5 **Field of the Invention:**

The present invention relates to a detergent composition for hard surfaces, and more particularly to a detergent composition for hard surfaces, which has good detergency to scummy dirt or smears on the hard surfaces of bathrooms and the like.

10

Description of the Background Art:

As detergents for hard surfaces, in particular, bathrooms and bathtubs, there are widely used acid detergents composed mainly of a nonionic surfactant, an anionic surfactant, an organic acid and a solvent; neutral detergents comprising in combination a nonionic surfactant and an anionic surfactant; and alkaline detergents composed mainly of a nonionic surfactant, an anionic surfactant and a sequestering agent.

However, the dirt in bathrooms and on bathtubs is different in the component of dirt from any other dirt in houses and is composed mainly of a metallic soap, particularly, the calcium salt of a fatty acid, to which proteins, nucleic acids and oils such as lipids are bonded. Although this metallic soap scum cannot be decomposed by conventional neutral detergents and alkaline detergents, it can be decomposed by acid detergents. However, acid detergents have involved problems such as rinsing becomes difficult due to redeposition of the dirt after cleaning, bathtubs and the like are damaged, and hand roughening is caused.

From such a point of view, it has been attempted to develop detergents excellent in detergency to metallic soap scum. As a result, there have been reported a neutral detergent comprising in combination a cationic surfactant and a nonionic surfactant (Japanese Patent Application Laid-Open No. 283696/1986), a detergent comprising in combination a cationic surfactant, a nonionic surfactant and a water-soluble solvent (Japanese Patent Application Laid-Open No. 283697/1986), a detergent comprising in combination a cationic surfactant, a nonionic surfactant and maleic acid (Japanese Patent Application Laid-Open No. 283700/1986), a detergent for bathrooms comprising in combination a cationic surfactant, a nonionic surfactant, an aminocarboxylic acid and a solvent (Japanese Patent Application Laid-Open No. 221497/1989), a detergent for bathrooms comprising in combination a sequestering agent and a glycol ether (Japanese Patent Application Laid-Open No. 22397/1981), etc.

However, it is not yet said that these detergents have full satisfactory detergency for metallic soap scum. Therefore, cleansing a bathroom or the like with such a detergent requires rubbing a surface to be cleansed with a sponge or the like. In addition, conventional detergents in which a quaternary ammonium salt is incorporated have involved a problem in that they are irritating to the skin.

SUMMARY OF THE INVENTION

Accordingly, it is an object of the present invention to provide a detergent composition, which can easily remove dirt or smears composed mainly of metallic soap scum on a hard surface of, in particular, a bathroom or the like and are not irritating to the skin.

The present inventors have carried out various investigations as to the relationship between the detergency to dirt composed of metallic soap scum combined with oil, and the chemical structure of a cationic surfactant. As a result, it has been found that the combined use of a quaternary monoalkyl(or monoalkenyl)trimethylammonium or dialkyl(or dialkenyl)dimethylammonium salt, or a quaternary monoalkyl(or alkenyl)benzyltrimethylammonium salt, the alkyl or alkenyl moiety of which has a relatively short chain length of 6-11 carbon atoms, with a sequestering agent and a water-soluble solvent provides excellent detergency when compared with the case where any other cationic surfactant is used in combination, which also is not irritating to the skin, thus leading to completion of the present invention.



It has also been revealed that the combined use of the above components with an anionic surfactant having a polyoxyalkylene group further improves detergency not only to the dirt of the metallic soap scum, but also to the smears of sebum.

It has been further found that when a nonionic surfactant and/or an amphoteric surfactant is incorporated in addition to the above components and the anionic surfactant having a polyoxyalkylene group, the detergency to the dirt of metallic soap scum and to the smears of sebum can be still more improved, and storage stability is also improved.

According to the present invention, there is thus provided a detergent composition for hard surfaces, comprising the following components (a), (b) and (c):

165
162

(a) 0.1-30 wt.% of a cationic surfactant represented by the general formula (1) or (2):



wherein R¹ is a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, R² denotes a methyl group or a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, R³ stands for a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, and X is a halogen atom or a residue of an alkylsulfuric acid;

(b) 0.1-20 wt.% of a sequestering agent; and

(c) 0.1-20 wt.% of a water-soluble solvent, said composition having a pH of 3-12.

According to the present invention, there is also provided a detergent composition for hard surfaces, further comprising (d) an anionic surfactant having a polyoxyalkylene group in addition to components (a), (b) and (c), said composition having a pH of 3-12.

According to the present invention, there is further provided a detergent composition for hard surfaces, further comprising (e) a nonionic surfactant and/or an amphoteric surfactant in addition to the components (a), (b), (c) and (d), said composition having a pH of 3-12.

Since the detergent compositions for hard surfaces according to the present invention are excellent in the ability to decompose and solubilize metallic soap scum and sebum, the dirt on a bathtub and the like in a bathroom can be quickly and easily cleansed off. Moreover, they have good long-term storage stability.

The above and other objects, features and advantages of the present invention will be readily appreciated from the preferred embodiments of the present invention, which will be described subsequently in detail.

DETAILED DESCRIPTION OF THE INVENTION AND PREFERRED EMBODIMENTS

The cationic surfactant of component (a) serves to decompose and solubilize metallic soap scum when used in combination with a sequestering agent. In the present invention, it is important for such a surfactant to have the structure represented by the general formula (1) or (2). More specifically, the linear or branched alkyl or alkenyl group indicated by R¹ or R² in the general formula (1) has a chain length of 6-11 carbon atoms, more preferably 8-10 carbon atoms, and most preferably 8 carbon atoms. Such R¹ and R² groups are preferably linear or branched alkyl groups, with linear alkyl groups having 8-10 carbon atoms, in particular, octyl groups being more preferred. As the cationic surfactant of the general formula (1), is preferred a quaternary dialkyldimethylammonium salt in which both R¹ and R² are linear or branched alkyl or alkenyl groups having 6-11 carbon atoms.

On the other hand, the linear or branched alkyl or alkenyl group indicated by R³ in the general formula (2) has a chain length of 6-11 carbon atoms, more preferably 8-10 carbon atoms, and most preferably 8 carbon atoms. Such a R³ group is preferably a linear or branched alkyl group, with a linear alkyl group, in particular, a linear alkyl group having 8 carbon atoms being more preferred. Cationic surfactants of formula I or II wherein any of R¹-R³ has 12 or more carbon atoms are strongly irritating to the skin and are hence unsuitable for use in a detergent for hard surfaces of a bathroom or the like.

Examples of X indicative of a counter ion in these cationic surfactants include a bromine atom, an iodine atom and a chlorine atom when X is a halogen atom, and methanesulfonic acid and ethanesulfonic acid when X is a residue of an alkylsulfuric acid. Of these, a halogen atom, in particular, a bromine or chlorine atom is preferred.


The component (a) is preferably incorporated in a proportion of 0.1-30 wt.%, more preferably 0.3-15 wt.%, most preferably 0.5-10 wt.% of the composition according to the present invention. Any proportion lower than 0.1 wt.% results in a detergent composition insufficient in detergency to scum. On the other hand, if the component (a) is incorporated

in any proportion exceeding 30%, the effects of the present invention can no longer be enhanced. It is therefore uneconomical to incorporate the component (a) in such a high proportion.

No particular limitation is imposed on the sequestering agent of component (b) so far as it has the ability to chelate and sequester metal ions. However, examples thereof include hydroxycarboxylic acids and salt thereof, and aminocarboxylic acids and salts thereof. Of these, ethylenediaminetetraacetic acid, hydroxyethylethylenediaminetriacetic acid, citric acid and salts of these compounds are particularly preferred.

The component (b) is preferably incorporated in a proportion of 0.1-20 wt.%, more preferably 0.5-10 wt.%, most preferably 1-5 wt.% of the composition according to the present invention. Any proportion lower than 0.1 wt.% results in a detergent composition insufficient in detergency to scum. On the other hand, if the component (b) is incorporated in any proportion exceeding 20%, the effects of the present invention can no longer be enhanced.

No particular limitation is imposed on the water-soluble solvent of component (c) useful in the practice of this invention. However, it may preferably comprise one or more water-soluble solvents selected from compounds represented by the following general formulae (3) through (5), dihydric alcohols having 4-12 carbon atoms and monohydric alcohols having 1-5 carbon atoms:



wherein R^4 and R^5 each individually are a hydrogen atom, an alkyl group having 1-8 carbon atoms, a phenyl group or a benzyl group, with the proviso that both R^4 and R^5 groups are not hydrogen atoms at the same time, m and n stand individually for an integer of 0-10, with the proviso that both m and n are not integers of 0 at the same time, R^6 and R^7 each individually are an alkyl group having 1-3 carbon atoms, and R^8 is an alkyl group having 1-3 carbon atoms.

In the water-soluble solvent represented by the general formula (3), it is particularly preferable for R^4 and R^5 to have 1-4 carbon atoms when they are alkyl groups. In formula (3), m and n mean respectively the average numbers of moles of ethylene oxide (E.O.) and propylene oxide (P.O.) added, and may be each individually 0-10. No particular limitation is imposed on the sequence of addition of these oxides. Therefore, the addition may be conducted at random. Specific preferable examples of the compounds of the formula (3) include propylene glycol monomethyl ether, diethylene glycol monobutyl ether, propylene glycol monobutyl ether, dipropylene glycol monobutyl ether and polyoxyethylene glycol ($p = 1-4$) phenyl ether from the viewpoint of detergency and feel upon use of the resulting detergent composition.

Preferable examples of the compounds represented by the general formula (4) include 1,3-dimethyl-2-imidazolidinone and 1,3-diethyl-2-imidazolidinone. On the other hand, 3-methoxy-3-methylbutanol, 3-ethoxy-3-methylbutanol and the like are preferred as compounds represented by the general formula (5).

Examples of dihydric alcohols having 4-12 carbon atoms include isoprene glycol, 2,2,4-trimethyl-1,3-pentanediol and the like.

Examples of monohydric alcohols having 1-5 carbon atoms include methanol, ethanol, isopropyl alcohol and the like. When these lower alcohols are incorporated, the low-temperature stability of the resulting composition is improved.

The water-soluble solvent of component (c) is preferably incorporated in a proportion of 0.1-20 wt.%, more preferably 1-15 wt.%, most preferably 5-10 wt.% of the composition according to the present invention. Any proportion lower than 0.1 wt.% results in a detergent composition insufficient in detergency to the dirt other than scum, such as oil and grease smears. On the other hand, if component (c) is incorporated in any proportion exceeding 20%, the effects of the present invention can no longer be enhanced.

In the detergent composition for hard surfaces according to the present invention, the incorporation of (d) an anionic surfactant having a polyoxyalkylene group in addition to the above-described components (a), (b) and (c) permits a further improvement in detergency to oil and grease smears, in particular, smears of sebum.

162
164

Particularly preferable examples of the anionic surfactant having a polyoxyalkylene group of the component (d) include polyoxyalkylene alkyl ether sulfates, polyoxyalkylene alkenyl ether sulfates, polyoxyalkylene alkyl ether acetates and polyoxyalkylene alkenyl ether acetates.

The alkyl or alkenyl groups in these anionic surfactants are preferably those having 4-26 carbon atoms, more preferably 8-24 carbon atoms. These alkyl or alkenyl groups may be either linear or branched. Examples of the polyoxyalkylene groups in the anionic surfactants include polyoxyethylene, polyoxypropylene and polyoxybutylene groups. Of these, the polyoxyethylene group and/or the polyoxypropylene group is particularly preferred. The average number of moles of the polyoxyalkylene group added is preferably 1-20, in particularly 1-10. Examples of salts of the anionic surfactants include salts with alkali metals such as sodium and potassium, salts with alkaline earth metals such as calcium and magnesium, ammonium salts, and salt with alkanolamines such as monoethanol-amine, diethanolamine and triethanolamine.

Specific preferable examples of the anionic surfactants include polyoxyethylene (E.O. = 1-10) C₈₋₂₄-alkyl ether sulfates and polyoxyethylene (E.O. = 1-10) C₈₋₂₄-alkyl ether acetates.

The component (d) is preferably incorporated in a proportion of 0.1-20 wt.%, more preferably 0.3-15 wt.%, most preferably 0.5-10 wt.% of the composition according to the present invention from the viewpoint of detergency to sebum smears and storage stability.

The blending proportion of component (a) to component (d) is preferably 3/7 to 7/3, more preferably 4/6 to 6/4 in terms of molar ratio from the viewpoint of detergency to sebum smears of the resulting composition.


In general, the combined use of a cationic surfactant and an anionic surfactant results in formation of a complex. Therefore, precipitate tends to form, which may offer a problem from the viewpoint of storage stability. However, the use of the anionic surfactant having a polyoxyalkylene group makes the complex-forming ability low, and hence is favorable to storage stability.

In the detergent composition for hard surfaces according to the present invention, it is preferable to incorporate a nonionic surfactant and/or an amphoteric surfactant as a component (e) with a view toward still further improving the detergency to sebum smears and preventing deterioration of performance during long-term storage at a high temperature.

Preferable examples of such a nonionic surfactant include the following compounds (i) to (iv), with the compounds (iv) being particularly preferred.


(i) Polyoxyethylene alkyl ethers or polyoxyethylene alkenyl ethers in which the alkyl or alkenyl group thereof has 10-20 carbon atoms on the average, and the number of moles of the polyoxyethylene group added is 1-30 on the average.

(ii) Higher fatty acid alkanolamides represented by the following general formula, or their addition products with alkylene oxides:



wherein R⁹ is an alkyl or alkenyl group having 10-20 carbon atoms, R¹⁰ and R¹¹ are the same or different from each other and denote individually H or CH₃, and p and q are integers of 1-3 and 0-3, respectively.

(iii) Amine oxides exemplified by alkylamine oxides or alkenylamine oxides having a linear or branched alkyl or alkenyl group having 1-24 carbon atoms. Preferable examples of the amine oxides include alkylamine oxides represented by the following general formula (a):



108/165

wherein R¹² is an alkyl or alkenyl group having 8-24 carbon atoms, R¹³ and R¹⁴ are identical with or different from each other and denote individually an alkyl group having 1-3 carbon atoms, D is



E is an alkylene group having 1-5 carbon atoms, and a and b are equal to each other and stand for 0 or 1.

In the general formula (a), R¹² may be an alkyl or alkenyl group having 8-24 carbon atoms. However, an alkyl group having 12-18 carbon atoms is particularly preferred. R¹³ and R¹⁴ may be individually an alkyl group having 1-3 carbon atoms. However, a methyl group is particularly preferred.

(iv) Alkylglycosides exemplified by compounds represented by the following general formula:



wherein R¹⁵ means a linear or branched alkyl, alkenyl or alkylphenyl group having 8-18 carbon atoms in total, R¹⁶ denotes an alkylene group having 2-4 carbon atoms, G is a residue derived from a reducing sugar having 5-6 carbon atoms, and x and y stand for numbers of 0-5 and 1-5 in terms of the average value, respectively.

The value of x is preferably 0-2 from the viewpoint of solubility in water and crystallizability, with 0 being particularly preferred. On the other hand, when y is greater than 1 in terms of the average value, namely, the nonionic surfactant contains a saccharide chain composed of a disaccharide or still higher oligosaccharide as a hydrophilic group. The bond form of the saccharide chain may be a 1-2, 1-3, 1-4 or 1-6 bond, or an alpha- or beta-pyranoside or furanoside bond. It is also possible to contain a saccharide chain having a combination of these bonds. The average value of y in the general formula may be 1-5, preferably 1-1.5, more preferably 1-1.4. Incidentally, y is determined in accordance with the proton NMR method.

Further, R¹⁵ in the general formula is preferably an alkyl group having 10-14 carbon atoms from the viewpoint of solubility and cleanability. Furthermore, R¹⁶ is preferably an alkylene group having 2-3 carbon atoms from the viewpoint of solubility in water. Moreover, the structure of G is determined depending upon the raw material to be used, which is a monosaccharide or di- or still higher oligosaccharide. Preferable examples of the raw material for G include glucose and fructose for the monosaccharide, and maltose and sucrose for the di- or still higher oligosaccharide because of their good availability and low cost. Of these, glucose is particularly preferred from the viewpoint of availability.

No particular limitation is imposed on the amphoteric surfactant useful in the practice of the present invention. However, alkylamidocarboxybetaines and alkylamidohydroxysulfobetaines are preferred. In these amphoteric surfactants, those containing a linear or branched alkyl group having 8-24 carbon atoms on the average as a hydrophobic group are preferred.

Among the surfactants for component (e), amphoteric surfactants are preferred for improving the storage stability of the composition according to the present invention, while nonionic surfactants are preferred for improving the detergent effect on sebum smears. Therefore, it is more preferable in the present invention to use these amphoteric and nonionic surfactants in combination.

The component (e) is preferably incorporated in a proportion of 0.1-20 wt.%, more preferably 0.5-10 wt.% of the composition according to the present invention from the viewpoint of the detergency to sebum smears and storage stability.

The detergent composition according to the present invention may contain, for example, an alkalizing agent (0.1-15 wt.%) such as an alkanolamine, a thickener, a pigment, a colorant, a perfume base, a germicide, an antiseptic, and water in an amount sufficient for the total weight of the composition to amount to 100 wt.%.

The detergent composition according to the present invention can be prepared by mixing the above-described components in a method known per se in the art. The pH of the composition is preferably within a range of 3-12, more preferably 5-10, most preferably 6-8. It is not preferable for the composition to have any pH outside the above range because problems of hand roughening and the like arise.

The composition according to the present invention may be used as a detergent for hard surfaces such as tiles, ceramics, enamelware, reinforced plastics (FRP), stainless steel, wood and the like. However, it is preferably used, particularly, for cleansing bathrooms, bathtubs and bath furnaces, namely, as a detergent for bathrooms.

As a cleansing method using the composition according to the present invention, there may be used any method heretofore in common use. For example, it is only necessary to impregnate a sponge or the like with the composition and rub the hard surface to be cleansed in a bathroom or bathtub with the sponge; or to spray the surface to be cleansed with the composition, leave the surface to stand for a while, and then rinse the surface with water. Upon cleansing the inner surface of a bathtub, it is also permissible to add the composition according to the present invention into water

169
166

(Detergency to dirt of metallic soap scum)

5 The evaluation was performed in the following manner. After a bath basin and a bathroom seat, both, made from polypropylene and soiled by bathing to such an extent that the dirt was not removed simply by rubbing were brought into close contact with a cloth impregnated with a detergent composition to be tested for several seconds, or were sprayed with the detergent composition, they were lightly rubbed with the cloth, and the condition that the dirt had been removed was visually observed and ranked in 5 grades in accordance with the following standard (in the tables, indicated by an average value of $n = 5$):

- 10 5: Dirt was removed to a very good extent;
4: Dirt was removed to a good extent;
3: Dirt was unevenly removed;
2: Dirt was slightly removed; and
1: Dirt was scarcely removed.

15

(Detergency to smears of sebum)

20 After five adults were bathed in a bathtub made of stainless steel, and the bathtub was left to stand overnight, the water in the bathtub was discharged, and the bathtub was air-dried. The dirt thus adhered to the bathtub was used in the evaluation.

A detergent composition to be tested was sprayed on the dirt on the bathtub by a commercially-available sprayer, and the sprayed place was then rubbed with sponge. The thus-treated bathtub was rinsed with water, and the condition that the dirt had been removed was visually observed and ranked in 5 grades in accordance with the following standard (in the tables, indicated by an average value of $n = 5$):

25

- 5: Dirt was removed to a very good extent;
4: Dirt was removed to a good extent;
3: Dirt was unevenly removed;
2: Dirt was slightly removed; and
30 1: Dirt was scarcely removed.

[Storage stability]

The storage stability was ranked in accordance with the following standard:

35

- A: None of turbidity, separation and precipitate were observed even after being stored for 1 month at 40°C;
B: Turbidity was slightly observed after being stored for 1 month at 40°C, but neither separation nor precipitate was observed;
C: No precipitate occurred right after the preparation of the composition at room temperature, but precipitate was
40 observed after being stored for 1 month at 40°C; and
D: Both turbidity and precipitate were observed right after the preparation of the composition at room temperature.

45

50

55

167

Table 1

Component		Example							
		1	2	3	4	5	6	7	8
(a)	Dioctyldimethylammonium chloride	5				5			
	Didecyldimethylammonium chloride		5				5		
	Decyltrimethylammonium chloride			5				5	
	Octylbenzyltrimethylammonium chloride				5				5
(c)	Diethylene glycol monobutyl ether	5	5	5	5				
	Dipropylene glycol monobutyl ether					5	5	5	5
(b)	EDTA	2	2	2	2	2	2	2	2
Other components:									
Water		Bal	Bal	Bal	Bal	Bal	Bal	Bal	Bal
Alkalizing agent (NaOH)		QS	QS	QS	QS	QS	QS	QS	QS
Evaluation of detergency		5.0	5.0	4.0	5.0	5.0	5.0	4.2	5.0
Bal: Balance; QS: An amount sufficient to keep pH 7.									

Table 2

Component	Comparative Example		
	1	2	3
Na alkyl (c=13) benzenesulfonate	5		
Distearyldimethylammonium chloride		5	
Diethylene glycol monobutyl ether			5
EDTA	2	2	2
Citric acid	2	2	2
Water	Bal	Bal	Bal
Alkalizing agent (NaOH)	QS	QS	QS
Evaluation of detergency	3.5	2.5	2.3
Bal: Balance; QS: An amount sufficient to keep pH 7.			

It is understood from Tables 1 and 2 that the detergent compositions according to the present invention have excellent detergency when compared with the case where the quaternary ammonium salt having a long-chain alkyl group wherein the number of carbon atoms is at least 12 is utilized. When the detergent compositions according to the present invention were used, the surfaces cleansed were not damaged, and irritativeness to the skin was scarcely observed.

Examples 9-17 and Comparative Examples 4-7:

Detergent compositions for bathrooms having their corresponding formulations shown in Tables 3 and 4 were prepared and evaluated with respect to detergency and storage stability. The results are shown in Tables 3 to 5. Numerals corresponding to the components in the tables indicate wt.%. [Evaluation methods of detergency to dirt of metallic soap scum and smears of sebum]

174
168

remaining in the bathtub after bathing, leaving it to stand for a certain period of time, preferably, at least 1 hour and then discharge the water. Thereafter, if necessary, the surface of the bathtub may be rinsed with water. In this case, it is preferable to add the composition of the present invention in a concentration of 0.5-100 ppm, preferably 10-80 ppm in terms of the cationic surfactant.

5 The present invention will hereinafter be described in more detail by the following examples. However, it should be kept in mind that the present invention is not limited to and by these examples.

Examples 1-8 and Comparative Examples 1-3:

10 Detergent compositions having their corresponding formulations shown in Tables 1 and 2 were prepared to evaluate with respect to detergency. The results are shown in Tables 1 and 2. Numerals corresponding to the components in the tables indicate wt. %.

[Evaluation method of detergency]

15 The evaluation of detergency was performed in the following manner. After a bath basin and a bathroom seat, both, made from polypropylene and soiled by bathing to such an extent that the dirt was not removed simply by rubbing, were brought into close contact with a cloth impregnated with a detergent composition to be tested for several seconds, or were sprayed with the detergent composition, they were lightly rinsed with water, and the condition that the dirt had been removed was visually observed and ranked in 5 grades in accordance with the following standard (in the tables, indicated by an average value of $n = 5$):

- 5: Dirt was removed to a very good extent;
- 4: Dirt was removed to a good extent;
- 25 3: Dirt was unevenly removed;
- 2: Dirt was slightly removed; and
- 1: Dirt was scarcely removed.

30

35

40

45

50



55

172
169

Claims

1. A detergent composition for hard surfaces, comprising the following components (a), (b) and (c):

(a) 0.1-30 wt. % of a cationic surfactant represented by the general formula (1) or (2):



wherein R¹ is a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, R² is a methyl group or a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, R³ is a linear or branched alkyl or alkenyl group having 6-11 carbon atoms, and X is a halogen atom or a residue of an alkylsulfuric acid;

(b) 0.1-20 wt. % of a sequestering agent; and

(c) 0.1-20 wt. % of a water-soluble solvent, said composition having a pH of 3-12.

2. The composition according to Claim 1, wherein component (a) is said cationic surfactant represented by the general formula (2).


3. The composition according to Claim 2, wherein component (a) is said cationic surfactant represented by the general formula (2) in which R³ is an alkyl group having 8 carbon atoms.

4. The composition according to Claim 1, wherein component (b) is at least one sequestering agent selected from the group consisting of a hydroxycarboxylic acid, an aminocarboxylic acids and salts thereof.

5. The composition according to Claim 1, wherein component (b) is at least one sequestering agent selected from the group consisting of ethylenediaminetetraacetic acid, hydroxyethylethylenediaminetriacetic acid, citric acid and salts thereof.

6. The composition according to Claim 1, wherein component (c) is at least one water soluble solvent selected from the group consisting of compounds represented by the following general formulae (3) through (5), dihydric alcohols having 4-12 carbon atoms and monohydric alcohols having 1-5 carbon atoms:



173
170

wherein R^4 and R^5 each individually is a hydrogen atom, an alkyl group having 1-8 carbon atoms, a phenyl group or a benzyl group, with the proviso that both groups R^4 and R^5 cannot be hydrogen atoms at the same time, m and n stand individually for an integer of 0-10, with the proviso that both m and n do not stand for integers of 0 at the same time, R^6 and R^7 denote individually an alkyl group having 1-3 carbon atoms, and R^8 means an alkyl group having 1-3 carbon atoms.

7. The composition according to Claim 1, wherein the component (c) is at least one water soluble solvent selected from the group consisting of diethylene glycol monobutyl ether, propylene glycol monomethyl ether, propylene glycol monobutyl ether, dipropylene glycol monobutyl ether, polyoxyethylene glycol ($p = 1-4$) phenyl ether, 1,3-dimethyl-2-imidazolidinone, 1,3-diethyl-2-imidazolidinone, 3-methoxy-3-methylbutanol, 3-ethoxy-3-methylbutanol, isoprene glycol, 2,2,4-trimethyl-1,3-pentanediol, methanol, ethanol and isopropyl alcohol.
8. The composition according to Claim 1, further comprising an anionic surfactant having a polyoxyalkylene group.
9. The composition according to Claim 7, wherein said anionic surfactant having a polyoxyalkylene group is at least one selected from the group consisting of polyoxyalkylene alkyl ether sulfates, polyoxyalkylene alkenyl ether sulfates, polyoxyalkylene alkyl ether acetates and polyoxyalkylene alkenyl ether acetates.
10. The composition according to Claim 7, further comprising a nonionic surfactant and/or an amphoteric surfactant.
11. The composition according to Claim 9, wherein the nonionic surfactant and/or the amphoteric surfactant is at least one selected from the group consisting of polyoxyethylene alkyl ethers, polyoxyethylene alkenyl ethers, higher fatty acid alkanolamides, amine oxides, alkylglycosides, alkylamidocarboxybetaines and alkylamido-hydroxysulfobetaines.
12. The composition according to Claim 1, which is suitable for use as a detergent composition for bathrooms.

**SUPERINTENDENCIA DE INDUSTRIA Y COMERCIO
DIVISIÓN DE NUEVAS CREACIONES**

174 171
375
2006-04-06

2020
Bogotá, D.C.,

Doctor (señor):
Ramiro Castro Duque

Oficio N° **3945**

REFERENCIA:	Radicación No.	00-48550.
	Trámite	002.
	Evento	001.
	Actuación	430.
	Folios	004.

Realizado el examen de patentabilidad de la presente solicitud según el artículo 45 de la Decisión 486 de la Comisión de la Comunidad Andina, "**art. 45.-** Si la oficina nacional competente encontrara que la invención no es patentable o que no cumple con alguno de los requisitos establecidos en esta Decisión para la concesión de la patente, lo notificará al solicitante. Este deberá responder a la notificación dentro del plazo de sesenta días contados a partir de la fecha de la notificación. Este plazo podrá ser prorrogado por una sola vez por un período de treinta días adicionales.

Cuando la oficina nacional competente estimara que ello es necesario para los fines del examen de patentabilidad, podrá notificar al solicitante dos o más veces conforme al párrafo precedente.

Si el solicitante no respondiera a la notificación dentro del plazo señalado, o si a pesar de la respuesta subsistieran los impedimentos para la concesión, la oficina nacional competente denegará la patente." se notifica el siguiente Concepto Técnico:

1.DOCUMENTOS ESTUDIADOS

- ❖ Para el presente estudio se tuvo en cuenta el capítulo descriptivo, folios 6 a 27 presentados originalmente y reivindicaciones 1 a 9, folios 155 a 157 anexados como respuesta al requerimiento formal; lo cual fue aceptado dado que éste no implica una ampliación de la solicitud originalmente presentada conforme lo establece el artículo 34 de la decisión 486 de la Comisión de la Comunidad Andina "**art. 34.-** El solicitante de una patente podrá pedir que se modifique la solicitud en cualquier momento del trámite. La modificación no podrá implicar una ampliación de la protección que correspondería a la divulgación contenida en la solicitud inicial.

Del mismo modo, se podrá pedir la corrección de cualquier error material."

- ❖ No se acepta reivindicación de prioridad US 09/342.548 y US 09/461.611 del 29 de junio de 1999 y del 15 de diciembre de 1999 respectivamente.

2.OBJETO DE LA INVENCION

- Título: **Microemulsión antimicrobiana para fines múltiples que contiene tensioactivos no iónicos etoxilados y aniónico de sulfonato.**

Con el fin de mejorar el título de la presente solicitud de tal forma que represente bien la materia que está contenida en la misma se sugiere el título siguiente: **Microemulsión antimicrobiana para fines múltiples que**

175
172

contiene agentes tensioactivos no iónicos, aniónicos de sulfonato y catiónicos.

- La invención consiste de una composición de limpieza que comprende aproximadamente en peso:
 - a) 0,1 a 10% de un agente desinfectante,
 - b) 0,05 a 6% de un agente de refuerzo para dicho agente desinfectante que se selecciona del grupo que consiste de un quelante y un ácido orgánico que contiene hidroxilo tal como ácido láctico o ácido cítrico y sus mezclas,
 - c) 0,1 a 10% de un surfactante sulfonato aniónico,
 - d) 0,1 a 10% de un cosurfactante soluble en agua tal como alcohol etoxilado y un éter de glicol y sus mezclas.
 - e) 0,1 a 2,5% de un ácido graso
 - f) 0,1 a 10% de un surfactante no iónico etoxilado,
 - g) 0,05 a 3% de un hidrocarburo orgánico insoluble en agua tal como un grupo cicloalquilo que tenga de 5 a 10 átomos de carbono, aceite esencial o un perfume, y
 - h) agua como balance
- ❖ La clasificación según la IPC correspondiente al objeto de la solicitud es C11D1/12, 1/83, 3/43.

3. CLARIDAD DE LA SOLICITUD

De acuerdo a la Decisión 486 de la Comisión de la Comunidad Andina en su Artículo 30.- *"Las reivindicaciones definirán la materia que se desea proteger mediante la patente. Deben ser claras y concisas y estar enteramente sustentadas por la descripción"*, en este sentido se anota que no obstante el solicitante envió un nuevo capítulo reivindicatorio, la presente solicitud le falta claridad puesto que:

La reivindicación 4 no indica correctamente el cosurfactante de la composición ya que hace referencia a propilenglicol N-butil éter, sin embargo en la descripción no aparece éste sino el propilenglicol monobutil éter; lo mismo ocurre con el dietilenglicol N-butil éter.

Por lo que se solicita enviar nuevo capítulo reivindicatorio donde se hayan subsanado este tipo de errores.

4.DETERMINACIÓN DEL ESTADO DE LATÉCNICA

- ❖ La fecha a partir de la cual se realizó la búsqueda de anterioridades corresponde al 27 de junio de 2000.
- ❖ Con base a lo anterior y la definición dada en el **art. 16.-** *"Una invención se considerará nueva cuando no está comprendida en el estado de la técnica. El estado de la técnica comprenderá todo lo que haya sido accesible al público por una descripción escrita u oral, utilización, comercialización o cualquier otro medio antes de la fecha de presentación de la solicitud de patente o, en su caso, de la prioridad reconocida. Sólo para el efecto de la determinación de la novedad, también se considerará dentro del estado de la técnica, el contenido de una solicitud de patente en trámite ante la oficina nacional competente, cuya fecha de presentación o de prioridad fuese anterior a la fecha de presentación o de prioridad de la solicitud de patente que se estuviese examinando, siempre que dicho contenido esté incluido en la solicitud de fecha anterior cuando ella se publique o hubiese transcurrido el plazo previsto en el artículo 40."*, se realizó la búsqueda de anterioridades en los archivos con que cuenta esta Oficina y se encontró el siguiente documento relacionado con la materia de la presente solicitud:

176
173

N°	DOCUMENTO	TÍTULO	FECHA DE PUBLICACIÓN
D1	EP0698660	Detergent composition for hard surface	1996-02-28

5.EVALUACIÓN DE LOS REQUISITOS DE PATENTABILIDAD

El artículo 14 de la Decisión 486 de la Comisión de la Comunidad Andina establece que: “Los Países Miembros otorgarán patentes para las invenciones, sean de producto o de procedimiento, en todos los campos de la tecnología , siempre que sean nuevas, tengan nivel inventivo y sean susceptibles de aplicación industrial.”

En cumplimiento del artículo 14 de la Decisión 486, se procedió a evaluar los requisitos de novedad, nivel inventivo y aplicación industrial con el fin de establecer la patentabilidad de la invención reivindicada en la solicitud en estudio.

5.1Evaluación del NIVEL INVENTIVO

De acuerdo al **art. 18.-** “Se considerará que una invención tiene nivel inventivo, si para una persona del oficio normalmente versada en la materia técnica correspondiente, esa invención no hubiese resultado obvia ni se hubiese derivado de manera evidente del estado de la técnica.”, se conceptúa:

D1 revela una composición detergente para superficies duras que remueve fácilmente la suciedad y las manchas compuestas de jabones metálicos. Los autores de esta publicación encontraron que la combinación de una sal de monoalquil(o monoalquenil)trimetilamonio o de dialquil(o dialquenil)dimetilamonio cuaternario o de un monoalquil(o alquenil)bencildimetilamonio, donde el alquil- o alquenil puede tener una cadena de 6 a 11 átomos de carbono con un agente secuestrante y un solvente soluble suministra un poder detergente excelente cuando se compara con el caso donde se usa en combinación con cualquier otro tensioactivo catiónico. Adicionalmente también se encontró que el uso combinado de los componentes de arriba con un tensioactivo **aniónico** no sólo mejora la detergencia específica a la suciedad de jabones metálicos sino también a la de las manchas de sebo. Y además que la presencia en la composición anterior de un tensioactivo **no iónico** y/o anfotérico junto con un aniónico que contiene un grupo polioxialquilenos mejora aún más, la detergencia específica a la suciedad de jabones metálicos y a la de las manchas de sebo y también mejora la estabilidad al almacenamiento.

Como se puede observar, la composición que enseña el arte previo combina el tensioactivo catiónico, aniónico y no iónico en conjunto con un cosurfactante o solvente también del mismo del que se reivindica en la presente solicitud, así como un quelante y un ácido orgánico como el ácido cítrico. Adicionalmente, dice esta anterioridad que las composiciones de este documento pueden contener los componentes convencionales tales como una alcanolamina, un espesante, un pigmento, un colorante, un perfume entre otros, en una cantidad suficiente para alcanzar el 100% de la composición total.

De esta manera, aunque el ácido graso no esté expresamente publicado en la anterioridad, resulta lógico y derivable del conocimiento de conjunto de la persona medianamente versada en la materia técnica correspondiente ya que es ampliamente conocido en el estado del arte, la utilización de este tipo de componentes en las composiciones detergentes.

Teniendo en cuenta la proximidad de la composición del arte previo y que además tanto la de la solicitud en estudio como la anterioridad resuelven el mismo problema técnico donde la presente solicitud no da indicios claros de la

177
174

composición formulada en microemulsión y mucho menos de su estabilidad ni ventajas técnicas frente a las del estado de la técnica ya que además la reivindicación 1 contiene tensioactivos que están determinados de una manera muy general, se considera que la materia reclamada no implica un salto cualitativo en la formulación de la regla técnica ni de una actividad creativa del hombre que merezca el privilegio solicitado.

Así, la combinación de la información publicada en D1 junto con el conocimiento de conjunto de la persona medianamente versada en el arte técnico correspondiente permite derivar de una manera realmente evidente la composición que contiene la combinación específica de tensioactivos junto con los demás ingredientes y las proporciones que se definen en las reivindicaciones 1 a 9. En consecuencia, estas reivindicaciones no tendrían nivel inventivo.

En cumplimiento del artículo 45 de la Decisión 486 de la Comisión de la Comunidad Andina, se le indica que debe dar respuesta dentro del término de sesenta días contados a partir de la fecha de la notificación de la presente comunicación. **En caso de no dar respuesta al presente requerimiento, o si a pesar de la respuesta subsistieran los impedimentos para la concesión, se denegará la patente.**

Notifíquese el presente oficio conforme a lo dispuesto en el numeral 5.2, literal e), del capítulo quinto del título primero de la circular única No. 10 de 2001.

ALIX CARMENZA CESPEDES DE VERGEL
Jefe de la División de Nuevas Creaciones.

El anterior requerimiento fue notificado por fijación en lista, de fecha 06 ABR. 2006

CONCEPTO TÉCNICO N° 488 (2006-03-17)	EXAMINADOR TÉCNICO CÓDIGO 202001	EXAMINADOR JURÍDICO CÓDIGO
---	-------------------------------------	-------------------------------

Expediente: 2000-48550

175

SUPERINTENDENCIA DE INDUSTRIA Y COMERCIO

RADICACIÓN: 0-48550

EDICTO No. 11919

**LA SECRETARÍA GENERAL AD-HOC
HACE SABER:**

Que esta Superintendencia profirió **Resolución No. 19627 de 26-JUL-2006**. Que el contenido de la parte resolutive es como sigue: El Superintendente de Industria y Comercio.

RESUELVE

ARTICULO PRIMERO: Negar el privilegio de patente de invención para la solicitud correspondiente a "MICROEMULSION ANTIMICROBIANA PARA FINES MULTIPLES QUE CONTIENE TENSIOACTIVOS NO IONICOS ETOXILADOS Y ANIONICO DE SULFONATO".

ARTICULO SEGUNDO: Notificar personalmente el contenido de la presente resolución al doctor Ramiro Castro Duque, o a quien haga sus veces, en su calidad de apoderado de Colgate - Palmolive Company., entregándole copia de la misma, advirtiéndole que contra ella procede el recurso de reposición interpuesto ante el Superintendente de Industria y Comercio, al momento de la notificación o dentro de los 5 días hábiles siguientes a ella.

NOTIFÍQUESE Y CUMPLASE

Dada en Bogotá, D.C., a los

26 JUL. 2006

EL SUPERINTENDENTE DE INDUSTRIA Y COMERCIO,


JAIRO RUBIO ESCOBAR

Para notificar a los interesados, se fija el presente EDICTO en lugar visible al público en la SUPERINTENDENCIA DE INDUSTRIA Y COMERCIO, por el término de (10) diez días hábiles contados a partir de las 8:30 a.m. de hoy.

Secretaría General Ad-Hoc 10-AGO-2006

Este edicto se desfija hoy 24-AGO-2006 a las cinco (5:00 p.m.)

Secretaría General Ad-Hoc

EDICTO No. 11919