

Search query (3): [SP]: ureteral connector stent a connector stent of adjustable length is provided for draining fluid through a biological passage. the connector stent comprises an elongated tubular member and a connector. a retaining means is disposed at one end of the elongated tubular member, the other end being straight. a retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. the straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained.

Results: 69

Search history

Search TAC=(stent and curved) (Results 1681)

1:

Search TAC=(1 and French) (Results 23)

2:

Search [SP]: ureteral connector stent a connector stent of adjustable length is provided for draining fluid through a biological passage. the connector stent comprises an elongated tubular member and a connector. a retaining means is disposed at one end of the elongated tubular member, the other end being straight. a retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. the straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained. (Results 69)

Title: CATHETER STYLET

Abstract: Source: US2118631A 1. A catheter stylet comprising a rigid, tubular portion, a pair of flexible, resilient portions mounted at opposite ends thereof in alignment therewith, each of said flexible portions comprising a helically wound strip of spring metal, a rounded tip plugging the free end of each helix, and a flexible, resilient, stiffening wire extending longitudinally through said rigid and flexible portions and having its ends secured to said tips.

Classifications:


International (IPC 8-9): A61M25/09 (Advanced/Invention);
A61M25/09 (Core/Invention)

International (IPC 1-7): A61M23/00 A61M25/00

CPC: A61M25/09033

European: A61M25/01B2 A61M25/09B2

US: 15/104.33 604/170.02



Family:

Publication number	Publication date	Application number	Application date
US2118631 A	19380524	US19350014395	19350403

Priority:

US19350014395 19350403

Probable Assignee: CHARLES WAPPLER FREDERICK

Assignee(s): (std): CHARLES WAPPLER FREDERICK

Inventor(s): (std): CHARLES WAPPLER FREDERICK

Inventor(s): WAPPLER FREDERICK CHARLES

Search query (3): [SP]: ureteral connector stent a connector stent of adjustable length is provided for draining fluid through a biological passage. the connector stent comprises an elongated tubular member and a connector. a retaining means is disposed at one end of the elongated tubular member, the other end being straight. a retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. the straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained.

Results: 69

6) Family number: 24048247 (US4212304A)

© PatBase

Title: URETERAL CATHETER STENT

Abstract: Source: US4212304A An ureteral catheter stent comprises an elongated, flexible tubular member of uniform outside diameter throughout its length which has proximal and distal ends which are in the form of hooks. Openings extend through the wall of the member to provide passages for fluid to enter the lumen of the tubular member and the proximal end of the member is closed to facilitate its introduction into a body passage. Since the stent is straightened for introduction into a body passage by inserting a wire stylet in the lumen of the stent, the stent is provided with indicating means which show the direction the proximal hook will form when the stylet is removed so that proper placement is insured.

Classifications:

International (ipc 8-9): A01D41/14 A61F2/04 A61F7/00 A61M25/00 G01S15/88 G05D3/14 (Advanced/Invention);

A61M25/01 (Advanced/Non-invention);

A01D41/00 G01S15/00 G05D3/14 (Core/Invention)


International (ipc 1-7): A01D75/00 A61B1/30 A61F7/00 A61M1/00 A61M25/00 F02P3/01 G01S15/10 G05D3/12

CPC: A01D41/141 G01S15/88 G05D3/1418 A61F2/04 A61M25/007 A61M27/008 A61M2025/0019 A61M25/0021 A61M25/0108

European: A01D41/14B A61M25/00T3 A61M25/01B G01S15/88 G05D3/14D

US: 128/349R 604/170.01 604/544 604/8

PatBase - US4212304_A



Publication number	Publication date	Application number	Application date
CA1112119 A1	19811110	CA19780314686	19781030
DE2905703 A1	19791011	DE19792905703	19790215
DE2905703 C2	19830811	DE19792905703	19790215
DE7904093 U1	19820408	DE19790004093U	19790215
FR2421625 A1	19791102	FR19790008478	19790404
FR2421625 B1	19840817	FR19790008478	19790404
GB2018600 A1	19791024	GB19790009527	19790319
GB2018600 B2	19821027	GB19790009527	19790319
GB2173309 A1	19861008	GB19850008540	19850402
GB2173309 B2	19880817	GB19850008540	19850402
GB8508540 A0	19850509	GB19850008540	19850402
US4212304 A	19800715	US19780894278	19780407
US4307723 A	19811229	US19800119865	19800208

Priority:

CA19780314686 19781030 GB19850008540 19850402 US19800119865 19800208
US19780894278 19780407

Probable Assignee: MEDICAL ENG CORP

Assignee(s): (std): LUNDAHL INC EZRA C ; HENSLEY GEORGE H ALAMEDA NEW M ; MEDICAL ENG CORP

Assignee(s): FIRST INTERSTATE BANK OF CALIFORNIA ; MEDICAL ENGINEERING CORP ; MEDICAL ENGINEERING CORP RACINE WIS US ; FINNEY ROY P ; CABOT TECHNOLOGY A CORP OF DELAWARE CORP ; CABOT TECHNOLOGY CORP ; CHASE MANHATTAN BANK ; EZRA C LUNDAHL INC

Inventor(s): (std): FINNEY ROY P ; FINNEY ROY PELHAM ; WISER JAMES GORDON ; LUNDAHL EZRA CORDELL ; THORNLEY WILFORD RAY

Inventor(s): PELHAM FINNEY ROY ; JAMES GORDON WISER ; FINNEY ROY PELHAM TAMPA FLA ; EZRA CORDELL LUNDAHL ; WILFORD RAY THORNLEY

Agent(s): FETHERSTONHAUGH AND CO

Search query (3): [SP]: ureteral connector stent a connector stent of adjustable length is provided for draining fluid through a biological passage. the connector stent comprises an elongated tubular member and a connector. a retaining means is disposed at one end of the elongated tubular member, the other end being straight. a retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. the straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained.

Results: 69

8) Family number: 1890919 (US4610657A)

© PatBase

Title: Ureteral stent

Abstract: Source: US4610657A An ureteral stent comprises an elongated, flexible tubular member which has proximal and distal ends in the form of hooks. Both of the ends of the member are open but the opening at the proximal end is smaller than the lumen or the opening at the distal end. Methods of inserting the stent, maneuvering the stent past difficult obstructions in the ureter, replacing an indwelling stent are described, as well as kits for performing those methods.

Classifications:


International (IPC 8-9): A61F2/04 A61M25/00 (Advanced/Invention)

International (IPC 1-7): A61M1/00 A61M25/00

CPC: A61F2/04 A61M25/0054 A61M27/008 A61M25/00

European: A61F2/04 A61M25/00 A61M25/00S3 A61M27/00C3

US: 604/8



Family:

Publication number	Publication date	Application number	Application date
DE3446940 A1	19850711	DE19843446940	19841221
DE3446940 C2	19900621	DE19843446940	19841221
FR2557460 A1	19850705	FR19840019819	19841226
FR2557460 B1	19900504	FR19840019819	19841226
GB2152382 A1	19850807	GB19840030116	19841129
GB2152382 B2	19880420	GB19840030116	19841129
GB2185409 A1	19870722	GB19870005116	19870305
GB2185409 B2	19880420	GB19870005116	19870305
GB8430116 A0	19850109	GB19840030116	19841129
GB8705116 A0	19870408	GB19870005116	19870305
US4610657 A	19860909	US19850771161	19850830

Priority:

GB19840030116 19841129 US19840567757 19840103 US19850771161 19850830

Probable Assignee: MEDICAL ENG CORP

Assignee(s): (std): BRISTOL MYERS CO ; MEDICAL ENG CORP

Assignee(s): FIRST INTERSTATE BANK OF CALIFORNIA ; MEDICAL ENGINEERING CORP ; BRISTOL MYERS CO NEW YORK N Y US ; CABOT TECHNOLOGY A CORP OF DELAWARE CORP ; CABOT TECHNOLOGY CORP ; CHASE MANHATTAN BANK

Inventor(s): (std): DENSOW DAVID C

Inventor(s): C DENSOW DAVID ; DAVID C DENSOW

PatBase - Search results 31 May 2017

Search query (3): [SP]: ureteral connector stent a connector stent of adjustable length is provided for draining fluid through a biological passage. the connector stent comprises an elongated tubular member and a connector. a retaining means is disposed at one end of the elongated tubular member, the other end being straight. a retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. the straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained.


Results: 69

10) Family number: 2786203 (US4790810A) © PatBase

Title: URETERAL CONNECTOR STENT

Abstract: Source: US4790810A A connector stent of adjustable length is provided for draining fluid through a biological passage. The connector stent comprises an elongated tubular member and a connector. A retaining means is disposed at one end of the elongated tubular member, the other end being straight. A retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. The straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained.

Classifications:
International (IPC 8-9): A61F2/06 A61F2/94
A61M25/00 (Advanced/Invention);
A61F2/82 (Core/Invention)
International (IPC 1-7): A61M25/00
CPC: A61F2/94 A61F2250/0007 A61M25/0075 A61M27/008
European: A61F2/06S10 A61F2/94 A61M25/00T2 A61M25/00T20A
A61M27/00C3
US: 604/283 604/544 604/8



Family:

Publication number	Publication date	Application number	Application date
US4790810 A	19881213	US19850794575	19851104

Priority:

US19850794575 19851104

Probable Assignee: AMS RESEARCH CORP

Assignee(s): (std): AMERICAN MED SYST

Assignee(s): AMERICAN MEDICAL SYSTEMS INC ; AMERICAN MEDICAL SYSTEMS INC A CORP OF MINNESOTA ; AMERICAN MEDICAL SYSTEMS INC F K A WPAMS ACQUISITI ; AMERICAN MEDICAL SYSTEMS INC F K A WPAMS ACQUISITION CORP ; AMS RESEARCH CORP ; WPAMS ACQUISITION CORP ; BANK OF AMERICA NA ; BANK OF AMERICA NA AGENT AS ; AEMRICAN MEDICAL SYSTEMS INC

Inventor(s): (std): LEVIUS DEZSO K ; PUGH JR ROBERT W

PatBase - Search results 31 May 2017

Search query (3): [SP]: ureteral connector stent a connector stent of adjustable length is provided for draining fluid through a biological passage. the connector stent comprises an elongated tubular member and a connector. a retaining means is disposed at one end of the elongated tubular member, the other end being straight. a retaining means is disposed at one end of the connector, the other end being adapted to engage the straight end of the elongated tubular member. the straight end of the elongated tubular member may be cut to a desired length before engaging the connector so that the length of the connector stent corresponds to the length of the fluid passageway to be drained.

Results: 69

12) Family number: 3468132 (US4931037A) © PatBase

Title: IN-DWELLING URETERAL STENT AND INJECTION STENT ASSEMBLY, AND METHOD OF USING SAME

Abstract: Source: US4931037A A stent has a first tubular portion with a straight section and a curled section at the proximal end thereof, a second tubular portion curl providing a curled section at the distal end. The second portion has a larger diameter than the first portion and receives the straight section therein which is bonded thereto. The end of the straight section within the second portion forms a shoulder for abutment by an injection catheter to inject the stent into a patient. The outer surface of the distal portion is relatively soft to avoid bladder irritation.

Classifications:


International (IPC 8-9): A61M25/00 (Advanced/Invention);
A61M25/00 (Core/Invention)

International (IPC 1-7): A61M25/00 A61M37/00

CPC: A61F2/82 A61F2002/048 A61M27/008

European: A61M27/00C3

US: 604/280 604/544 604/8



Family:

Publication number	Publication date	Application number	Application date
US4931037 A	19900605	US19880257087	19881013

Priority:

US19880257087 19881013

Probable Assignee: INT MEDICAL INC

Assignee(s): (std): INT MEDICAL INC

Assignee(s): INT MEDICAL INC 182 SOUTH MAIN STREET DANIELSON CT ; INT MEDICAL INC 182 SOUTH MAIN STREET DANIELSON CT A CORP OF DE ; INTERNATIONAL MEDICAL INC

Inventor(s): (std): WETTERMAN PETER H