

PatBase - Search results 11 August 2017

Search query (25): PN=(US6190057 OR CN102073101 OR US2014131326 OR JP10133051 OR US6206583 OR JP2000214344 OR KR20050098628 OR US2009263088 OR FR2953031 OR US2013230286 OR US2013236146 OR US2015168649 OR US2016116675 OR CN204832577 OR CN205960744 OR USD759138 OR USD596211 OR USD709286 OR USD652438 OR US2013236145 OR US2014131326 OR JP5303673 OR CN203178520 OR US2014157830 OR US20050276549 OR EP2728389 OR US20050276549 OR US20050238298 OR USD709286 OR US6190057 OR USD759138 OR CN204832577 OR US7412146)

Results: 27

Search history

Search PA=(SILVER LIMITADA) PA=(SILVER LIMITADA) and INV=(ORLANDO PLATA MURCIA) (Results 0)

1:

Search PA=(SILVER LIMITADA) (Results 10)

2:

Search PN=(CO20160000036) (Results 1)

3:

Search fn=(65747345) (Results 1)

4:

Search fn=(65747345:30 or 59288745:20 or 57696232:20 or 57469667:20 or 56342510:20 or 54807846:20 or 53120237:20 or 52398407:20 or

5: 52349530:20 or 48791447:20 or 47092465:20 or 46988334:20 or 46820267:20 or 46802798:20 or 45924692:20 or 45890119:20 or 45165924:20 or 45041512:20 or 45025533:20 or 44364022:20 or 44040916:20 or 44025356:20 or 44024221:20 or 43974675:20 or 43962126:20 or 43912650:20 or 43736606:20 or 43693895:20 or 43676968:20 or 43584904:20 or 43552575:20 or 43485695:20 or 43373516:20 or 43185650:20 or 43125895:20 or 43039068:20 or 43008029:20 or 42964848:20 or 42961069:20 or 42837575:20 or 42835789:20 or 42641453:20 or 42570387:20 or 42517364:20 or 42506893:20 or 42299472:20 or 42268016:20 or 42267986:20 or 42116582:20 or 41938530:20 or 41878178:20 or 41743597:20 or 41710536:20 or 41710441:20 or 41681270:20 or 41579769:20 or 41576028:20 or 41546278:20 or 41518360:20 or 41094718:20 or 41082008:20 or 41000985:20 or 40990073:20 or 40965150:20 or 40917217:20 or 40744347:20 or 40725466:20 or 40397600:20 or 40392315:20 or 40373201:20 or 40359660:20 or 40261603:20 or 40249367:20 or 40073138:20 or 39955493:20 or 39933374:20 or 39866382:20 or 39806125:20 or 39798143:20 or 39288663:20 or 39252819:20 or 39045966:20 or 39000433:20 or 38944048:20 or 38936574:20 or 38935217:20 or 38934867:20 or 38917609:20 or 38910183:20 or 38901876:20 or 38887254:20 or 38884060:20 or 38845133:20 or 38840244:20 or 38839831:20 or 38730299:20 or 38668791:20 or 38456076:20 or 38439602:20 or 38436265:20) (Results 100)

Search PA=(SILVER LIMITADA) and INV=(ORLANDO PLATA MURCIA) (Results 7)

6:

Search (device and (Optical and fusion and splicer)) (Results 164)

7:

Search TAC=(Optical and fusion and splicer) (Results 391)

8:

Search TAC=(Optical fusion splicer) (Results 4)

9:

Search [SP]: Electronic device for secure connection of fiber optic wires 3 and 9 recision electronic device for the connection of fiber optic (precision and
10: electronic and device and connection and fiber and optic) (Results 500)

Search fn=(63552089 or 58185332 or 46859437 or 10363842 or 10363842 or 13603377 or 13603377 or 13732603 or 13732603 or 23255577 or
11: 23255577 or 32168131 or 4337787 or 4337787 or 38799798 or 38799798 or 38799798 or 31161269 or 11281068 or 11281068 or 9098035 or 9098035 or 30083336 or 34276423 or 10656666 or 51631978 or 51631978) (Results 17)

Search TAC=(precision and electronic and device and connection and fiber and optic) (Results 58)

12:

Search (precision and electronic and device and connection and fiber and optic) (Results 58)

13:

Search TAC=(splicer) and PA=(TIAN YONGSHENG) (Results 0)

14:

Search PA=(TIAN YONGSHENG) (Results 14)

15:

Search tac=(optical fiber fusion splicer) (Results 191)

16:

Search 16 optical fiber fusion splicer (Results 0)

17:

Search fn=(63552089 or 60020543 or 40837955 or 15533544 or 31977150 or 40837955 or 47681273 or 49009053 or 31977150 or 40837955 or
18: 49009053 or 3339777 or 12675913 or 15939764 or 30689891 or 48961790) (Results 12)

Search fn=(31503259 or 31503259 or 11946147 or 2249283 or 38740497 or 5819036 or 39039392 or 39039392 or 55671708 or 8493870 or 8493870
19: or 11366364 or 11366364 or 9186937 or 11946147 or 29245264 or 29245264 or 51342824 or 50465289 or 50465289 or 9186937 or 9186937 or 29245264) (Results 13)

Search fn=(61303340 or 61303340 or 32485518 or 42522584 or 46190587 or 46873524 or 43031875 or 52321640 or 41580578 or 44417510 or
20: 47693040 or 49859909 or 51045193) (Results 12)

Search fn=(53343176 or 52887402 or 52887402 or 59730434 or 58185332 or 42759794 or 30952699 or 32485517 or 44140498 or 44445263 or
21: 28036907 or 30792964 or 30952699 or 42760894 or 7073033 or 6416797 or 19324942 or 28142956 or 8276977 or 14833707 or 11807109 or 28142956 or 27986725) (Results 20)

Search fn=(55167810 or 55167810 or 57836224 or 61997556 or 61997556 or 61913484 or 61631770 or 51156512 or 55167810 or 10973340 or
22: 11910461 or 12260946 or 30792964 or 33405643 or 36063625 or 44462287 or 49505134 or 31760446 or 8211373 or 3411017 or 13278234 or 44848230 or 48294900) (Results 20)

Search ((GPS AND LOCATION AND CARD) AND (SPLICER FUSION AND FIBER AND OPTIC)) (Results 0)

23:

Search tac=(optical AND fiber AND fusion AND splicer) (Results 375)

24:

Search PN=(US6190057 OR CN102073101 OR US2014131326 OR JP10133051 OR US6206583 OR JP2000214344 OR KR20050098628 OR
25: US2009263088 OR FR2953031 OR US2013230286 OR US2013236146 OR US2015168649 OR US2016116675 OR CN204832577 OR CN205960744 OR USD759138 OR USD596211 OR USD709286 OR USD652438 OR US2013236145 OR US2014131326 OR JP5303673 OR CN203178520 OR US2014157830 OR US20050276549 OR EP2728389 OR US20050276549 OR US20050238298 OR USD709286 OR US6190057 OR USD759138 OR CN204832577 OR US7412146) (Results 27)


Title:
PAPER MONEY RECEIVING/PAYING
DEVICE

Abstract:

Source: JP5303673A PURPOSE: To perform the replenishing operations and the payment transactions in parallel to each other by providing a paper money transfer part for payment reaching a service port from a denomination-based paper money take-out means of a denomination-based cassette through a discriminating part independently of a paper money transfer path for supply reaching a partial holding part of the cassette from a collective paper money take-out means of a collective cassette through a simple discriminating part. CONSTITUTION: This device is independently provide with a paper money ...

Probable Assignee:
OKI ELECTRIC IND CO LTD

Assignee(s):(std):
OKI ELECTRIC IND CO LTD



7 more images available

Title:
OPTICAL FIBER SPLICING DEVICE,
FUSION SPLICER AND OPTICAL
SWITCH


Abstract:

Source: JP10133051A PROBLEM TO BE SOLVED: To provide an optical fiber splicing device, a fusion splicer and an optical switch which can suppress splicing loss small. SOLUTION: This optical fiber splicing device 1 is equipped with an optical fiber array member 20 which has a fiber array groove 20a formed, and optically splices a 1st optical fiber 30 and a 2nd optical fiber 40 each other by arranging the 1st optical fiber 20a on one end side and the 2nd optical fiber 40 on the other end side of the fiber array groove 20a. Then the device is equipped with an electric charge removing means A ...

Probable Assignee:
SUMITOMO ELECTRIC IND

Assignee(s):(std):
SUMITOMO ELECTRIC IND ;
SUMITOMO ELECTRIC INDUSTRIES

Assignee(s):
SUMITOMO ELECTRIC IND LTD








Title:
Optical fiber fusion splicer with communication device

Abstract:
Source: US6206583B A fusion splicer for which maintenance can be performed efficiently is provided. A fusion splicer 1 for splicing optical fibers comprises a CCD camera 14 for capturing an image of a fusion splicing process of the optical fibers, a main memory 21 for storing image data obtained by the CCD camera 14, and a communication controller 3 adapted to make the image data transmittable and effect communication with a service station.

Probable Assignee:
SUMITOMO ELECTRIC IND LTD

Assignee(s):(std):
SUMITOMO ELECTRIC IND ;
SUMITOMO ELECTRIC INDUSTRIES

Assignee(s):
SUMITOMO ELECTRIC INDUSTRIES LTD ;
WATANABE KAZUO ;
SUMITOMO ELECTRIC IND LTD ;
HISHIKAWA YOSHIFUMI



Title:

Optical fiber ribbon fusion splicing apparatus

Abstract:

Source: US6190057B An optical fiber ribbon fusion-splicing apparatus for fusion-splicing end faces of optical fibers to each other includes an optical fiber jacket stripper including a portable main body, a power supply input terminal exposed/formed on one surface of the main body, a clamping and heating element for clamping a distal end portion of a coating of an optical fiber and heating/softening the distal end portion by using a heat accumulator which is electrically heated and has a large heat capacity, a pair of cutting blades for cutting a fiber jacket closer to a proximal end portion ...

Probable Assignee:


SUMITOMO ELECTRIC IND LTD

Assignee(s):(std):

SUMITOMO ELECTRIC IND ;
SUMITOMO ELECTRIC INDUSTRIES

Assignee(s):

SUMITOMO ELECTRIC INDUSTRIES
CO LTD ; SUMITOMO ELECTRIC
INDUSTRIES LTD ; SUMITOMO
ELECTRIC IND CO LTD ; SUMITOMO
ELECTRIC IND LTD



3 more images available

Title:
OPTICAL FIBER FUSION SPLICER

Abstract:

Source: JP2000214344A PROBLEM
TO BE SOLVED: To obtain an optical
fiber fusion splicer which is capable
of easily and surely fusion splice
optical fibers of a short length and is
capable of making the length of the
optical fiber previously connected to
optical part as short as possible
particularly when fusion splicing
another optical fiber to the other end
of the optical fiber previously
mounted at one end to the optical
parts described above. SOLUTION: A
housing space 8 having an
inlet/outlet port 7 allowing putting in
and out of the optical parts 6
mounted with the optical fiber 3 is ...

Probable Assignee:


FURUKAWA ELECTRIC CO LTD

Assignee(s):(std):

FURUKAWA ELECTRIC CO LTD

Assignee(s):

FURUKAWA ELECTRIC CO LTD THE ;
THE FURUKAW ELECTRIC CO LTD



Title:
FUSION SPLICER WITH HEATING
ROOM REINFORCE WELDING
PORTION OF GLASS FIBER


Abstract:

Source: KR100610148B Fiber optic connection this invention is 2 ply to welding, and welding departments access the reinforcement wire comments Dan put the heat-shrink sleeve, shrink and let heat to deal with fiber reinforcement welding connection device, shrink sleeve heat shrink time-to-market in order to ventilate the air heater is on, the fan is in a frenzy, the aforementioned heat shrink sleeves, ventilated Chamber's heat constriction to be done quickly, and also of fiber Peel and wash, cut, Welding, can perform all the processing of augmenting configuration as part of the fiber optic ...

Probable Assignee:
ILSIN PREC CO LTD

Assignee(s):(std):
ILSIN PREC CO LTD

Assignee(s):
ILSIN PRECISION CO LTD



9 more images available

Title:
OPTICAL FIBER FUSION SPLICER
WITH PERSONAL COMPUTER
FUNCTIONALITY

Abstract:

Source: US2005238298A An optical fiber fusion splicer includes a personal computer and splicing elements in communication with and controlled by the personal computer for fusion splicing at least one pair of opposed optical fibers. The personal computer is integral with the splicing elements within the fusion splicer and provides personal computer functionality to the fusion splicer. The fusion splicer may further include a hard drive in communication with the personal computer for storing and retrieving data, a display in communication with the personal computer including a graphical user ...

Probable Assignee:


CORNING CABLE SYSTEMS LLC

Assignee(s):(std):

CORNING CABLE SYS LLC ; RENFRO JAMES G JR ; RENFRO JR JAMES G ; ROARK BRYAN R ; ZAMZOW DR BERT ; ZAMZOW BERT

Assignee(s):

ZAMZOW DR ; RENFRO JR ; CORNING CABLE SYSTEMS LLC



1 more images available

Title:
OPTICAL FIBER FUSION SPLICER
AND OPTICAL FIBER LOADING
DEVICE**Abstract:**


Source: US2005276549A An optical fiber loading device includes a loading stage, which includes a first clamp block, fitted in a first opening defined in a first base portion, including first grooves adapted to position first optical fibers of a first optical fiber cable; and a first clamp arranged to releasably contact the first clamp block to clamp the first optical fibers therebetween, wherein the first clamp block and first base portion are formed of two different materials. The device also includes a first holder adapted to hold the first optical fiber cable, and to move the first optical ...

Probable Assignee:

FUJIKURA LTD

Assignee(s):(std):

FUJIKURA LTD



1 more images available

Title:

SPLICE PROTECTION HEATER,
FUSION SPLICER INCLUDING THE
SPLICE PROTECTION HEATER, AND
FUSION SPLICING METHOD

Abstract:

Source: US2006280417A A splice protection heater capable of quickly and efficiently performing a fusion process without an excessive heating time, a fusion splicer including the splice protection heater, and a fusion splicing method are provided. The apparatus has a heating part for heat shrinking a protection sleeve that covers a fusion spliced portion of an optical fiber, a plurality of heating elements that can individually heat a plurality of protection sleeves with different timings by being individually turned ON/OFF by switches, or a heating element turned ON/OFF by a switch. This ...

Probable Assignee:

SUMITOMO ELECTRIC IND LTD

Assignee(s):(std):

SUMITOMO ELECTRIC IND ; ITO
KENSUKE ; SATO RYUICHIRO ;
SUMITOMO ELECTRIC INDUSTRIES ;
WATANABE TSUTOMU

Assignee(s):

SUMITOMO ELECTRIC IND LTD5-33,
KITAHAMA 4-CHOMECHUO-KU,
OSAKA-SHI541-0041OSAKAJP ;
SUMITOMO EHLEKTRIK INDASTRIZ
LTD ; SUMITOMO ELECTRIC IND
LTD ; SUMITOMO ELECTRIC IND
LTD OSAKA SHI ; SUMITOMO
ELECTRIC INDUSTRIES LTD




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10A

FIG. 10B



8 more images available

Title:

FUSION SPLICER

Abstract:

Source: US2009263088A A fusion splicer that can execute fusion splice and reinforcement preparations of optical fibers to be next subjected to reinforcement treatment efficiently at a proper timing by keeping track of the reinforcement treatment progress state to perform fusion splice and reinforcement treatment in parallel with each other is provided. A fusion splicer includes a fusion splicing device for butting optical fiber end parts against each other and fusing them and a reinforcement treatment device for reinforcing the optical fibers subjected to the fusion splice with a ...

Probable Assignee:


SUMITOMO ELECTRIC IND LTD

Assignee(s):(std):

HATTORI KAZUNARI ; IKEJIMA OSAMU ; MIYAMORI MAKOTO ; SUMITOMO ELECTRIC IND ; SUMITOMO ELECTRIC INDUSTRIES

Assignee(s):

SUMITOMO ELECTRIC INDUSTRIES CO ; SUMITOMO ELECTRIC INDUSTRIES CO LTD ; SUMITOMO ELECTRIC IND LTD ; SUMITOMO ELECTRIC INDUSTRIES LTD



1 more images available

Title:

ARC FUSION SPLICING SYSTEM (OR
SPLICER OR SPLICING EQUIPMENT)
FOR OPTICAL FIBERS

Abstract:

Source: USD596211S (Claim 1)
CLAIM The ornamental design for an
arc fusion splicing system (or splicer
or splicing equipment) for optical
fibers, as shown and described.

Probable Assignee:

FUJIKURA LTD

Assignee(s):(std):

FUJIKURA LTD



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

3 more images available

Title:

APPAREIL D'EPISSURAGE DE
FIBRES OPTIQUES PAR FUSION ET
PROCÉDE D'EPISSURAGE PAR
FUSION

Abstract:

Source: FR2953031A The device (10) has a maintaining device (18) comprising a set of slots (21) for temporarily maintaining parts (13) of optical fiber cores (11, 12) at two sides in order to pinch the components in elastic manner after the splicing operation. A thermal reinforcement is collectively realized on the parts to be spliced by a reinforcing element (16). A splicing mechanism (15) disposed on a work table comprises clamps (14a,14b) for maintaining the optical fiber cores. An independent claim is also included for a method for splicing optical fibers by fusion using an optical fiber ...

Probable Assignee:





SUMITOMO ELECTRIC IND

Assignee(s):(std):

SUMITOMO ELECTRIC IND ;
SUMITOMO ELECTRIC INDUSTRIES

Assignee(s):

SUMITOMO ELECTRIC INDUSTRIES
LTD ; SUMITOMO ELECTRIC IND
LTD




Title:
OPTICAL FIBER FUSION SPLICER

Abstract:
Source: USD652438S (Claim 1) The ornamental design for an optical fiber fusion splicer, as shown and described.

Probable Assignee:
FURUKAWA ELECTRIC CO LTD

Assignee(s):(std):
FURUKAWA ELECTRIC CO LTD ;
TANABE AKIO ; YABE FUMIHIRO ;
AKIYAMA TOMOHIRO

Assignee(s):
FURUKAWA ELECTRIC CO



1 more images available

Title:
OPTICAL FIBER FUSION SPLICER

Abstract:

Source: US2013236145A An optical fiber fusion splicer includes positioning members and clamping members. Each clamping member clamps the bare fiber. A first guiding portion protrudes from the top surface of each positioning member and guides a distal end portion of the bare fiber toward the groove. A first guiding portion protrudes from the top surface of each positioning member and guides a distal end portion of the bare fiber toward the groove. A concave face of the first guiding portion has a V-shaped cross section. Each clamping member includes a second guiding portion, which guides a base portion of the bare fiber toward the groove of the corresponding positioning member, and a pressing member, which presses the bare fiber against the ...

Probable Assignee:


SEI OPTIFRONTIER CO LTD

Assignee(s):(std):

SATO RYUICHIRO ; SEI
OPTIFRONTIER CO LTD

Assignee(s):

SEI OPTIFRONTIER CO



Title:

HEATING DEVICE FOR OPTICAL-FIBER REINFORCEMENT, AND OPTICAL-FIBER FUSION SPLICING DEVICE

Abstract:

Source: US2013230286A An optical fiber reinforcing heating device has a base part, to which a first lid part for covering a sleeve accommodation groove for containing a fiber reinforcement sleeve covering a fusion-splicing part of optical fibers is attached so as to be openable and closable. A pair of fiber holders for holding and securing the optical fibers are disposed on both end sides of the first lid part. Each fiber holder has a second lid part which is attached to a fiber container so as to be openable and closable and presses the optical fiber against the fiber container. A switch ...

Probable Assignee:

SEI OPTIFRONTIER CO LTD

Assignee(s):(std):

FUKUDA MASAKAZU ; SATO RYUICHIRO ; SEI OPTIFRONTIER CO LTD ; TAKAYANAGI HIROSHI ; YUI HISAO

Assignee(s):

SEI OPTIFRONTIER CO




Fig.1




Fig.2





Fig.4





Fig.5



5 more images available

Title:
OPTICAL FIBER HOLDER AND
OPTICAL FIBER FUSION-
CONNECTING DEVICE


Abstract:

Source: US2013236146A An optical fiber fusion splicer includes optical fiber holders that hold optical fibers. Each optical fiber holder includes a base, a cover, and a connecting portion. The base includes a setting table on which an optical fiber F is placed so as to be oriented in the longitudinal direction of the base. The cover has pressing members that press the optical fiber F placed on the setting table against the setting table. The connecting portion joins the cover to the base such that the cover is openable away from and closeable over the base and movable in the longitudinal ...

Probable Assignee:
SEI OPTIFRONTIER CO LTD

Assignee(s):(std):
SAKAMOTO YASUHIRO ; SATO
RYUICHIRO ; SEI OPTIFRONTIER CO
LTD ; TAKAYANAGI HIROSHI

Assignee(s):
SEI OPTIFRONTIER CO









Title:
OPTICAL FIBER FUSION SPLICER

Abstract:
Source: US2014131326A An optical fiber fusion splicer includes a base having a fiber groove for containing an optical fiber, a fiber clamp for pressing the optical fiber contained in the fiber groove against the base and load changing means for changing a load for the fiber clamp to press the optical fiber.

Probable Assignee:
SEI OPTIFRONTIER CO LTD

Assignee(s):(std):
MIYAMORI MAKOTO ; SATO RYUICHIRO ; SEI OPTIFRONTIER CO LTD ; TAKAYANAGI HIROSHI

Assignee(s):
SEI OPTIFRONTIER CO



2 more images available

Title:

OPTICAL FIBER FUSION-BONDING MACHINE

Abstract:

Source: JP5303673B An optical fiber fusion splicer is provided with an arranging table unit used for arranging end parts of optical fibers to be mutually opposed. The arranging table unit comprises an arranging table unit body, a pair of positioning groove parts, a pair of electrode bars, one or two groups of lens units, and one or two groups of camera shooting devices. The arranging table unit body is provided with a first main surface and a second main surface which is arranged at one side opposite to the first main surface side; the positioning groove parts are arranged at the first main ...

Probable Assignee:




FUJIKURA LTD

Assignee(s):(std):

FUJIKURA CO LTD ; FUJIKURA LTD

Assignee(s):

FUJIKURA CO




Title:
MONITOR MOUNTING STRUCTURE
OF OPTICAL FIBER FUSION SPLICER

Abstract:
Source: CN203178520U The utility model relates to the field of optical fiber fusion splicers, and specifically relate to a monitor mounting structure of an optical fiber fusion splicer. The monitor mounting structure comprises a main body (10), a fusion splicing unit (20), a heating unit (30) and a monitor (40), wherein the fusion splicing unit (20) and the heating unit (30) are both arranged on the main body (10). The monitor mounting structure is characterized by further comprising a connecting unit (60), wherein first ends of the connecting unit (60) are hinged to the main body (10), and ...

Probable Assignee:
LUO CHUNHUI

Assignee(s):(std):
LUO CHUNHUI









Title:
OPTICAL FIBER FUSION SPLICE
SYSTEM**Abstract:**

Source: US2014157830A An optical fiber fusion splice system includes a working table and a storage box which stores the working table. The working table includes a fusion splicing machine installation portion accommodating a fusion splicing machine to be stored in the storage box and a working surface on which preparation work for an optical fiber is configured to be performed. The fusion splicing machine installation portion includes a fusion splicing machine restriction portion being configured to restrict the fusion splicing machine without the fusion splicing machine moving in a ...

Probable Assignee:
FUJIKURA LTD

Assignee(s):(std):
FUJIKURA LTD



44 more images available


Title:
HEAT TREATMENT DEVICE FOR OPTICAL FIBER REINFORCING MEMBER, OPTICAL FIBER FUSION SPLICER PROVIDED WITH SAME HEAT TREATMENT DEVICE, AND METHOD FOR HEAT TREATING OPTICAL FIBER REINFORCING MEMBER

Abstract:
Source: US2015168649A A heating device for heating an optical fiber reinforcing member includes fiber holders to hold optical fibers covered with the reinforcing member at a fusion-spliced portion, a heater to heat the reinforcing member, a power supply unit to apply a voltage to the heater, and a controller to control the application of a voltage from the power supply unit to the heater. The controller includes a detecting unit that detects a parameter for determining the amount of heat generation of the heater, a storage unit that stores a plurality of heating conditions that vary ...

Probable Assignee:
SEI OPTIFRONTIER CO LTD

Assignee(s):(std):
SEI OPTIFRONTIER CO LTD

Assignee(s):
SEI OPTIFRONTIER CO



2 more images available

Title:
CARRYING CASE FOR AN OPTICAL
FIBER FUSION SPLICER

Abstract:
Source: USD709286S The
ornamental design for a carrying
case for an optical fiber fusion
splicer, as shown and described.

Probable Assignee:
SEI OPTRIFRONTIER CO LTD

Assignee(s):(std):
SEI OPTRIFRONTIER CO LTD ;
TAKAYANAGI HIROSHI ; TOYOOKA
HIROYASU ; YUI HISAO ; NISHIDA
TERUAKI

Assignee(s):
SEI OPTIFRONTIER CO LTD ; SEI
OPTRIFRONTIER CO




Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5

6 more images available

Title:


OPTICAL FIBER FUSION SPLICER
AND OPTICAL FIBER FUSION
SPlicing APPARATUS PROVIDED
WITH SAME

Abstract:

Source: US2016116675A An optical fiber fusion splicer includes: a pair of right and left V-grooved stands having V-grooves for butting tips of a pair of optical fibers each other while positioning the tips of a pair of optical fibers; a pair of elastic members respectively supporting the pair of V-grooved stands and formed into the form of an elastically deformable plate; a fixed base on which the pair of elastic members is mounted, whereby the pair of V-grooved stands is fixed thereto through the pair of elastic members, and which is long in a right-left direction; and a pair of micrometers ...

Probable Assignee:
FUJIKURA LTD

Assignee(s):(std):
FUJIKURA LTD



6 more images available

Title:
OPTICAL FIBER SPLICER




Abstract:

Source: CN204832577U The utility model discloses an optical fiber splicer, include controller, driver circuit board, CPU control panel, high definition display screen, add heat channel and optical fibre fusion splicer, driver circuit board installs in the inside of main tank, and electrical property input connection director and CPU control panel, the controller pass through the wire respectively with high -pressure discharge device, alarm device and radiator fan electric connection, CPU control panel electrical property input connection optics focus system, add heat channel and optical ...

Probable Assignee:
QUANZHOU YONGMAO ELECTRONIC TECHNOLOGY CO LTD

Assignee(s):(std):
QUANZHOU YONGMAO ELECTRONIC TECHNOLOGY CO LTD

Assignee(s):
QUANZHOU YONGMAO ELECTRONIC TECHNOLOGY CO



Title:
OPTICAL FIBER FUSION SPLICER

Abstract:
Source: USD746885S [Source:
Claim 1] The ornamental design for
an optical fiber fusion splicer, as
shown and described.

Probable Assignee:
SEI OPTIFRONTIER CO LTD

Assignee(s):(std):
SEI OPTIFRONTIER CO LTD

Assignee(s):
SEI OPTIFRONTIER CO




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5



3 more images available

Title:
PORTABLE STAND -BY POWER
SUPPLY FOR FUSION SPLICER

Abstract:

Source: CN205960744U The utility model discloses a portable stand -by power supply for fusion splicer, its structure includes frame, display screen, upper cover, fastener, operating keyboard, heat sealing machine main part, protection casing, reverse automatic key, heater, adds hot key, carrying hand handle, on and off switch, standby power supply device, socket, base, the frame is connected with the display screen, the on and off switch is connected with standby power supply device, standby power supply device comprises relay, coil, contact, power connection, battery, the relay is equipped ...

Probable Assignee:

NAN AN DIDANI TRADING CO LTD

Assignee(s):(std):

NAN AN DIDANI TRADING CO LTD

Assignee(s):

NAM DIDANI TRADING CO ; NAN AN
DIDANI TRADING CO

