

Search history

Search 1: mobile and toy (Results 2893)  
Search 2: bird (Results 30955)  
Search 3: 1 and 2 (Results 24)

1) Family number: 22516853 (US3290817A)


© PatBase

Title: MOBILE TOY

**Abstract:** Source: US3290817A (Claim 1) What is claimed is: In a mobile toy having a support adapted to be attached to a child's crib: at least one element suspendable from said support, said element being in the form of a bird having a hollow body, said body being provided with a pair of oppositely disposed longitudinal slots, a pair of angle brackets oppositely secured to the outer surface of said body, each of said angle brackets having a laterally projecting leg, said leg being disposed directly beneath its respective slot, and a pair of oppositely disposed wings, each of which is provided at its inner end with a narrow projecting tongue, the width of said tongue being substantially equal to the length of said slot, said tongue snugly fitting within said slot and being frictionally retained in said slot, each of said wings being unattached to but supported by one of said projecting legs, thereby permitting slight movement of said wings by a breeze to cause a simulated fluttering action of said wings.

Classifications:

**International (IPC 8-9):** A63H33/00 (Advanced/Invention);  
A63H33/00 (Core/Invention)  
**International (IPC 1-7):** A63H17/00  
**CPC:** A63H33/006  
**European:** A63H33/00F  
**US:** 40/412 428/16 446/227



Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US3290817 A        | 19661213         | US19640339137      | 19640121         |

Priority:

US19640339137 19640121

**Probable Assignee:** STAHLWOOD TOY MFG CO INC  
**Assignee(s): (std):** STAHLWOOD TOY MFG CO INC  
**Assignee(s):** STAHLWOOD TOY MFG CO  
**Inventor(s): (std):** STANLEY KRAVATH  
**Inventor(s):** KRAVATH STANLEY

2) Family number: 16574366 (ES133959Y)

© PatBase

**Title:** PAJARO DE JUGUETE CON ALAS Y COLA MOVILES, ESPECIALMENTE SOBRE INSTRUMENTO DE VIENTO. TOY BIRD WITH WINGS AND TAIL MOBILE WITH SPECIAL WIND INSTRUMENT. (Machine translation)

**Classifications:****International (IPC 8-9):** A63H (Subclass/Invention)**International (IPC 1-7):** A63H**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES133959 Y         | 19680801         | ES19670133959U     | 19671115         |

**Priority:**

ES19670133959U 19671115

**Probable Assignee:**

FERRER GUILLEM

**Assignee(s):** (std):


FERRER GUILLEM

**3) Family number: 29464285 (ES232941Y)**

© PatBase

**Title:** JUGUETE MOVIL DE ARRASTRE.

**Abstract:** Source: ES232941U Juguete movil de arrastre, caracterizado esencialmente porque comprende una base general cuya parte superior comporta medios de rodadura y preferentemente un cigueenal aove eje que transmite y modifica en movimiento, hacia una leva o excentrica prevista en la parte superior de la indicada base y que pone es movimiento basculante intermitente a dos planos representativos de la figura do un ave, la que presente los detalles fisicos propios de esta especie animal, contando el conjunto con un mango dotado de empunadura en la que se dispone una seccion aplanada y que facilita la impulsión manual del juguete movil. Mobile toy drive, characterized in that it comprises essentially a general basis whose upper part comprises rolling means and aove cigueenal preferably transmits and modifies axis moving towards a cam provided on the top of the indicated base and putting intermittent swinging movement to two representative drawings Figure I do a bird, which present their own physical details of this animal species, counting conjunction with a fitted handle shaft in which a flattened section is arranged and which facilitates mobile toy drive manual.

**Classifications:****International (IPC 8-9):** A63H (Subclass/Invention)**International (IPC 1-7):** A63H**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES232941 U         | 19780216         | ES19770232941U     | 19771227         |
| ES232941 Y         | 19780701         | ES19770232941U     | 19771227         |

**Priority:**

ES19770232941U 19771227

**Probable Assignee:** BARTOLOME ACEDO FELICIANO**Assignee(s):** BARTOLOME ACEDO FELICIANO ; LAVAO LOPEZ FRANCISCO**4) Family number: 29758485 (US4239207A)**

© PatBase

**Title:** Device for driving a simulated flying object

**Abstract:** Source: US4239207A This invention provides a device for driving a simulated flying object such as a toy aircraft, which is capable of causing the object to make a loop-the-loop flight as well as a circling flight. The device is also capable of causing the object to ascend and descend, repeatedly.


**Classifications:****International (IPC 8-9):** A63H27/00 A63H27/04

A63H27/14 (Advanced/Invention);

A63H27/00 (Core/Invention);

A63H (Subclass/Invention)

**International (IPC 1-7):** A63H27/00 A63H27/02 A63H27/04 A63H29/22  
**CPC:** A63H27/04 A63H27/14  
**European:** A63H27/04 A63H27/14  
**US:** 272/31A 472/11



Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CA1107961 A1       | 19810901         | CA19780317190      | 19781201         |
| DE2852397 A1       | 19790607         | DE19782852397      | 19781204         |
| ES475668 A1        | 19800201         | ES19780475668      | 19781202         |
| FR2410493 A1       | 19790629         | FR19780033949      | 19781201         |
| FR2410493 B1       | 19840629         | FR19780033949      | 19781201         |
| GB2010683 A1       | 19790704         | GB19780047050      | 19781204         |
| GB2010683 B2       | 19820310         | GB19780047050      | 19781204         |
| IT1160285 A        | 19870311         | IT19780030504      | 19781204         |
| IT7830504 A0       | 19781204         | IT19780030504      | 19781204         |
| JP54087897 U1      | 19790621         | JP19770162295U     | 19771203         |
| JP57019188 Y2      | 19820422         | JP19770162295U     | 19771203         |
| US4239207 A        | 19801216         | US19780965431      | 19781201         |

Priority:

CA19780317190 19781201 JP19770162295 19771203 JP19770162295U 19771203

Probable Assignee: TOMY KOGYO CO

Assignee(s): (std): TOMY KOGYO CO ; TOMY KOGYO CO LTD

Assignee(s): TOMY KOGYO CO LTD NO ; TOMY KOGYO COLTD ; TOMY KOGYO CO INC ; OGASAWARA TOYOTSUGU

Inventor(s): (std): OGASAWARA TOYOTSUGU

Agent(s): MACRAE AND CO

5) Family number: 29454455 (ES265625Y)

© PatBase


Title: JUGUETE MOVIL SONORO, EN FORMA DE PAJARO CON JAULA.

**Abstract:** Source: ES265625U Juguete movil sonoro, en forma de pajarito con jaula, caracterizado por el hecho de que la jaula, provista preferentemente de medios para colgarla de un soporte convencional, tiene su base en forma de caja, en cuyo interior se aloja un mecanismo de cuerda, cuyos engranes originan dos movimientos: uno de giro en arco, a derechas e izquierdas, de un eje vertical el cual esta prolongado en un hilo finisimo arqueado a cuyo extremo esta unida la figura de un pequeno pajarito, al que traslada de un punto a otro de la jaula simulando posarse sobre dos elementos situados en su interior, en tanto que el segundo movimiento establece la accion neumatica de un fuelle que actua sobre una boquilla, sonora. Toy mobile sound, bird-shaped cage, characterized in that the cage, preferably provided with means for hanging a conventional support, has its base shaped as a box, inside which is housed mechanism rope, whose gears originate two movements: one turn in the bow, to right and left, a vertical axis which is extended on a fine thread arched whose end is attached to the figure of a small bird, which moved from a point another cage simulating rest on two elements located inside, while the second movement sets the action of a pneumatic bellows acting on a tip, sound.

Classifications:

**International (IPC 8-9):** A63H13/02 A63H3/28 (Advanced/Invention); A63H13/00 A63H3/00 (Core/Invention)

**International (IPC 1-7):** A63H13/02 A63H3/28



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES265625 U         | 19830201         | ES19820265625U     | 19820602         |
| ES265625 Y         | 19830716         | ES19820265625U     | 19820602         |

#### Priority:

ES19820265625U 19820602

**Probable Assignee:** LA MECANICA IBENSE SL

**Assignee(s):** LA MECANICA IBENSE S L ; LA MECANICA IBENSE SL

#### 6) Family number: 17258365 (ES1015777Y)

© PatBase


**Title:** CASITA DE JUGUETE.

**Abstract:** Source: ES1015777U CASITA DE JUGUETE, DEL TIPO CONSTITUIDA POR UNA ESTRUCTURA PRISMÁTICA HUECA DOTADA DE UNA CUBIERTA A DOS AGUAS, CUYA ESTRUCTURA COMPRENDE PAREDES MÓVILES PARA FACILITAR LA VISIÓN Y EL ACCESO AL INTERIOR DE DICHA ESTRUCTURA, CARACTERIZADA ESENCIALMENTE PORQUE LA CUMBRERA DE LA CUBIERTA CONSTITUYE UNA BISAGRA QUE PERMITE LA ELEVACIÓN MANUAL DE UNA DE LAS ALAS O VERTIENTES DE LA CUBIERTA HASTA ALCANZAR UNA POSICIÓN SUPERIOR ESTABLE EN LA QUE SE DESCUBRE EN SU INTEGRIDAD UNA CAVIDAD SUPERIOR DE LA ESTRUCTURA, LIMITADA POR LA REFERIDA CUBIERTA Y POR UN PLANO HORIZONTAL, PREVIENDOSE EN DICHA CAVIDAD UN CUERPO RECTANGULAR ALARGADO DE POCAL ALTURA, QUE SIMULA UNA CAMA Y EN LA CUAL EXISTE UN DEPARTAMENTO PARA EL ALOJAMIENTO DE UNAS PILAS ELÉCTRICAS QUE CONSTITUYEN LA FUENTE DE ALIMENTACIÓN PARA EL FUNCIONAMIENTO DE DIVERSOS DISPOSITIVOS LUMINOSOS Y/O SONOROS REPARTIDOS EN LA ESTRUCTURA GENERAL DE LA CASA, LOS CUALES SON ACTIVADOS A TRAVÉS DE INTERRUPTORES INCORPORADOS EN EL CIRCUITO ELÉCTRICO CORRESPONDIENTE. CASITA toy, OF THE TYPE CONSTITUTED BY A HOLLOW PRISMATIC STRUCTURE PROVIDED WITH A GABLED roof, whose structure comprises movable walls for easy viewing AND ACCESS TO THE INTERIOR OF SAID STRUCTURE, essentially characterized in that the RIDGE OF THE COVER CONSTITUTES A HINGE THAT ALLOWS THE MANUAL LIFTING OF ONE OF THE WINGS OR SIDES OF THE DECK TO REACH A STABLE UPPER POSITION IN WHICH IT IS FOUND IN ITS ENTIRETY AN UPPER CAVITY OF THE STRUCTURE, LIMITED BY THE SAID COVER AND BY A HORIZONTAL PLANE, BEING PROVIDED IN SAID CAVITY A RECTANGULAR elongated body of low height, which simulates a BED AND IN WHICH THERE IS A DEPARTMENT FOR THE ACCOMMODATION OF ELECTRIC BATTERIES Constituting THE POWER SUPPLY FOR THE OPERATION OF VARIOUS LIGHTING DEVICES AND / OR SOUND SPREAD OVER THE GENERAL STRUCTURE OF THE HOUSE, WHICH ARE ACTIVATED THROUGH THE SWITCHES INCORPORATED IN THE CORRESPONDING ELECTRICAL CIRCUIT.

#### Classifications:

**International (IPC 8-9):** A63H3/52 (Advanced/Invention);  
A63H3/00 (Core/Invention)

**International (IPC 1-7):** A63H3/52



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES1015777 UA       | 19910901         | ES19900003418U     | 19901129         |
| ES1015777 Y1       | 19920301         | ES19900003418U     | 19901129         |
| ES1015777 YA       | 19920301         | ES19900003418U     | 19901129         |

#### Priority:

ES19900003418U 19901129

#### Probable Assignee:

CREATIVIDAD Y DISEÑO S A

#### Assignee(s): (std):

CREATIVIDAD Y DISEÑO S A

#### Assignee(s):

CREATIVIDAD Y DISEÑO SA

#### Inventor(s): (std):

RODRIGUEZ FERRE JOSE MANUEL

#### 7) Family number: 34631991 (ES1028211Y)

© PatBase

**Title:** JUGUETE TRANSFORMABLE POR COMPOSICION.


**Abstract:** Source: ES1028211U JUGUETE TRANSFORMABLE POR COMPOSICION, DE LOS CONSTITUIDOS A PARTIR DE UNA PLURALIDAD DE FIGURAS FABRICADAS TODAS ELLAS EN MATERIAL PLASTICO RIGIDO, QUE PRESENTAN DIFERENTES CONFIGURACIONES ORNAMENTALES Y REPRESENTATIVAS, CARACTERIZADO POR ESTAR CONSTITUIDO A PARTIR DE UNA FIGURA PRINCIPAL (1), DOTADA DE UNA CABEZA ESCAMOTEABLE (2), QUE PERMITE SU MOVILIZACION EN SENTIDO VERTICAL DESCENDENTE HASTA OCULTARSE EN UNA CAMARA FRONTAL PROVISTA DE UNA TAPA TORACICA (3), IGUALMENTE MOVILIZABLE EN SENTIDO VERTICAL DESCENDENTE, QUE PERMITE SU FIJACION NUEVAMENTE EN LA ZONA DELANTERA DEL PECHO, QUEDANDO INCORPORADA LA CABEZA (2) EN EL INTERIOR, PRESENTANDO EN UNA ESCALONADURA SUPERIOR UNA PERFORACION DE PLANTA CIRCULAR (7) Y DISPONIENDO DE DOS EXTREMIDADES ARTICULADAS SUPERIORES (6), MIENTRAS QUE EN LA ZONA INFERIOR PRESENTA DOS EXTREMIDADES ARTICULADAS (4) CAPACITADAS PARA SER POSICIONADAS DE FORMA INAMOVIBLE MEDIANTE ELEMENTOS DE FIJACION ACTUABLES POR PULSADORES EXTERNOS (5), CONTANDO CON UNA COLA(8) SITUADA EN LA PARTE POSTERIOR QUE SE MUEVE SOBRE UN EJE Y QUE PRESENTA EL ULTIMO TRAMO DE LA MISMA IGUALMENTE MOVIL CON RELACION A LA COLA (8).  
TRANSFORMABLE toy by composition, of those constituted from a plurality of figures made ALL OF THEM IN RIGID PLASTIC MATERIAL, HAVING DIFFERENT ORNAMENTAL CONFIGURATIONS AND REPRESENTATIVE, characterized by being formed from a main figure (1), PROVIDED WITH A RETRACTABLE head (2), which allows its MOVEMENT IN THE VERTICAL DIRECTION DOWN TO HIDE IN A FRONT CHAMBER PROVIDED WITH A cover (3), also mobilized vertically downward, WHICH ALLOWS ATTACHMENT AGAIN IN THE FRONT AREA OF THE CHEST, being incorporated in the head (2) inside, presenting an upper CIRCULAR PERFORATION (7), ESCALONADURA AND HAVING TWO ENDS ARTICULATED upper (6), WHILE IN THE LOWER AREA HAS TWO ENDS ARTICULATED (4) Trained TO BE IMMOVABLY POSITIONED BY FIXING ELEMENTS ACTUATABLE BY EXTERNAL BUTTONS (5), WITH A TAIL(8) ON THE BACK WHICH MOVES ON AN AXIS AND HAVING THE LAST LEG OF THE SAME ALSO MOVABLE RELATIVE TO THE TAIL (8).

#### Classifications:

**International (IPC 8-9):** A63H3/16 (Advanced/Invention);

A63H3/00 (Core/Invention)

**International (IPC 1-7):** A63H3/16



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES1028211 UA       | 19941216         | ES19940001544U     | 19940603         |
| ES1028211 Y1       | 19950516         | ES19940001544U     | 19940603         |
| ES1028211 YA       | 19950516         | ES19940001544U     | 19940603         |

#### Priority:

ES19940001544U 19940603

#### Probable Assignee:

BANDAI S A SUCURSAL EN ESPANA

#### Assignee(s): (std):

BANDAI S A SUCURSAL EN ESPANA

#### Assignee(s):

BANDAI SUCURSAL EN ESPANA SA

#### Inventor(s): (std):

GARCIA TAPETADO EDUARDO

**8) Family number: 17468328** (KR200179313Y)

© PatBase

#### Title: MOBILE TOY

**Abstract:** Source: KR200179313Y The present design is to various bird or other type the long, toys chamber ceiling lights by fixing the lateral swaggar sticks in the weak shock or shake the infant is reported to move to be able to enjoy a lying over toys, features of the present invention is fixed to the rod (2) toy or toys of various animals and birds-type also consist simply can improve the use efficiency of the structure. (2) conventional mobile toy (1) to (5) of the rod is fixed to the end seal toy or toys of various animals-bird-because it can not be fixed to the hayeoseo separated once given in the hands of infants to play toys and children infant has taken a step when grown to be birds of a mobile (3) to (1), animal-like toys alssi toy utilize alone discomfort and again due to the burden of due doemeuro purchased separately according to purchase. The subject innovation has been made in order to solve the above problems, the rod (2) is fixed to the mobile toy (1) end of the room (5), also known as a magic tape (6) Marketing "birds, animal-like toy (3) and the like in the chamber (5) to secure Velcro 6'-toys (3) birds, animals so as simply also (3) to separate the algae, animal-like toys infant and child without hands, animals, birds-of the toys alone will have to be provided. Mobile toys.

#### Classifications:


**International (IPC 8-9):** A63H11/02 (Advanced/Invention);

A63H11/02 (Advanced/Non-invention);

A63H11/00 (Core/Invention)

**International (IPC 1-7):** A63H11/02

**CPC:** A63H33/006 A63H3/00 A63H33/003



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| KR200179313 Y1     | 20000415         | KR19990024657U     | 19991111         |

#### Priority:

KR19990024657U 19991111

#### Probable Assignee:

CHO YOUNG JA

#### Assignee(s): (std):

CHO YOUNG JA

#### Inventor(s): (std):

CHO YOUNG JA

#### 9) Family number: 30173962 (DE20210457U1)

© PatBase

#### Title: Vorrichtung zum Fernhalten der Voegel

**Abstract:** Source: DE10230399A1 Die Voegel verursachen manchmal Schaeden in der Stadt oder im Garten. Die Erfindung ist ein Geraet, das zuverlaessig die Voegel von dem geschuetzten Objekt vertreibt. Es besteht aus einem Sensor, der automatisch einen Vogel erfassen kann und eine Abwehr-Einheit, die den Vogel erschreckt und von dem geschuetzten Objekt vertreibt. Die Abwehr-Einheit kann aus einem Wasserstrahl-Erzeuger, Mikrowellen-Strahler, Blitzlicht-Erzeuger etc. bestehen. Die Variante mit dem Blitzlicht-Erzeuger ist einfach und kompakt gebaut und schuetzt effektiv gegen Vogel-Schaeden an den geschuetzten Objekten. A bird (5) repellent system has a space monitoring infrared (1) or microwave sensor that actuates (3) a flash light (2), harmless microwave heating beam, moving compressed air tank driven high pressure water jet, ultrasonic sound beam or blank cartridge firing to scare the bird and can be battery or mains supplied. Includes an INDEPENDENT CLAIM for installation of the unit to protect cars against pine martens.


#### Classifications:

**International (ipc 8-9):** A01M29/10 A01M29/16 A01M29/18 A01M29/20 A01M29/26 A01M29/32 A01M31/00 (Advanced/Invention)

**International (ipc 1-7):** A01M29/00 A01M29/02 A01M29/04

**CPC:** A01M29/10 A01M29/16 A01M29/18 A01M29/20 A01M29/26 A01M29/32 A01M31/002

**European:** A01M29/00 A01M29/10 A01M29/16 A01M29/18 A01M29/20 A01M29/26 A01M29/32 A01M31/00A



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| DE10230399 A1      | 20040115         | DE20021030399      | 20020707         |
| DE20210457 U1      | 20021031         | DE20022010457U     | 20020707         |

**Priority:**

DE20021030399 20020707 DE20022010457U 20020707

**Probable Assignee:** MERLAKU KASTRIOT**Assignee(s):** (std): MERLAKU KASTRIOT**Inventor(s):** (std): MERLAKU KASTRIOT**10) Family number: 33745484 (KR20050043808A)**

© PatBase


**Title:** Military / General Purpose (Machine translation)

**Abstract:** Source: KR20050043808A 1. simultaneous transmission and reception, video camera and microphone to the phone even large amount zoom zoom, satellite mobile communication, an antenna, an infrared three-dimensional holographic electronic and electrical/electrical charge exchange code video camera and digital memory card, Battery/Battery Japanese/Chinese / Hangul / English / French/German/international language and colorful Mongolian/Russian/neck, armpits, elbows, LCD, Remote Control, thigh and knee, wrist, finger 360 degrees , rotation and reverse rotation, pulling, multiple lines that have a jungle, upper pulley device, underneath/forward/backward/ pull/push-out line-in connection move up, down, left, concave, semi-circular, threaded, large amounts/separation current, assembly/hydrogen/oxygen/helium/plutonium, alcohol/compressed air/fuel manned w / Unattended parachute / various electrical / w/isolated and direction, martial arts, various yoga-free control operation and multiple-series/parallel/electronic circuit ai/artificial human brain circuits and/normal flying electrostatic before storing memory, military, (1,1~8, shown in Figs. 1 to 4 full flight (Robot Taekwon V", for example, sun-(SUN),GOD, Taekwondo and Kung Fu, eagles, hapkido, and Muay Thai martial arts · Yoga and operation) 2. Receive Kendo · · video camera and microphone to the phone even simultaneous much zoom zoom, satellite mobile communication, an antenna, an infrared three-dimensional holographic electronic, electricity and electric charge exchange barcode video camera and digital memory card, Battery/Battery Japanese/Chinese / Hangul / English / French/German/Mongolian Other Languages and colorful Russian/stand/, elbows, armpits, neck, LCD, Remote Control, thigh and knee, wrist and finger movement up, down, left, and a large amount of a threaded screw connection assembly compressed air/compressed/Electrical/plutonium/Military/mieum various fuel cell storing memory and household/industrial/electrostatic cleaning/toy for management of various forms full color and (2,1~8, / 3. Sun (shown in FIGS. 1 to 4) in the robot bulletproof glass/general type of glass, titanium heat/iron/ballistic materials and rescue and colorful various concentrated / pressure/pressure/shrink/structures/fissile/oxygen/helium in various forms plutonium/hydrogen/nitrogen/hydrogen peroxide/compressed air/alcohol/(return) / various fuel electric / parachute paired unit when mounting portion and electronic nose, science, mounting portion, the mounting portion and attitude control, various types fuel tank pressure tank separating portion, connecting portion and oxidizer tanks, tanks, engine performance and rocket/satellite/spacecraft military/normal/(3,1~8, shown in Figs. 1 to 4) receiving space (4. video cameras, microphones, head phones, satellite mobile communication even simultaneous much neck, armpits, waist, antenna and oxygen tank, elbow, wrist, ankle, knee, portions where the bulletproof glass front-wide visibility into the wrist strap, neck and waist elastic and the binding and / eye, N · · · · helmets and magnet built-in part of the concave-convex over silicon, glass, helmet, bulletproof, horizontal type, soft silicon under the corrugated/vertical wrinkles insertion and heat cold water/rubber heat cold water in various fiber elastic rubber band, a wide variety of Fiber (4B)/ outside the ballpoint pen, a pencil, portable electronic radio universe, calculator, recorder holders, storage bag for dull and wrinkles button//I/various colors and print, smiling in a (4,1~8, military/normal full- sun cutting/general type shown in Figs. 1 to 4), column 5. bulletproof glass, titanium/iron/full color, various materials and structures positive and oxygen, rescue workers, time, temperature and humidity control air purification, tanks, air conditioning, heat full color, full color and (5,1~8, sun cutting apparatus of Figure 1, Figure 4) living space -sun cutting, heat 6. bulletproof glass and/titanium dioxide/iron/various materials and structures, oxygen, positive and food services performance · · · time and adjust the temperature and humidity of air purifying water spray / Air conditioning/heater full-sun cutting, tanks, picture animal/plant and animal life/insects/(6,1~8, colorful birds structure shown in FIGS. 1 to 4) 7. General type device sun cutting-resistant bulletproof glass and/titanium dioxide/iron/various materials, oxygen, nutrients and rescue full color structure, amount, time, and adjust the temperature and humidity and air purification performance-sun cutting oxygen tank, picture and grow vegetables/seaweeds and colorful grain/(7,1~8, referring to Fig. 1 to Fig. 4) 8. General type structure device floating-resistant bulletproof glass, titanium/Sun rectified/various materials and rescue team performance/iron · · oxygen, temperature, positive and feeding structure freshwater, time, adjusting oxygen tank water/air purifying performance-sun cutting, picture fish, coral logistics / Aquatic (colorful / dissolved / growth structure device shown in Figs. 1 to 4), (8,1~8, , microphones to the phone [Index terms; transmitting simultaneously, even large amount zoom video camera zoom, satellite mobile communication, an antenna, an infrared three-dimensional holographic electronic and electrical/electrical charge exchange code video camera and digital memory card, Battery/Battery Japanese/Chinese / Hangul / English / French/German/international language and colorful Mongolian/Russian/neck, armpits, elbows, LCD, Remote Control, thigh and knee, wrist, finger 360 degrees , rotation and reverse rotation, pulling, multiple lines that have a jungle, upper pulley device, underneath/forward/backward/ pull/push-out line-in connection move up, down, left, concave, semi-circular, threaded, large amounts/separation current, assembly/hydrogen/oxygen/helium/plutonium, alcohol/compressed air/fuel manned w / Unattended parachute / various electrical / w/isolated and direction, martial arts, various yoga-free control operation and multiple-series/parallel/electronic circuit ai/artificial human brain circuits and/normal flying electrostatic before storing memory, military, (1,1~8, full flight (Robot Taekwon V, Fig. 1 to Fig. 4, for example, Eagle switching; (SUN),GOD, Korean Taekwondo, aikido, and kung fu, Muay Thai, Sun tunic, martial arts, yoga, action), transmission and reception, and a large amount video camera and microphone to the phone even simultaneous zoom zoom, satellite mobile communication, an antenna, an infrared three-dimensional holographic electronic, electricity and electric charge exchange barcode video camera and digital memory card, Battery/Battery Japanese/Chinese / Hangul / English / French/German/Mongolian Other Languages and colorful Russian/stand/, elbows, armpits, neck, LCD, Remote Control, thigh and knee, wrist and finger movement up, down, left, and a large amount of a threaded screw connection assembly compressed air/compressed/Electrical/plutonium/Military/mieum various fuel cell storing memory and household/industrial/electrostatic cleaning/toy for management of various forms full color and (2,1~8, / sun fitting, shown in Figs. 1 to 4), open the robot bulletproof glass-glass, titanium/iron/rectified/ballistic materials and rescue and colorful various concentrated / pressure/pressure/shrink/structures/fissile/oxygen/helium in various forms plutonium/hydrogen/nitrogen/hydrogen peroxide/compressed air/alcohol/(return) / various fuel electric / parachute paired unit when mounting portion and electronic nose, science, mounting portion, the mounting portion and attitude control, various types fuel tank pressure tank separating portion, connecting portion and oxidizer tanks, tanks, engine performance and rocket/satellite/spacecraft military/retail space composed of FIGS. 1-4, (3,1~8, transmits and/microphone to the phone, a video camera and satellite mobile communication even simultaneous much neck, armpits, waist, antenna, oxygen tank, elbow, wrist, ankle, knee portion elastic rubber band front-wide visibility into bulletproof glass, waist, wrist strap, neck, eye, N, IN, combined, and/or magnet embedded, helmet and neck portion N · · · helmet of concave-convex over the bulletproof glass, silicon is it a pleated/vertical wrinkles type, a rubber insertion and heat-resistant silicon/is heat cold water cold water in various fiber elastic rubber band, a wide variety of Fiber (4B)/ outside the ballpoint pen, a pencil, portable electronic radio universe, calculator, recorder holders, storage bag for dull and wrinkles button//I/various colors and print performance and (4,1~8, military/normal/normal up-and shown in FIGS. 1 to 4), Sun, titanium/iron/heat-resistant bulletproof glass, various materials and structures positive and oxygen, full rescue, time, temperature and humidity control air purification, tanks, air conditioning, heat full color, full color and (5,1~8, sun cutting apparatus, picture composed of space-space (FIGS. 1-4, heat-resistant glass, titanium/Sun rectified/ballistic materials and rescue team performance/iron and structures of various food, oxygen, temperature, humidity, nutrient, water jet, time, heat control, air purification, tanks/air conditioning/animal/plant/full

insects sun floating, picture and (6,1~8, / bird life 1 full-structure device (Fig. 4), heat-resistant glass, titanium/Sun ballistic materials and structures/iron/various nutrients and oxygen, rescue full color temperature, humidity, amount, time, and adjust oxygen tank, air purification performance-sun cutting, picture and grow vegetables/seaweeds and colorful grain/(7,1~8, referring to Fig. 1 to Fig. 4 general type structure device floating-resistant bulletproof glass, titanium/Sun rectified/various materials and rescue team performance/iron · oxygen, temperature, positive and feeding structure freshwater, time, adjusting oxygen tank water/air purification Full color-sun cutting, picture fish colorful reef logistics / Aquatic flow / dissolved / growth structure device shown in Figs. 1 to 4), (8,1~8,

**Classifications:**

**International (IPC 8-9):** B64C39/00 B64C7/00 (Advanced/Invention);  
B64C39/00 B64C7/00 (Advanced/Non-invention);  
B64C39/00 B64C7/00 (Core/Invention)  
**International (IPC 1-7):** B64C39/00 B64C7/00  
**CPC:** B64C7/00 B64C39/00



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| KR20050043808 A    | 20050511         | KR20050011498      | 20050207         |

**Priority:**

KR20050011498 20050207

**Probable Assignee:** KIM KI OK

**Assignee(s): (std):** KIM KI OK

**Inventor(s): (std):** KIM KI OK

**11) Family number: 33745486** (KR20050043812A) © PatBase

**Title:** Military / General Purpose / toys (Machine translation)

**Abstract:** Source: KR20050043812A 1. Zoom Zoom and receive satellite mobile communication super antenna . . . simultaneous massive video camera and microphone to the phone, laser devices and slammed an infrared temperature determination device, visibility, bulletproof glass polarizing sun (three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window is blind · full wrap dull waterproof rubber packing and assembling the waterproof rubber packing/General/connection, threaded, separating/elbow, wrist, back, neck, armpits, knee, ankle, foot, finger, toe, thigh . . . pulling rotation and reverse rotation 360 degrees pulley devices and one line/multiple lines jungle line . . pull up/down/forward/backward movement up, down, left, concave semi-circular push-out line . . General Assembly/waterproof rubber packing line assembly threaded/waterproof rubber packing and/middle hole threaded . . full wrap copper electrical device is water-off the flow of air into the convex fixed, normal type/diagonal/waterproof rubber packing assembly threaded, convex, soft rubber packing/silicone water/convex-convex portion silicon current, large amount in connection (waterproof rubber packing back and the lid body, closed, open, iron/various materials, lacing one-touch handle/hydrogen/oxygen/bundle devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic failure before storing memory, Military/normal brain circuits and full-(1,1~8, honking of Fig. 1 to Fig. 6, flight (Robot Taekwon V, for example, aramid-players, (SUN),GOD; floor Taekwondo and Kung Fu, non-TAEKYUN, sun, Muay Thai, hapkido, lines, then, various martial arts, various yoga, various dance dance choreography · Operation) 2 / even / various zoom zoom and receive satellite mobile communication antenna . . video cameras, microphones to the phone screen, an infrared temperature determination device simultaneous much laser device, linear polarizing sun floating, and securing the eyes bulletproof glass and three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window is blind full wrap dull waterproof rubber packing and assembling the waterproof rubber packing/General/connection, threaded, separating/elbow, wrist, back, neck, armpits, knee, ankle, foot, finger, toe, thigh, 360 degrees rotation and reverse rotation, pulling multiple lines that pulley devices and a jungle, upper/underneath/forward/backwards and pull jungle / Line-move up, down, left, and general assembly concave semi-circular/waterproof rubber packing, line assembling threaded/waterproof rubber packing/middle hole threaded . . full wrap copper electrical device is water-air flow/convex fixed, normal type/diagonal waterproof rubber packing assembly threaded, convex, soft rubber packing/silicone water/convex-convex portion silicon current, large amount in connection (waterproof rubber packing back and the lid body, closed, open, iron/various materials, lacing one-touch handle/hydrogen/oxygen/bundle devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-

transmitters), serial / parallel-line, much ai/MAN/electronic electro before storing memory, Military/normal/toys for electrostatic cleaning/toys for household/industrial/type/(2,1~8, / various FIGS. 6 flying performance, Robot Taekwon V, for example, aramid-players, (SUN),GOD; floor Taekwondo and Kung Fu, non-TAEKYUN, sun, Muay Thai, hapkido, lines, then, various martial arts, various yoga, various dance dance choreography · Operation) 3. Top / / various lighting-resistant bulletproof glass polarizing sun bulletproof glass, titanium/iron/general type, various materials and rescue and colorful / concentrated / pressure/pressure/shrink/structures/fissile/oxygen/helium in various forms plutonium/hydrogen/nitrogen/hydrogen peroxide/compressed air/alcohol/(return) / various fuel electric / parachute paired unit when mounting portion and electronic nose, science, mounting portion, the mounting portion and attitude control, various types fuel tank pressure tank separating portion, connecting portion and oxidizer tanks, tanks, engine performance and rocket/satellite military/normal/toy (3,1~8, spacecraft/National Aeronautics and Space Administration (6) Figs. 1-4/ 4. satellite mobile communication, large antenna and oxygen tank floating on top of the head, the bulletproof glass/visibility polarizing sun, just off the front glass, elastic rubber band, neck, bulletproof · · · · Not waist, wrist built-in/Ns/sn coupling, helmet and neck, center magnet and soft silicon, polarizing concave-sun cutting/neck, armpits, helmet, bulletproof glass, and knee, elbow, wrist, ankle, waist portion and raised up, in a pleated/vertical wrinkles is a rubber insert-type · Korea / silicon heat-resistant elastic rubber band in a wide variety of domestic and (4B)/ fiber on a ballpoint pen, a pencil, portable electronic transceiver is plugged into space, recorder, storage calculator for dull and pocket-button/heat cold water various fiber colorful wrinkles and print/I/(4,1~8, military/normal full color, smiling in various colors shown in Figs. 1 to 6) 5. Oxygen, temperature and humidity, time, amount, adjusting device, air conditioning, heat air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various insects/bird colorful plant/animal/structure, (6,1~8, referring to Fig. 1 to Fig. 6) space structure device life nutrients and oxygen, temperature, humidity, amount 7., time, adjusting oxygen tank, air purification performance · polarizing sun cutting/picture/general type, heat-polarizing sun, titanium/iron/bulletproof glass materials and rescue and colorful various cereals, vegetables, seaweeds and colorful structures/devices/(7,1~8, universe growth structure shown in FIGS. 1 to 6) , an oxygen and temperature, positive and feed waters 8./freshwater and air purification performance, time, adjusting oxygen tank floating / picture, polarizing sun sun cutting/general type, heat the polarizing glass, titanium/iron/ballistic materials and rescue and colorful various fish/coral/break-structure (full color-space growth structure logistics/(8,1~8, fishery device [Index terms; 1. Fig. 1 to Fig. 6) antenna and zoom zoom and receive satellite mobile communication superpowers, microphones to the phone device determines the video camera, an infrared temperature, simultaneous much laser device, linear polarizing sun floating, and securing the eyes bulletproof glass and three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window is blind · full wrap dull waterproof rubber packing and assembling the waterproof rubber rubber packing/General/connection, threaded, separating/elbow, wrist, back, neck, armpits, knee, ankle, foot, finger, toe, thigh · · · pulling rotation and reverse rotation 360 degrees pulley devices and one line/multiple lines jungle line · · pull up/down/forward/backward movement up, down, left, concave semi-circular push-out line · · General Assembly/waterproof rubber packing line assembly threaded/waterproof rubber packing and/middle hole threaded · · · full wrap copper electrical device is water-off the flow of air into the convex fixed, normal type/diagonal/waterproof rubber packing assembly threaded, convex, soft rubber packing/silicone water/convex-convex portion silicon current, large amount in connection (waterproof rubber packing back and the lid body, closed, open, iron/various materials, lacing one-touch handle/hydrogen/oxygen/bundle devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic failure before storing memory, Military/normal brain circuits and full-(1,1~8, honking of Fig. 1 to Fig. 6, flight (Robot Taekwon V, for example, aramid-players, (SUN),GOD; floor Taekwondo and Kung Fu, non-TAEKYUN, sun, Muay Thai, hapkido, lines, then, various martial arts, various yoga, various dance dance choreography · Operation) / various/2. Zoom Zoom and receive satellite mobile communication super antenna · · simultaneous massive video cameras, microphones to the phone screen, an infrared temperature determination device, laser device, linear polarizing sun cutting and visibility bulletproof glass and three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window dull pocket Waterproof rubber packing/General waterproof rubber packing wrap the entire assembly/connection, threaded, separating/elbow, wrist, hand, neck, armpits, knee, ankle, foot, finger, toe, thigh, 360 degrees rotation and reverse rotation, pulling, multiple lines that have a jungle, upper pulley device, underneath/forward/backwards and pull/push-out line-move up, down, left, concave semi-circular/waterproof rubber packing and general assembly lines assembling threaded/waterproof rubber packing and/middle hole threaded · · · full wrap copper electrical device is water-off the flow of air into the convex fixed, normal type/diagonal/waterproof rubber packing assembly threaded, convex, soft rubber packing/silicone water/convex-convex portion silicon current, large amount in connection (waterproof rubber packing back and the lid body, closed, open, iron/various materials, lacing one-touch handle/hydrogen/oxygen/bundle devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic electro before storing memory, Military/normal/toys for electrostatic cleaning/toys for household/industrial/type/(2,1~8, / various FIGS. 6 flying performance, Robot Taekwon V, for example, aramid-players, (SUN),GOD; floor Taekwondo and Kung Fu, non-TAEKYUN, sun, Muay Thai, hapkido, lines, then, various martial arts, various yoga, various dance dance choreography · Operation) 3. Top / / various lighting-resistant bulletproof glass polarizing sun bulletproof glass, titanium/iron/general type, various materials and rescue and colorful / concentrated / pressure/pressure/shrink/structures/fissile/oxygen/helium in various forms plutonium/hydrogen/nitrogen/hydrogen peroxide/compressed air/alcohol/(return) / various fuel electric / parachute paired unit when mounting portion and electronic nose, science, mounting portion, the mounting portion and attitude control, various types fuel tank pressure tank separating portion, connecting portion and oxidizer tanks, tanks, engine performance and rocket/satellite military/normal/Toys' space group (space/(3,1~8, FIGS. 1-4/4. satellite mobile communication, large antenna and oxygen tank floating on top of the head, the bulletproof glass/visibility polarizing sun, just off the front glass, elastic rubber band, neck, bulletproof · · · · Not waist, wrist built-in/Ns/sn coupling, helmet and neck, center magnet and soft silicon, polarizing concave-sun cutting/neck, armpits, helmet, bulletproof glass, and knee, elbow, wrist, ankle, waist portion and raised up, in a pleated/vertical wrinkles is a rubber insert-type · Korea / silicon heat-resistant elastic rubber band in a wide variety of domestic and (4B)/ fiber on a ballpoint pen, a pencil, portable electronic radio universe had a bottom weight calculator, recorder, storage bag for dull and wrinkles, within / heat cold water/1/full and print various fibers/normal full-(4,1~8, military, smiling in various colors (5. positive and oxygen, figs, time, temperature and humidity control device, air conditioning, heat air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various people living space 1 and (5,1~8, full device structure, Fig. 6), 6. and oxygen, temperature and humidity, positive and food, water jet, time, device/air conditioning/fan heater control air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various insects/bird colorful plant/animal/structure, shown in Figs. 1 to 6 (6,1~8, universe structure device life nutrients and oxygen, temperature, humidity, amount 7., time, adjusting oxygen tank, air purification performance · polarizing sun cutting/picture/general type, heat-polarizing sun, titanium/iron/bulletproof glass materials and rescue and colorful various cereals, vegetables/seaweeds and colorful structures/devices shown in FIGS. 1 to 6 (7,1~8, universe growth structure, oxygen and temperature, positive and feed waters 8./freshwater and air purification performance, time, adjusting oxygen tank floating / picture, polarizing sun sun cutting/general type, heat the polarizing glass, titanium/iron/ballistic materials and rescue and colorful various fish/coral/break-structure (full color-space growth structure logistics/(8,1~8, fishery device shown in Figs. 1 to 6).

#### Classifications:

**International (IPC 8-9):** B64C39/00 B64C7/00 (Advanced/Invention);

B64C39/00 B64C7/00 (Advanced/Non-invention);

B64C39/00 B64C7/00 (Core/Invention)

**International (IPC 1-7):** B64C39/00 B64C7/00

**CPC:** B64C7/00 B64C39/00



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| KR20050043812 A    | 20050511         | KR20050015721      | 20050225         |

#### Priority:

KR20050015721 20050225

#### Probable Assignee:

KIM KI OK

#### Assignee(s): (std):

KIM KI OK

#### Inventor(s): (std):

KIM KI OK

#### 12) Family number: 33755076 (KR20050061403A)

© PatBase

**Title:** Military/normal/toy control operation and martial arts · Yoga, freedom direction, before storing memory, flying, colorful, electrostatic, satellite mobile communication, flight (Robot toy robot for robotic/home/satellite/space/space//spacesuit rocket ///person/animal life living device/grain growth structure device structure device, fish and seafood and vegetables and grow structure/device. (Machine translation)

**Abstract:** Source: KR20050061403A 1. Zoom Zoom and receive satellite mobile communication super antenna · · simultaneous massive video cameras, microphones to the phone screen, an infrared temperature determination device, laser device, linear polarizing sun cutting and visibility-bulletproof glass and three-dimensional holographic, video devices and positioning the electronic and electrical/electrical charge exchange video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window is blind, dull, separating/polymer/connection assembly threaded neck, armpits, elbow, wrist, hand, finger, thigh and knee, ankle, foot and toe, and reverse rotation 360 degrees , rotation, pulling, multiple lines that pulley devices and a jungle, upper/underneath/forward/backwards and pull jungle / Line-move up, down, left, and general assembly concave semi-circular/waterproof rubber packing, line assembling threaded/waterproof rubber packing (body part in connection threaded and much waterproof rubber packing back and open, iron/lid-closed, lacing one-touch bundle various materials and handle/hydrogen/oxygen/devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic failure before storing memory, Military/normal/brain circuits and full color and (1,1~8, flying flight - shown in Figs. 1 to 5 of the rocket Robot Taekwon V, (SUN),GOD;, "floor value, aramid, non-Oct Taekwondo and Kung Fu-line solar · · · Man, Muay Thai martial arts, various yoga, hapkido, Dance Dance choreography · Operation) / various areas of various/ 2. Zoom Zoom-transmitting and receiving antenna, a satellite mobile communication superpowers, head phones, video cameras, microphones and infrared temperature determination device simultaneous much laser device, linear polarizing sun floating, and securing the eyes bulletproof glass and three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window is blind assembly threaded and dull/connection, neck, armpits, separation/elbow, wrist, ankle, knee, back of the hand, fingers, toes, thigh, 360 degrees rotation and reverse rotation instep · · · a pull/push-line multiple line-on pulley device underneath/forward/backwards and pull/push-out line-move up, down, left, concave semi-circular/waterproof rubber packing and general assembly backwards assembling threaded/waterproof rubber packing, convex portions in connection screw threaded and much waterproof rubber packing back and the lid body, closed, open, iron/various materials, lacing one-touch handle/hydrogen/oxygen/bundle devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic electro before storing memory, Military/normal/toys for electrostatic cleaning/toys for household/industrial/type/(2,1~8, / various figs honking of full color and Robot Taekwon V 5: Yes -, (SUN),GOD;, "floor value, aramid, and kung fu, lines non-TAEKYUN, sun, taekwondo, hapkido, and Muay Thai martial arts, various yoga, various dances kendo · dance choreography · Operation) 3. Top / / various lighting-resistant bulletproof glass polarizing sun bulletproof glass, titanium/iron/general type, various materials and rescue and colorful / concentrated / pressure/pressure/shrink/structures/fissile/oxygen/helium in various forms plutonium/hydrogen/nitrogen/hydrogen peroxide/compressed air/alcohol/(return) / various fuel electric / parachute paired unit when mounting portion and electronic nose, science, mounting portion and attitude control, various types fuel tank pressure tank separating portion, connecting portion and oxidizer tanks, tanks, engine performance and rocket/satellite military/normal/toy (3,1~8, shown in Figs. 1 to 5) and the spacecraft/space even antenna and oxygen tank 4. satellite mobile communication and floating on top of the head, the bulletproof glass/visibility polarizing sun, bulletproof glass, elastic rubber band, front, waist, wrist strap, neck, combined into and Ns/sn and magnet embedded in/eye, and neck and middle concave, and helmet-sun cutting/normal type, silicon, polarization, helmet, bulletproof glass knee and ankle, neck, armpits, waist, wrist, elbow, horizontal raised up part type, soft silicon under the corrugated/vertical wrinkles is a rubber insert heat cold water / outside in a wide variety of elastic rubber band and (4B)/ fiber a ballpoint pen, a pencil, portable electronic transceiver is plugged into space, recorder, storage calculator for dull and pocket-button/heat cold water various fiber colorful wrinkles and print/I/(4,1~8, military/normal full color, smiling in various colors in Figs. 5) 5. positive and oxygen, temperature and humidity, time, adjusting device, air conditioning, heat air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful

various device structures shown in FIGS. 1 to 5) full color and (5,1~8, living space food, oxygen, temperature, humidity, amount 6., water jet, time, and/air conditioning/fan heater control air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various insects/bird colorful plant/animal/structure, life , shown in Figs. 1 to 5) 7. amount of (6,1~8, structure device oxygen, temperature, humidity, time, nutrients and oxygen tank, air purifying performance and polarization control/picture/Sun-sun, a polarizing glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various vegetables/seaweeds, full-grain structure and grow/(7,1~8, structure shown in FIGS. 1 to 5) feeding device, oxygen and temperature, positive and 8. freshwater, seawater/performance, time, adjusting oxygen tank floating/drawing air purification, polarizing sun sun cutting/general type, heat the polarizing glass, titanium/iron/ballistic materials and rescue and colorful various fish/coral/disperse and structure performance and grow logistics/(8,1~8, fishery (shown in FIGS. 1 to 5) structure device [Index terms; and transmitting antenna and zoom zoom satellite mobile communication superpowers, microphones to the phone, and infrared temperature determination device simultaneous massive video camera, laser device, linear polarizing sun cutting and visibility bulletproof glass and three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, /CRT, LCD window, portable remote control and remote control / plasma window is blind, dull, separating/polymer/connection assembly threaded neck, armpits, elbow, wrist, hand, finger, thigh and knee, ankle, foot and toe, and reverse rotation 360 degrees , rotation, pulling, multiple lines that pulley devices and a jungle, upper/underneath/forward/backwards and pull jungle / Line-move up, down, left, and general assembly concave semi-circular/waterproof rubber packing, line assembling threaded/waterproof rubber packing (body part in connection threaded and much waterproof rubber packing back and open, iron/lid-closed, lacing one-touch bundle various materials and handle/hydrogen/oxygen/devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic failure before storing memory, Military/normal brain circuits and full color and (1,1~8, flying flight - shown in Figs. 1 to 5 of the rocket Robot Taekwon V, (SUN),GOD;; "floor value, aramid, radish, Taekwondo and Kung After Sun Oct, Muay Thai, hapkido, lines, yoga, various dances Kendo, various martial arts, dance choreography / various areas of various operations), satellite mobile communication/Ultra antenna, zoom, and transmitting and receiving, microphones to the phone and moving the zoom video cameras and infrared temperature determination device much laser device, linear polarizing sun floating, and securing the eyes bulletproof glass and three-dimensional holographic, video devices and positioning and electrical/electrical charge exchange electronic video camera and digital memory card, Battery/Battery/Japanese/Chinese / Hangul / English / French/German/Russian/international language, Mongolian and full-color video camera screen storage memory, compatibility, LCD window and /CRT, portable remote control and remote control / plasma window is blind assembly threaded and dull/connection, neck, armpits, separation/elbow, wrist, ankle, knee, back of the hand, fingers, toes, thigh, 360 degrees rotation and reverse rotation instep . . . a pull/push-line multiple line-on pulley device underneath/forward/backwards and pull/push-out line-move up, down, left, concave semi-circular/waterproof rubber packing and general assembly lines assembling threaded/waterproof rubber packing, convex portions in connection screw threaded and much waterproof rubber packing back and the lid body, closed, open, iron/various materials, lacing one-touch handle/hydrogen/oxygen/bundle devices and library plutonium helium/alcohol/compressed air/Electrical/parachute/various fuel/separation/polymers attract various materials and direction, w / Unattended lifting martial arts, various yoga-free control operation and/multi-transmitters), serial / parallel-line, much ai/MAN/electronic electro before storing memory, Military/normal/toys for electrostatic cleaning/toys for household/industrial/type// various flying Referring to Fig. 1 to Fig. 5: Example full-(2,1~8, robot, Taekwon V, (SUN),GOD;; "floor value, aramid, non-Oct Taekwondo and Kung Fu-line solar . . . Man, Muay Thai martial arts, various yoga, hapkido, Dance Dance choreography · Operation), various top / / various lighting-resistant bulletproof glass polarizing Sun demonstration, titanium/iron/general type, various materials and rescue and colorful / concentrated / pressure/pressure/shrink/structures/fissile/oxygen/helium in various forms plutonium/hydrogen/nitrogen/alcohol/water// compressed air/fuel during electrical/parachute paired unit (s return, science, mounting various electronic nose, mounting portion, the mounting portion and attitude control, fuel tank pressure tank, various forms separation portion connecting portion and oxidizer tanks, tanks, engine performance and rocket/satellite military/normal/toys, (3,1~8, shown in Figs. 1 to 5), and spacecraft/space even antenna and oxygen tank head up satellite mobile communication, lighting, security/secure polarizing sun, front and back, neck, bulletproof glass and elastic waist, wrist strap coupled into and Ns/sn . . . Built-in/eye, and part of the magnet, in the helmet concave-silicon, polarizing sun cutting/neck, armpits, helmet, bulletproof glass, and knee, elbow, wrist, ankle, waist portion and raised up, in a pleated/vertical wrinkles is a rubber insert-type · Korea / silicon heat-resistant elastic rubber band in a wide variety of domestic and (4B)/ fiber on a ballpoint pen, a pencil, portable electronic transceiver is plugged into space, recorder, storage calculator for dull and pocket-button/heat cold water various fiber colorful wrinkles and print/I/(4,1~8, military/normal full color, smiling in various colors (Fig. 5), FIGS. 1-4, time, positive and oxygen, temperature and humidity control device, air conditioning, heat air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various device structures shown in FIGS. 1 to 5), colorful and (5,1~8, living space, oxygen, temperature, humidity, amount, food, water jet, time, device/air conditioning/fan heater control air purification, tanks, polarizing sun cutting/full/normal type, Figure polarizing sun of Glass, titanium/iron/heat-resistant ballistic materials and rescue and colorful various insects/bird colorful plant/animal/structure, (6,1~8, referring to Fig. 1 to Fig. 5), the amount of animal life, nutrients structure device, temperature, humidity, time, and adjust oxygen, oxygen tank, air purification, polarizing sun cutting / picture full/normal type, heat polarizing sun, titanium/iron/bulletproof glass materials and rescue and colorful various vegetables/seaweeds, full-grain structure and grow/(7,1~8, referring to Fig. 1 to Fig. 5), the feed structure device and oxygen and temperature, positive and freshwater, seawater/performance, time, adjusting oxygen tank floating/drawing air purification, polarizing sun sun cutting/general type, heat the polarizing glass, titanium/iron/ballistic materials and rescue and colorful various fish/coral/disperse and structure performance and grow logistics/(8,1~8, fishery (shown in FIGS. 1 to 5) structure device

#### Classifications:

**International (IPC 8-9):** B25J19/00 B25J9/00 (Advanced/Invention);

B25J19/00 B25J9/00 (Advanced/Non-invention);

B25J19/00 B25J9/00 (Core/Invention)

**International (IPC 1-7):** B25J19/00 B25J9/00

**CPC:** B25J19/00 B25J9/00



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| KR20050061403 A    | 20050622         | KR20050014409      | 20050222         |

**Priority:**

KR20050014409 20050222

**Probable Assignee:**

KIM KI OK

**Assignee(s):** (std):

KIM KI OK

**Inventor(s):** (std):

KIM KI OK

**13) Family number: 33193625 (CN1758664A)**


© PatBase

**Title:** Mobile phone

**Abstract:** Source: CN1758664A A shell structure of mobile phone is featured as using chemical fabric containing fibre, carpet, fine hair and wool; colon cloth; artificial leather; anti 2C skidding plastic or anti 2C skidding rubber as nonmetal anti 2C skidding layer on surface of shell; using mascot, toy, artificial animal, artificial bird or clothes as shell appearance; using plastic, rubber, ceramic, fiberboard, tempering board, artificial jade, artificial agate or wood like material as body of shell.

**Classifications:**

**International (IPC 8-9):** G06F1/16 H04M1/02 (Advanced/Invention);  
G06F1/16 H04M1/02 (Core/Invention)



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CN1758664 A        | 20060412         | CN200410080572     | 20041008         |

**Priority:**

CN200410080572 20041008

**Probable Assignee:**

ZHAO JINRONG

**Assignee(s):** (std):

ZHAO JINRONG

**Inventor(s):** (std):

ZHAO JINRONG

**Inventor(s):**

JINRONG ZHAO

**14) Family number: 34894143 (WO07081519A2)**

© PatBase

**Title:** GENIUS ADAPTIVE DESIGN

**Abstract:** Explore interesting inventions inside, conceived by our genius idea generator. Discover history's most effective method in conceiving novel uses for existing electronic technology. License huge domains of intellectual property from the invention directory our system helped develop. The searcher can find one of our interesting inventions in this patent application via our LicenseItToday.com, etc. Call our California Headquarters 1-707-428-5000. View invention ideas, plus 100+ variations adapted for end user target markets. LicenseItToday.com fills out exclusive international license agreements valid up to December 2026. It saves time and money creative LP. over any other documented creative thinking process. Licensees seek outputted patents using our or their pat attorneys. Royalties can start when profits begin. Or you can buy the affordable I.P. rights. Proof is in tryingit out. Discover amazing inventions inside today.

**Classifications:**

**International (IPC 8-9):** E06B7/32 G06F17/00 G06F17/30 G06Q  
G06Q10/00 G06Q30/00 G06Q50/00 (Advanced/Invention)

**International (IPC 1-7):** G06Q30/00

**CPC:** G06Q10/10 G06Q30/0601

**European:** G06Q10/10

PLEASE REMAIN OPEN MINDED & PATIENT WHILE WE IMPROVE OUR NOVEL  
WAY OF CREATING FIGURATIVE DRAWINGS

## Adaptive Design Drawings #1, #2, #3.

Adaptive Design Drawings #1, #2, #3.

DOC Series Drawings Originated in 1964

Units series drawings: Originated in the early 1990s the following files were converted by way of dxf in  
 dce.


Files: 1BD, 1CD, 2BD, 3CD, 6BD, 6CD, 67

Features Simplified Figurative Drawings – 5

Note: other diseases are numerically listed elsewhere in

Note, other drawings are currently listed elsewhere in this application as it helps to better understand the application. For now, they can be identified by the page and line number. The codes used in these drawings are explained in the Introduction's Figurative Drawings file. Thank you for your patience as we set up our huge system. For updates and other information kindly visit us at [www.LicenseItToday.com](http://www.LicenseItToday.com).

## ADAPTIVE DESIGN FIGURATIVE DRAWINGS



158

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| AP200804559 A0     | 20080831         | AP20080004559      | 20061219         |
| AU2006335151 AA    | 20070719         | AU20060335151      | 20061219         |
| AU2013200386 AA    | 20130221         | AU20130200386      | 20130125         |
| CA2635954 AA       | 20080630         | CA20062635954      | 20061219         |
| CO6160255 A2       | 20100520         | CO20080079355      | 20080731         |
| EP2059899 A2       | 20090520         | EP20060849217      | 20061219         |
| EP2059899 A4       | 20120704         | EP20060849217      | 20061219         |
| IL192465 A0        | 20090922         | IL20060192465      | 20061219         |
| IN06638DN2008 A    | 20100507         | IN2008DN06638      | 20080730         |
| JP2009522654 T2    | 20090611         | JP20080548620T     | 20061219         |
| KR20080112193 A    | 20081224         | KR20087018774      | 20061219         |
| KR20130124572 A    | 20131114         | KR20137024611      | 20061219         |
| MX2008008625 A1    | 20090107         | MX20080008625      | 20061219         |
| NZ570109 A         | 20110826         | NZ20060570109      | 20061219         |
| WO07081519 A2      | 20070719         | WO2006US48704      | 20061219         |
| WO07081519 C1      | 20080612         | WO2006US48704      | 20061219         |


|                |          |                |          |                |          |
|----------------|----------|----------------|----------|----------------|----------|
| AU20060335151  | 20061219 | AU20130200386  | 20130125 | US20050755291P | 20051230 |
| WO2006US48704  | 20061219 | US20060756607P | 20060105 | US20060778313P | 20060301 |
| US20060783018P | 20060315 | US20060786906P | 20060328 | US20060852794P | 20061018 |

**Designated states:** AE AG AL AM AT AU AZ BA BB BE BF BG BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU CY CZ  
DE DK DM DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IS IT  
JP KE KG KM KN KP KR KZ LA LC LI LK LR LS LT LU LV LY MA MC MD MG MK ML MN MR MW MX MY MZ  
NA NE NG NI NL NO NZ OM PG PH PL PT RO RS RU SC SD SE SG SI SK SL SM SN SV SY SZ TD TG TJ  
TM TN TR TT TZ UA UB US UM UZ VC VN ZA ZM ZW

**Machine translation:** FLOAT OBJECT displaceable It is the present invention, an object float movable, for leisure, fun, sports and water transportation, able to move out of the water through human effort from the repetition of vertical movements, up and down. The object and endowed with a body (1) floating, single or composed of several parts, in any

format, rigid, flexible or inflatable, equipped on the back and / or side fins (2) providing the object's displacement through the repetition of vertical movements produced by the User.

**Classifications:**  
**International (IPC 8-9):** B63B35/73 (Advanced/Invention);  
B63B35/73 (Core/Invention)



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| BRPI0602054 A      | 20080108         | BR2006PI02054      | 20060516         |

**Priority:**

BR2006PI02054 20060516


**Probable Assignee:** ATTIE MARCIO ABDO SARQUIS  
**Assignee(s): (std):** ATTIE MARCIO ABDO SARQUIS  
**Assignee(s):** MARCIO ABDO SARQUIS ATTIE  
**Inventor(s): (std):** ATTIE MARCIO ABDO SARQUIS  
**Inventor(s):** MARCIO ABDO SARQUIS ATTIE

**16) Family number: 41845928 (US2008121309A)** © PatBase

**Title:** SYSTEM, METHOD, AND APPARATUS FOR BALLOON AND TOY FILLER, KIT, AND STAND

**Abstract:** Source: US2008121309A This is a balloon filling system or device that can fill one or more balloons at a time. The balloon filler is intended for use in water balloon activities, such as games, where many balloons need to be filled at the same time. The balloon filler can be attached to any source or filler. The balloon filler can also be attached to a stand, such as a set of legs or a freestanding or mobile container, with a set of wheels. Some versions of the balloon filler can be preassembled, while others can be sold as a kit, which a user can assemble into many desired arrangements or configurations. The balloon material and the filling material can be from many choices. It can also cover the toys attached to the system.

**Classifications:**  
**International (IPC 8-9):** B65B1/04 (Advanced/Invention);  
B65B1/04 (Core/Invention)  
**CPC:** A63H27/10 A63H2027/1033  
**European:** A63H27/10 K63H27/10G  
**US:** 141/313



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US2008121309 AA    | 20080529         | US20060557116      | 20061107         |

**Priority:**

**Probable Assignee:** BOISE LEO WAYNE**Assignee(s):** (std): BOISE LEO WAYNE ; BOISE WAYNE SCOTT ; WOOD LAWRENCE WILLIAM**Inventor(s):** (std): BOISE LEO WAYNE ; BOISE WAYNE SCOTT ; WOOD LAWRENCE WILLIAM**Agent(s):** MAXVALUEIP CONSULTING**17) Family number: 42493571** (JP2008237874A)


© PatBase

**Title:** TOY

**Abstract:** Source: JP2008237874A PROBLEM TO BE SOLVED: To provide a toy, representing the form of a flying bird and the movement of wings faithfully as much as possible. SOLUTION: Although the conventional toy of a bird is moved by the wind, successfully the form and movement of a bird is represented like a natural bird by combination of the engraving technique for the so-called "mobile" moved by force of the wind and stamping technique of a Styrofoam.

**Classifications:**

**International (IPC 8-9):** A63H33/00 (Advanced/Invention);  
A63H33/00 (Core/Invention)

**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| JP2008237874 A2    | 20081009         | JP20070125021      | 20070327         |

**Priority:**

JP20070125021 20070327

**Probable Assignee:**

YAMAUCHI MORIHIRO

**Assignee(s):** (std):

YAMAUCHI MORIHIRO

**Inventor(s):** (std):

YAMAUCHI MORIHIRO

**18) Family number: 43488301** (GB2469860A)

© PatBase

**Title:** APPARATUS FOR INTEGRATING WITH A HANDHELD COMPUTING DEVICE.


**Abstract:** Source: GB2469860A Disclosed is a system comprising a handheld computing device eg PDA, smart phone etc, and apparatus that the handheld device is connected to. The system uses a software application ie a driver, to enable the handheld device to interact with the apparatus. The system may have windows or opening in the apparatus to allow images produced by the handheld device to be seen. The system may make use of the sensors and features of the handheld eg tilt sensors and/or GSP sensors to align and select content to be displayed on the screen of the handheld device. The apparatus may include a docking port or a USB port. The apparatus may be in the form of a soft toy, cushion, game accessory or cuckoo clock that is animated and controlled by the handheld device. The apparatus may be in the form of a stereo Hi-fi system, a radio, or alarm clock in which the handheld device provides the media content ie the music.

**Classifications:**

**International (IPC 8-9):** A63F13/08 A63F9/00 A63H3/40  
G06F1/16 (Advanced/Invention)

**CPC:** G06F1/1613 A63F13/02 A63F2300/1025 A63F2300/1043  
A63F2300/105 A63F2300/1068 A63F2300/204 A63F2300/69  
A63F2300/8094 G06F1/1626 G06F1/1632 G06F15/025 A63F9/001  
A63F13/08 A63H3/40

**European:** A63F13/02 G06F1/16P6 K63F300/10D K63F300/10M  
K63F300/10N K63F300/10T K63F300/20H K63F300/69 K63F300/80Z  
S06F1/16P3

**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| GB200907488 A0     | 20090610         | GB20090007488      | 20090430         |
| GB2469860 A1       | 20101103         | GB20090007488      | 20090430         |

**Priority:**

GB20090007488 20090430

**Probable Assignee:** LUCKYBITE LLP

**Assignee(s):** (std): LUCKYBITE LLP

**Inventor(s):** (std): BISHOP DURRELL GRANT BEVINGTON ; HULBERT THOMAS STEVEN

**Inventor(s):** THOMAS STEVEN HULBERT ; DURRELL GRANT BEVINGTON BISHOP

**19) Family number: 48323747** (KR20110001675U)

© PatBase

**Title:** THE DISPOSABLE GLOVES WITH 6 FINGERS AS A MEANS FOR BLOCKING OFF THE DISEASE FROM HANDS


**Abstract:** Source: KR20110001675U

**Machine translation:** The hand washes emphasizing the infection course which leads the hand of contagious disease interception flow form of the immediate contact it will be able to observation the condition of the counterpart from the place what kind of cotton which is a gist compared to it probably is who and contact, the indirect contact which is not the possibility of knowing compared to became problem from the side of hygienic hygiene. To in the infection course which leads like this indirect contact 'as migratory bird effect ' there are times it will be able to express. At once long distance of the infectious disease which leads a public transportation means, the place where it means a long distance ripple effect, specially the bus which is to in the process of moving, underground season same public transportation means the handle back which it blows away and the various branch internal furniture it leads and it is a public for the indirect contact which is wide becomes accomplished. The hand it washes the possibility of doing the hazard which intercepts the indirect infection courses which lead the contact of the hand from under one which is not and like this environment appropriately from the space being like in the process of this moving and stands and the infection course interception means is necessary. The idea which it sees is the tool which the hazard which intercepts the infection course which leads devises the hand of contagious disease. It intercepts a second lieutenant 'migratory bird effect ' it respects and 'it is regarding the one-time six hand elder brother vinyl hygienic gloves '. This tool with the general one-time vinyl hygienic gloves same it is a form and quality of material but difference of the general vinyl hygienic gloves and the product which it uses from the mobile public opinion popular means of communication is and wearing public opinion answer about under considering it answers to take, it puts and it peels and the process which throws away petty being safer, it is convenient and it does easy and the function addition to apply. Specially other, while being thin, one time [ci] who will be being caused by with the gloves which it uses it will turn over the hazard gloves which closes the infection which it does not know from interior and it will put and when different day low polyvalence getting off, it will bloom rightly and again it will be able to use in order, one function newly addition [toy] [ess] all. The contact interception hygienic gloves which it sees will know the use method only will be simple quite and purchase cost also quite to be cheap anyone easily it will purchase and it will be able to use the contact interception means of new form is a possibility of doing. It will control with the infection which the pathogenic bacteria which is a public transportation means even with only the fact that it uses consequently like this hygienic gloves is principal quite and efficiently it will be able to manage.

**Classifications:**

**International (IPC 8-9):** A41D19/00 A41D19/015 (Advanced/Invention)

**CPC:** A41D19/015 A41D19/0055 A41D2400/52 Y10S2/907



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| KR20110001675 U    | 20110218         | KR20090010483U     | 20090812         |

**Priority:**

KR20090010483U 20090812

**20) Family number: 48813114** (CN301507633S)

© PatBase

**Title:** Toys Jiuniaolingluo (Machine translation)

**Abstract:** Source: CN301507633S (Claim 1) 1. Designs Product Name: toy dove Bird bell gongs; 2 product design Usage: The product is used for local history cartoon, corporate mascot; as an animated character animation, film, books, mobile games, online games; for the production of toys, stationery, ornaments, watches and other kinds of animation extension

products; 3 This design design elements: the main view is that big ears, big eyes design and overall shape design; 4. Specify the main view of the design features that best show picture; 5. omitted other views.

#### Classifications:

Locarno class: 21/01



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CN301507633 S      | 20110406         | CN201030278470F    | 20100817         |

#### Priority:

CN201030278470F 20100817

**Probable Assignee:** ANHUI POLYTECHNIC UNIV

**Assignee(s):** (std): ANHUI POLYTECHNIC UNIV

#### 21) Family number: 50014415 (US2011290821A)


© PatBase

**Title:** ANTI-VIRAL COMPOSITIONS AND METHODS FOR ADMINISTRATION

**Abstract:** Source: US2011290821A Certain embodiments disclosed relate to compositions, including therapeutic compositions, methods, articles of manufacture, systems, and devices. Certain embodiments relate to anti-viral compositions, methods, articles of manufacture, systems and devices.

#### Classifications:

**International (IPC 8-9):** A61F6/06 A61K31/513 A61K31/675 A61K31/7072 A61K33/30 A61K35/76 A61K38/02 A61K38/10 A61K39/39 A61K39/42 A61K49/00 A61K9/00 A61K9/127 A61L27/54 A61M1/00 A61M31/00 A61M35/00 A61M37/00 A61N1/30 A61P31/12 B67D7/14 (Advanced/Invention)  
**CPC:** A61M5/14244 A61M5/14276 A61M5/16881 A61M5/1723 A61M2005/14208 A61M2005/1726 A61M2205/50 A61M2205/502 A61M2205/52  
**US:** 222/1 222/1P 222/52 222/52S 424/130.1 424/130.100S 424/133.1 424/133.100S 424/184.1 424/184.100S 424/400 424/400S 424/422 424/422S 424/423 424/423P 424/430 424/430S 424/450 424/450S 424/641 424/641S 424/780 424/780S 424/9.1 424/9.100P 514/2.4 514/2.400S 514/274 514/274S 514/3.7 514/3.700S 514/50 514/50S 514/81 514/81S 604/20 604/20S 604/289 604/289S 604/65 604/65S 604/66 604/66S 604/8 604/890.1 604/890.100S 604/8S 604/93.01 604/93.010S 623/1.42 623/1.420P



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US2011290821 AA    | 20111201         | US20100802146      | 20100528         |
| US2011293521 AA    | 20111201         | US20100802145      | 20100528         |
| US2011293686 AA    | 20111201         | US20100802144      | 20100528         |
| US2011295365 AA    | 20111201         | US20100802143      | 20100528         |

#### Priority:

US20100802143 20100528 US20100802144 20100528 US20100802145 20100528  
US20100802146 20100528

**Probable Assignee:** SEARETE LLC

**Assignee(s):** (std): HYDE RODERICK A ; ISHIKAWA MURIEL Y ; KARE JORDIN T ; LEUTHARDT ERIC C ; SEARETE LLC ; WOOD VICTORIA Y H ; WOOD JR LOWELL L

**Assignee(s):** WOOD VICTORIA YH ; SEARETE LLC A LIABILITY OF STATE OF DELAWARE CORP LTD

**Inventor(s):** (std): HYDE RODERICK A ; ISHIKAWA MURIEL Y ; KARE JORDIN T ; LEUTHARDT ERIC C ; WOOD JR LOWELL L ; WOOD VICTORIA Y H

**Inventor(s):** WOOD VICTORIA YH

**Title:** APPARATUS FOR INTEGRATING WITH A HANDHELD COMPUTING DEVICE.


**Abstract:** Source: GB2483491A A system for augmenting a handheld computing device such as a PDA or smart phone running a software application which has a relationship with an additional element that contains attaches or otherwise integrates with the device. The system uses a software application, such as a driver, to enable the handheld device to interact with the apparatus. The system may have windows or openings in the apparatus to allow images produced by the handheld device to be seen. The system may make use of the sensors and features of the handheld such as tilt sensors and/or GSP sensors to align and select content to be displayed on the screen of the handheld device. The apparatus may include a docking port or a USB port. The apparatus may be in the form of a soft toy, cushion, game accessory or cuckoo clock that is animated and controlled by the handheld device. The apparatus may be in the form of a stereo Hi-fi system, a radio, or alarm clock in which the handheld device provides the media content ie the music. Content may downloaded to the device over a network.

**Classifications:**

**International (IPC 8-9):** A63F13/02 G06F1/16 (Advanced/Invention)

**CPC:** G06F1/1626 A63F13/06 A63F13/21 A63F13/92 A63F2300/1043 A63F2300/105 A63F2300/1062 A63F2300/1068 A63F2300/204 A63F2300/552 A63F2300/8094 G06F2200/1633 A63F13/02 G06F1/1632

**European:** A63F13/06 A63F13/08 A63F13/12 G06F1/16P3 K63F300/10M K63F300/10N K63F300/10S K63F300/10T K63F300/20H K63F300/55C K63F300/80Z S06F200/1633



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| GB201015067 A0     | 20101027         | GB20100015067      | 20100910         |
| GB2483491 A1       | 20120314         | GB20100015067      | 20100910         |

**Priority:**

GB20100015067 20100910

**Probable Assignee:** LUCKYBITE LLP

**Assignee(s):** (std): LUCKYBITE LLP

**Inventor(s):** (std): BISHOP DURRELL GRANT BEVINGTON ; HULBERT THOMAS STEVEN

**Inventor(s):** THOMAS STEVEN HULBERT ; DURRELL GRANT BEVINGTON BISHOP


**Title:** TRANSFORMING BLOCK TOY

**Abstract:** Source: US2017274292A Disclosed is a transforming block toy having an engagement projection on the upper surface thereof and an engagement recess in the lower surface thereof, the engagement recess engaging with the engagement projection, the transforming block toy comprising: a trigger provided on one side surface; and a movable structure that is provided inside the transforming block toy and that moves in cooperation with the trigger. In a block state, the movable structure is housed inside the transforming block toy and does not project from the surface. When the trigger is turned on, the movable structure moves and the transforming block toy transforms into a toy having another shape.

**Classifications:**

**International (IPC 8-9):** A63H3/04 A63H3/46 A63H33/00 A63H33/08 (Advanced/Invention)

**CPC:** A63H33/003 A63H3/46 A63H3/04 A63H33/08



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CN107073344 A      | 20170818         | CN201580045338     | 20150827         |
| JP2016049249 A2    | 20160411         | JP20140175982      | 20140829         |
| JP2016116964 A2    | 20160630         | JP20160064358      | 20160328         |
| JP2016116965 A2    | 20160630         | JP20160064359      | 20160328         |
| JP5937160 B2       | 20160622         | JP20140175982      | 20140829         |
| JP6106781 B2       | 20170405         | JP20160064358      | 20160328         |
| JP6170586 B2       | 20170726         | JP20160064359      | 20160328         |
| US2017274292 AA    | 20170928         | US20150506925      | 20150827         |
| WO16031904 A1      | 20160303         | WO2015JP74180      | 20150827         |

**Priority:**

**Probable Assignee:** AREA81 CO LTD

**Assignee(s):** (std): AREA81 CO LTD ; POOLS INC ; POOLS CO LTD

**Assignee(s):** LTD AREA81 ; LTD POOL ; AREA81 CO

**Inventor(s):** (std): KANAI YASUNORI ; KIKU KIYOFUMI

**Agent(s):** IAT WORLD PATENT LAW FIRM; TANAKA JIRO

**Designated states:** AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

24) Family number: 66771880 (US2017246546A)

© PatBase


**Title:** DETACHABLE MULTI-FUNCTIONAL HOUSING COMPARTMENT INSERT WITH ATTACHABLE ACCESSORY TEMPLATES

**Abstract:** Source: US2017246546A A novelty toy body, inflatable body, mascot or costume body, configured for housing a detachable multi-functional housing compartment, the detachable multi-functional housing compartment insert assembly having a general compartment cavity comprising a plurality of separable fasteners for receiving a plurality of Attachable Accessory Templates. The Attachable Accessory Templates being used to for different settings involving such as but not limited to; Global Education Initiatives, Sand Play Therapy, Recreation Therapy, Activity Based Learning using Electronic devices, social skill activities, Teddy Bear Therapy, adult or children counseling, Art Therapy, using transitional objects in a therapeutic setting, behavioral hospitals, Individuals with special needs, Individualized Education Program (IEP), furthermore comprising programs such as, Curriculum Based Programs, Head Start, Preschool Programs, Child Care Programs, After School Programs, Private or Public Schools, Home Schools, Daycares, to help improve one's hand-eye coordination, fine or gross motor skills, pattern recognition, letters, numbers, reading or writing skills.

**Classifications:**

**International (IPC 8-9):** A63H3/00 A63H3/02 A63H3/06 B65D81/36 (Advanced/Invention)

**CPC:** A63H3/005 A63H3/02 A63H3/06 B65D81/365 A63H3/52 A63H33/42



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US2017246546 AA    | 20170831         | US20160055646      | 20160229         |

**Priority:**

US20160055646 20160229

**Probable Assignee:** BROWN SR DOLHMAN

**Assignee(s):** (std): BROWN SR DOLHMAN

**Inventor(s):** (std): BROWN SR DOLHMAN