

X20637_Sequence Listing
SEQUENCE LISTING

```

<110>  Eli Lilly and Company
<120>  Glucagon and GLP-1 co-agonist compounds
<130>  X-20637
<150>  62/182847
<151>  2015-06-22
<160>  11
<170>  PatentIn version 3.5
<210>  1
<211>  37
<212>  PRT
<213>  Homo sapien
<400>  1
His Ser Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Ser
1      5      10      15

Arg Arg Ala Gln Asp Phe Val Gln Trp Leu Met Asn Thr Lys Arg Asn
      20      25      30

Arg Asn Asn Ile Ala
      35

<210>  2
<211>  34
<212>  PRT
<213>  Artificial Sequence
<220>
<223>  Synthetic Construct

<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  Xaa at position 2 is nonnaturally occurring amino acid
      2-Aminoisobutyric Acid

<220>
<221>  MOD_RES
<222>  (2)..(2)
<223>  Aib

<220>
<221>  MOD_RES
<222>  (20)..(20)
<223>  Lys at position 20 is chemically modified by conjugation of the
      epsilon-amino group of the Lys side chain with a C14-C24 fatty
      acid via (i) a direct bond or (ii) a linker between the Lys at
      position 20 and the C14-C24 fatty acid

<220>

```

X20637_Sequence Listing

<221> MISC_FEATURE

<222> (28)..(28)

<223> Xaa at position 28 is Glu or Ser

<220>

<221> MOD_RES

<222> (34)..(34)

<223> Gly at position 34 is optionally amidated

<400> 2

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Xaa Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 3

<211> 34

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa at position 2 is nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>

<221> MOD_RES

<222> (2)..(2)

<223> Aib

<220>

<221> MOD_RES

<222> (20)..(20)

<223> Lys at position 20 is chemically modified by conjugation of the
epsilon-amino group of the Lys side chain with a C14-C24 fatty
acid via (i) a direct bond or (ii) a linker between the Lys at
position 20 and the C14-C24 fatty acid

<220>

<221> MOD_RES

<222> (34)..(34)

<223> Gly at position 34 is optionally amidated

<400> 3

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
Página 2

Ser Gly

<210> 4
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is nonnaturally occurring amino acid
2-Aminoisobutyric Acid

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MOD_RES
<222> (20)..(20)
<223> Lys at position 20 is chemically modified by conjugation of the
epsilon-amino group of the Lys side chain with a C14-C24 fatty
acid via (i) a direct bond or (ii) a linker between the Lys at
position 20 and the C14-C24 fatty acid

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 4

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 5
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

X20637_Sequence Listing

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-Aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES
 <222> (20)..(20)
 <223> Lys at position 20 is chemically modified by conjugation of the
 epsilon-amino group of the Lys side chain with
 ([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)-CO-(CH2)16CO2H

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is amidated

<400> 5

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
 20 25 30

Ser Gly

<210> 6
 <211> 34
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is a nonnaturally occurring amino acid
 2-Aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES
 <222> (20)..(20)
 <223> Lys at position 20 is chemically modified by conjugation of the
 epsilon-amino group of the Lys side chain with
 ([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)-CO-(CH2)18CO2H

x20637_Sequence Listing

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is amidated

<400> 6

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
 20 25 30

Ser Gly

<210> 7
 <211> 34
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-Aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES
 <222> (20)..(20)
 <223> Lys at position 20 is chemically modified by conjugation of the
 epsilon-amino group of the Lys side chain with
 ([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)2-CO-(CH2)16CO2H

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is amidated

<400> 7

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
 20 25 30

Ser Gly

x20637_Sequence Listing

<210> 8
 <211> 34
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES
 <222> (20)..(20)
 <223> Lys at position 20 is chemically modified by conjugation of the
 epsilon-amino group of the Lys side chain with
 ([2-(2-aminoethoxy)-ethoxy]-acetyl)2-(gamma-Glu)2-CO-(CH2)18CO2H

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is amidated

<400> 8

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
 1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Ser Gly Gly Pro Ser
 20 25 30

Ser Gly

<210> 9
 <211> 34
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-aminoisobutyric Acid

x20637_Sequence Listing

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MISC_FEATURE
<222> (28)..(28)
<223> Xaa at position 28 is Glu or Ser

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 9

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Xaa Gly Gly Pro Ser
20 25 30

Ser Gly

<210> 10
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa at position 2 is nonnaturally occurring amino acid
2-aminoisobutyric Acid

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Aib

<220>
<221> MOD_RES
<222> (34)..(34)
<223> Gly at position 34 is optionally amidated

<400> 10

His Xaa Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Glu
1 5 10 15

Lys Lys Ala Lys Glu Phe Val Glu Trp Leu Leu Glu Gly Gly Pro Ser
20 25 30

X20637_Sequence Listing

Ser Gly

<210> 11
 <211> 34
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Synthetic Construct

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa at position 2 is nonnaturally occurring amino acid
 2-aminoisobutyric Acid

<220>
 <221> MOD_RES
 <222> (2)..(2)
 <223> Aib

<220>
 <221> MOD_RES
 <222> (34)..(34)
 <223> Gly at position 34 is optionally amidated

<400> 11

His	Xaa	Gln	Gly	Thr	Phe	Thr	Ser	Asp	Tyr	Ser	Lys	Tyr	Leu	Asp	Glu
1				5					10					15	

Lys	Lys	Ala	Lys	Glu	Phe	Val	Glu	Trp	Leu	Leu	Ser	Gly	Gly	Pro	Ser
			20					25					30		

Ser Gly