

Figura 1

Fig. 1A




Fig. 1B




Fig. 1C




Fig. 1D




Fig. 1E




Figura 2




Figura 3




Figura 4

Figura 4A




Figura 4C




Figura 4B



Figura 4 D



Figura 5

Efecto de dosis de SEQ ID NO: 19 en infecciones pulmonares inducidas por *P. aeruginosa* en ratones




Figura 6

MKHHHHHDYDIPTTENLYFQGQDSTSDLIPAPPLSKVPLQQNFQDNQFHG
KWWVVG VAGNTILREDKDPGKM NATIYELKEDKSYNVTDVRFIRKKCHYYIDT
FVPGSQPG EFTLGNIKSYPGTTSQLVRV VSTNYNQHAMVFFKIVRQNREIFW
ITLYGR TKELTSELKENFIRFSKSLGLPENHIVFPVPIDQCIDG

Figura 7




Figura 8




Figura 9





Figura 10


A



B



C



D




Figura 11




Figura 12




Figura 13




Figura 14

Fig. 14A




Fig. 14C




Fig. 14B




Fig. 14D






Figura 15

Figura 16





Figura 17

A - Expresión génica durante el tratamiento en la fase temprana de colonización



B - Expresión génica durante el tratamiento durante la fase establecida de colonización




Figura 18




Figura 19




Figura 20




Figura 21




Figura 22




Figura 23




Figura 24




Figura 25




Figura 26




Figura 27

