



New connection on: : 04-04-2018 : 16:12:29 - Last disconnection on: : 02-04-2018 : 04:44:00

V 4.0.0.44358(LP,U,linux) (Rev:43856 2017-04-27 09:03:29 +0200#(D201802)) (RPM D201802)

Welcome to EPOQUE Rebuild under the Production Environment

[No database/cluster active] ..fi epodoc

 Database: EPODOC

[EPODOC: SS 1] mobile and devide and storage and key and random

Results in EPODOC 0

[SS 2] mobile and device and storage and key and random

Results in EPODOC 31

[SS 3] 2 and transaction

Results in EPODOC 2


[SS 4] ..li pn ti



1/2 © EPODOC / EPO

PN - [NZ721223](#) A 20180223

TI - Method and system for generating an advanced **storage key** in a **mobile device** without secure elements



2/2 © EPODOC / EPO

PN - [WO2013149588](#) A1 20131010

TI - CHARACTER DISPLAYING METHOD, **DEVICE** AND SYSTEM, AND ELECTRONICSIGNATURE TOKEN

[SS 4]



图3 / FIG. 3

201 A TRANSACTION TERMINAL DELIVERS A FONT TO AN ELECTRONIC SIGNATURE TOKEN
202 THE ELECTRONIC SIGNATURE TOKEN CALCULATES, ACCORDING TO A RANDOM KEY, A CHECK CODE OF THE FONT DELIVERED BY THE TRANSACTION TERMINAL
203 THE ELECTRONIC SIGNATURE TOKEN COMPARES THE CHECK CODE, OBTAINED BY CALCULATION, OF THE FONT DELIVERED BY THE TRANSACTION TERMINAL WITH A CHECK CODE OF A FONT OF A CHARACTER REQUIRED TO BE DISPLAYED, AND IF THE CHECK CODES ARE CONSISTENT, DISPLAYS THE CHARACTER CORRESPONDING TO THE FONT