

Search history

- Search 1: IC=(A61F or A62B) (Results 445078)
Search 2: vest (Results 29351)
Search 3: 1 and 2 (Results 2297)
Search 4: adjustable (Results 1000000)
Search 5: 3 and 4 (Results 761)
Search 6: strap or belt or band (Results 1000000)
Search 7: 5 and 6 (Results 644)
Search 8: anti and theft and vest (Results 195)
Search 9: 1 and 8 (Results 1)
Search 10: waistcoat and theft (Results 24)

1) Family number: 18242333 (GB177968A)

© PatBase

Title: Chain and watch protector

Abstract: Watch-chain fittings.-To prevent the withdrawal of a watch or like chain from its buttonhole, a short strap 1 is buttoned at 2 to the inside of the waistcoat and is provided with a slot 5 to receive the bar of the chain, about which the strap is folded and held by a spring button 3 engaging a complementary catch 4.

Classifications:


International (IPC 8-9): A44C 19/00 (Advanced/Invention);

A44C 19/00 (Core/Invention)

International (IPC 1-7): A44C 19/00

CPC: A44C 19/00

European: A44C 19/00



Family:

Publication number	Publication date	Application number	Application date
GB177968 A	19220413	GB19210007350	19210308

Priority:

GB19210007350 19210308

Probable Assignee:

BENJAMIN MAXWELL

Assignee(s): (std):

BENJAMIN MAXWELL

2) Family number: 18245174 (GB178345A)

© PatBase

Title: A device for safeguarding watches from theft

Abstract: Pockets, retaining watches in.-A receptacle for a watch is fastened inside the pocket and serves to retain the watch in position until release is effected by manipulation of a lever or the like from without through the wall of the pocket. The plates 1, 2, shaped as shown in Figs. 2 and 5, are hinged together by a pin 3 to form the receptacle. The plate 1 is fastened within the pocket by means of sewing-holes 8. The catches 10, attached to the lever 9, engage the notched portions 11, holding the receptacle closed and thus securing the watch. Release is effected by pressing together the lugs 13 of the levers 9 against springs 12. The additional lever 17 at the rear of the plate 1 can only be adjusted from the rear; when depressed it secures the pin 14 attached to the lug 13, thus locking the receptacle in the closed position.

Classifications:


International (IPC 8-9): A44C 19/00 (Advanced/Invention);

A44C 19/00 (Core/Invention)

International (IPC 1-7): A44C 19/00

CPC: A44C 19/00

European: A44C 19/00



Family:

Publication number	Publication date	Application number	Application date
GB178345 A	19220420	GB19210013154	19210509

Priority:


GB19210013154 19210509

Probable Assignee: MAX HASENKAEMPER**Assignee(s):** (std): MAX HASENKAEMPER**3) Family number: 18255551** (GB179859A)

© PatBase

Title: Improved pocket for waistcoats

Abstract: Pockets. An upwardly extending auxiliary pocket 2 is formed above an existing waistcoat upper pocket 1 and opens about flush with it. The auxiliary pocket is of less width than the existing pocket and is preferably located at one corner of it. In a modification, the existing pocket has a division or inner pocket.

Classifications:**International (IPC 8-9):** A41D27/20 (Advanced/Invention);
A41D27/20 (Core/Invention)**International (IPC 1-7):** A41D27/20**CPC:** A41D27/20**European:** A41D27/20**Family:**

Publication number	Publication date	Application number	Application date
GB179859 A	19220518	GB19210019522	19210720

Priority:

GB19210019522 19210720

Probable Assignee: JOHN THOMSON**Assignee(s):** (std): JOHN THOMSON**4) Family number: 18148813** (DE366407A)


© PatBase

Title: SICHERUNG FUER TASCHENUHREN GEGEN DIEBSTAHL FUSE FOR POCKET WATCHES AGAINST THEFT (Machine translation)

Abstract: Source: DE366407A [DE] (Claim 1) 1. PATENT-ANSPRUCH: Sicherung fuer Taschenuhren gegen Diebstahl, die zwei gegeneinander ver-schiebbbare, sich mit ihren freien Enden gegen das Westentaschenfutter legende Spreizschienen aufweist, dadurch (gekenn-zeichnet, daess die Spreizschienen.durch ein federndes Klemmgesperre in ihrer je weiligen gegenseitigen Labe feststellbar und mit eineue selbsttaetig sich schliessen den Uhrbehaelter bekannter Art versehen sind.

Machine translation: (claim 1) 1 PATENT CLAIM: backup for pocket watches against theft, the two relative to each other-schiebbbare, are having their free ends to the pocket lining legend straddle, thus (records marked, daess the Spreizschienen.durch a resilient clamping lock detected, each in its respective mutual Labe and selbsttaetig with eineue to close the Uhrbehaelter known type are provided.

Classifications:**International (IPC 8-9):** A44C19/00 (Advanced/Invention);
A44C19/00 (Core/Invention)**International (IPC 1-7):** A44C19/00**CPC:** A44C19/00**European:** A44C19/00

**Family:**

Publication number	Publication date	Application number	Application date
DE366407 A	19230104		00000000

Probable Assignee: JOSEF SCHWITZ

Assignee(s): (std): EDUARD WILLI FLEMMING ; JOSEF SCHWITZ

5) Family number: 18440794 (GB198192A)

© PatBase

Title: Improvements in or relating to safety devices for articles placed in pockets

Abstract: 198,192. Zaretsky, L. May 4, 1922. Pockets, retaining watches and c. in.-Comprises a loop 11 hinged or rigidly attached to an oval base 10 provided with sewing holes for attachment just inside the pocket. A chain to which a watch or other valuable is attached may be arranged diagonally on the base which is attached with its major axis parallel to the top edge of the pocket. The retaining device may be a strip of tape sewn to the garment to form a loop through which the chain passes. Reference has been directed by the Comptroller to Specifications 10699/86 and 11162/92.

Classifications:


International (IPC 8-9): A44C19/00 (Advanced/Invention);
A44C19/00 (Core/Invention)

International (IPC 1-7): A44C19/00

CPC: A44C19/00

European: A44C19/00

PatBase - GB196192_A

**Family:**

Publication number	Publication date	Application number	Application date
GB198192 A	19230531	GB19220012613	19220504

Priority:

GB19220012613 19220504

Probable Assignee: LEWIS ZARETSKY

Assignee(s): (std): LEWIS ZARETSKY

6) Family number: 18549347 (GB229875A)

© PatBase

Title: Improvements relating to pockets for garments

Abstract: Pockets.-To prevent theft or accidental loss of the contents, the entrance to a pocket is made between the two layers 3 and 7 of a welt or flap which is made substantially of a flat tubular form. The two layers are attached respectively to the two opposite edges of the mouth of the pocket so that when the flap is turned upwardly the passageway therein forms a continuation of the pocket. In the construction shown in Fig. 3, one layer 11 of the welt is continued as a flap which can be fastened by press stud or other fastening members over the other layer to conceal the entrance between the layers. A slit 19

may open into the interior of the garment to permit access to an interior pocket.

Classifications:


International (IPC 8-9): A41D27/20 (Advanced/Invention);

A41D27/20 (Core/Invention)

International (IPC 1-7): A41D27/20

CPC: A41D27/20

European: A41D27/20



Family:

Publication number	Publication date	Application number	Application date
GB229875 A	19250305	GB19240007107	19240320

Priority:

GB19240007107 19240320

Probable Assignee: WOOLF GOLDSTONE

Assignee(s): (std): EMANUEL LEON SINGER ; WOOLF GOLDSTONE

7) Family number: 18262007 (GB256832A)

© PatBase

Title: Improvements in means for carrying pumps for bicycle tyres and the like

Abstract: Attaching cycle and c. pumps to wearing-apparel. -Pumps for bicycle tyres and the like are formed or provided with a button adapted to be engaged with a button-hole on the wearing-apparel, or in a tab attached by a safety-pin to the wearing-apparel, for carriage on the person. A rubber ring A, Fig. 1, may be slipped over the barrel of the pump to carry the button C, or a piece G, Fig. 3, of metal or celluloid, according to the material of the pump, may be secured on the barrel for this purpose. Alternatively, the button C may be secured to the pump barrel by a tubular clasp N, Fig. 5.


Classifications:

International (IPC 8-9): B62J11/02 (Advanced/Invention);

B62J11/00 (Core/Invention)

CPC: B62J11/02

European: B62J11/02



Family:

Publication number	Publication date	Application number	Application date
GB256832 A	19260819	GB19250028748	19251114

Priority:

GB19250028748 19251114

Probable Assignee: ARTHUR HENRY ROCHFORD

Assignee(s): (std): ARTHUR HENRY ROCHFORD

8) Family number: 19394950 (US1764862A)


© PatBase

Title: CIGAR OR CIGARETTE EXTINGUISHER

Abstract: What I claim as new and desire to secure by Letters Patent is: 1. A cigar or cigarette extinguisher comprising a cylindrical sleeve having a sloped end and a base having a sloped portion, the said sleeve resting with its sloped end against a correspondingly sloped portion of the said base, the two parts being coaxial, said base having an opening controlled by the sleeve for the discharge or retention of the ashes in the base, said sloped base portion leading to said opening. 2. A cigar or cigarette extinguisher comprising a cylindrical sleeve and a base portion which is also constructed in the form of a sleeve to receive the first mentioned sleeve through its upper open end, said base portion having a hole for removing the ash to the outside in respect to the base, the said sleeve resting in the said base portion in telescopic fashion to close said opening and retain the ashes, said sleeve when raised from the base uncovering said opening for the discharge of the ash, said hole being disposed laterally of the base and being opened by lifting the cylindrical sleeve while maintaining connection between said sleeve and base. 3. A pocket cigar or cigarette extinguisher comprising an open ended sleeve, a base supporting said sleeve and closing the open bottom thereof, said base having a discharge opening leading to the outside through its side wall, said sleeve and base being coaxial and one fitting movably into the other whereby the sleeve may be raised from the base for the discharge of the ashes, substantially as described. 4. A cigar or cigarette extinguisher, comprising a cylindrical sleeve open at both ends, having its lower discharge end inclined to the sleeve axis, and a supporting base presenting a surface parallel with the said inclined end, and positioned to clear itself by gravity of the extinguished cigarette or cigar when the sleeve is moved relative thereto, substantially as described. 5. A cigar or cigarette extinguisher according to claim 4 in which

the sleeve is connected with the said supporting base to be controlled in its movement relative thereto. V _In testimony whereof I have affixed my signature. , ` I

Classifications:
International (IPC 8-9): A24F13/18 (Advanced/Invention);
A24F13/00 (Core/Invention)
International (IPC 1-7): A24F13/18
CPC: A24F13/18
European: A24F13/18
US: 131/256 206/276



Family:

Publication number	Publication date	Application number	Application date
US1764862 A	19300617	US19260153129	19261207

Priority:
19251207 US19260153129 19261207


Probable Assignee: SACHSISCHE METALLWAREN FABRIK
Assignee(s): (std): SACHSISCHE METALLWAREN FABRIK
Assignee(s): SACHSISCHE METALLWAREN FABRIK AUGUST WELLNER SOHNE ; SACHSISCHE METALLWAREN FABRIK AUGUST WELLNER SOHNE AG ; SACHSISCHE METALLWAREN FABRIK AUGUST WELLNER SOHNE AKTIENGESELLSCHAFT
Inventor(s): (std): FRITZ VOGELSSANG
Inventor(s): VOGELSSANG FRITZ

9) Family number: 38756095 (CH189129A) © PatBase

Title: KLEIDUNGSGESTÜCK, WIE ROCK, JACKETT, GILET UND DERGLEICHEN, MIT INNERER SEITENTASCHE. Garment as AS ROCK JACKET, VEST AND THE LIKE, WITH INNER SIDE POCKET. (Machine translation)

Abstract: Source: CH189129A [DE] 1. Kleidungsstück nach Patentanspruch. da durch gekennzeichnet, dass zum Verschließen der Taschenöffnung ein Reißverschluss vorgesehen ist. Kleidungsstück nach Patentanspruch und Unteranspruch 1, dadurch gekennzeichnet, dass der Öffnungsschlitz der Tasche, angenähert bei der Taschenoberkante beginnend, der einen Taschenseitenkante entlang verläuft, jedoch nicht ganz bis zur Unterkante der Tasche geführt ist. Kleidungsstück nach Patentanspruch und Unteransprüchen 1 und 2, dadurch gekennzeichnet, dass auf der Aussenseite mindestens des einen Taschenseitenteils eine zusätzliche Tasche aufgenäht ist, welche durch eine in dem betreffenden Seitenteil der Haupttasche vorgesehene, mittels Reißverschluss verschließbare Öffnung mit dem Innenraum der Haupttasche in Verbindung steht. Kleidungsstück nach Patentanspruch und Unteransprüchen 1 bis 3, dadurch gekennzeichnet, dass die Seitentasche derart angeordnet ist, dass - das eine Ende der Taschenseitenkante in die Nähe des benachbarten Armloches zu liegen kommt, während die diesem Ende der Taschenoberkante gegenüberliegende Taschenseitenkante der inneren Besatzkante entlang verläuft. Kleidungsstück nach Patentanspruch und Unteransprüchen 1 bis 4, dadurch gekennzeichnet, dass auf der dem Öffnungsschlitz der Haupttasche gegenüberliegenden Seite mindestens eine Kette einerseits befestigt ist, deren anderes Ende dazu bestimmt ist, am Tascheninhalt befestigt zu werden. 6. Kleidungsstück nach Patentanspruch und Unteransprüchen 1 bis 5, gekennzeichnet durch eine in die Haupttasche einsteckbare, brieftaschenförmige, mit Befestigungsmitteln für das Anlegen der Haltekette ausgerüstete Mappe. Kleidungsstück nach Patentanspruch und Unteransprüchen 1 bis 6, dadurch gekennzeichnet, dass die Höhe der Mappe nur wenig kleiner ist als die Länge des Öffnungsschlitzes der Haupttasche. **Machine translation:** 1. Garment as recited in claim. as characterized by, that the Verschluss The Taschenöffnung a zip for closure is provided. Is garment as claimed in claim 1 and dependent claim, characterized in that the Öffnungsschlitz pocket, approximated at the top edge of bag beginning, which runs along a side edge of pocket, but not as quite to the bottom of the bag. Garment as recited in claim and Unteransprüchen 1 and 2, characterized in that on the outside at least the one side of the bag part one additional bag is aufgenäht which pocket by in the relevant page of the main bag provided, closable by a zip opening with the interior of the main in connection is established. Garment as comes to lie in the vicinity of the neig disclosed armhole and Unteransprüchen according to claim 1 to 3, characterized marked records that the side pocket is arranged in such a way that -the rule of upper edge of one end of the Ta, currency rend the end of this Taschenober- edge opposite sides lying pocket edge of the inner edge trim runs along. Garment as recited in claim and Unteransprüchen 1 to 4, characterized marked records that on the Öffnungsschlitz the main pocket opposite the marina at least one chain is attached at one end, the other end is adapted to be secured to the bag contents. 6. garment as recited in claim and Unteransprüchen 1 to 5, characterized by a racking in the main pocket cash, brieftaschenförmige, with fixing forward movement for the creation of the holding chain accessorized folder. Garment as recited in claim and Unteransprüchen 1 to 6, characterized marked records that the height of the folder is only slightly less than the length of the slot opening off the main pocket.

Classifications:
International (IPC 8-9): A41D27/20 (Advanced/Invention);



Family:

Publication number	Publication date	Application number	Application date
CH189129 A	19370215		00000000

Priority:

19360530

Probable Assignee:

EGLI ALBERT

Assignee(s): (std):

EGLI ALBERT

Inventor(s): (std):

ALBERT EGLI

Inventor(s):

EGLI ALBERT

10) Family number: 3771790 (FR2413050A) © PatBase

Title: WAISTCOAT WITH POCKETS FOR PERSONAL ITEMS - POSITIONED UNDERNEATH THE ARMS AND ALONG THE THORAX, PROVIDING EASY ACCESS FOR THE WEARER BUT SECURITY AGAINST THEFT

Abstract: The waistcoat is intended for carrying items such as wallets, cheque-books, etc., underneath the armpits or along the thorax. The waistcoat has pockets which hang along the sides of the thorax, and are positioned for ease of access to the wearer but for difficulty of theft by others. Pockets underneath the armpits are protected by the arms, and slope towards a central opening in the front. Pockets opening at the bottom enable the thumbs to be inserted.

Classifications:


International (IPC 8-9): A41D1/04 (Advanced/Invention);

A41D1/00 (Core/Invention)

International (IPC 1-7): A41D1/04

CPC: A41D1/04

European: A41D1/04



Family:

Publication number	Publication date	Application number	Application date
FR2413050 A1	19790727	FR19770039579	19771229

Priority:

FR19770039579 19771229

Probable Assignee:

BERNARD ANDRE

Assignee(s): (std):

BERNARD ANDRE

11) Family number: 8750762 (AU199748312A)

© PatBase

Title: TRAVEL SECURITY WAISTCOAT

Abstract: A travel security waistcoat is disclosed. It involves the provision, in any style of waistcoat, of securely fastened internal pockets of appropriate dimensions for standard travel essentials. The number of pockets may vary according to the size of the waistcoat but must include at least one pocket for credit cards, one pocket for passports and one long pocket for air tickets and travel documents. In one form of the invention the pockets are constructed by stitching a specially designed panel to the wrong side of each front lining with the stitching defining the pockets, which have zipped openings (19) on the other side of the lining. The one-piece panel provides Do stability to the pockets and minimises bulges. The pockets are concealed from outside o e view and further protected by the usual front button zip or other means of degrees waistcoat closure at the centre front of the waistcoat. 0 o 0 0000o 000 0 00 0 0 0 0 0


Classifications:

International (IPC 8-9): A41D1/04 (Advanced/Invention);

A41D1/00 (Core/Invention)

International (IPC 1-7): A41D1/04

PatBase - AU736894_B2



Family:

Publication number	Publication date	Application number	Application date
AU199748312 A1	19980618	AU19970048312	19971211
AU418096 A0	19970109	AU1996PO04180	19961211
AU736894 B2	20010802	AU19970048312	19971211

Priority:

AU1996PO04180 19961211 AU19970048312 19971211

Probable Assignee: SULLIVAN S A

Assignee(s): (std): DARRELL MICHAEL SULLIVAN ; SALLY ANNE SULLIVAN ; SULLIVAN D M ; SULLIVAN S A

Assignee(s): SULLIVAN SALLY ANNE ; SULLIVAN DARRELL MICHAEL

Inventor(s): (std): SULLIVAN DARRELL MICHAEL ; SULLIVAN SALLY ANNE

Inventor(s): DARRELL MICHAEL SULLIVAN ; SALLY ANNE SULLIVAN

Agent(s): SALLY ANNE SULLIVAN

12) Family number: 42341342 (JP3062997U)


© PatBase

Title: Security vest (Machine translation)

Abstract: Source: JP3062997U

Machine translation: [summary] Purpose: This Devised, such as when traveling abroad, to ensure storage and carrying valuables, you can quickly and safely and out of the valuables, the present invention relates to the prevention of theft and misplaced. provided (2) to create a bag in front of them (1) is provided (3) for opening and closing the zipper bag (2), wait (5) and on (2) [configuration] waistcoat back again provided in section (6) to the left and right ear, providing a (7) fitting here, depending on the (8) fixtures (1) vest, bag (2) is connected, also vest vest (1) (1) is provided (4) for the detachable fasteners.

Classifications:



Family:

Publication number	Publication date	Application number	Application date
JP3062997 U	19991015	JP19990003480U	19990412

13) Family number: 29483059 (WO0041589A2)

© PatBase

Title: CARRYING AND HOLDING DEVICE

Abstract: The invention relates to a device for carrying and holding loads, notably carrier bags, camera bags, musical instruments, young children, furniture, beer crates and working tools. Said device introduces the load in to the body of the person carrying said load via a frame. A rigid frame (7.1) contacts at least two different areas of the body of a load-carrying person on one or two sides. Said areas can be subjected to pressure without suffering damage and form bearing surfaces, notably on the pelvis, hip, back, behind the shoulders or on the rib cage. The frame contacts the body directly or indirectly via force-transmitting elements without restricting the freedom of movement of the load-carrying person, especially when such a person bends forwards. The rigid frame (7.1) connects the bearing surfaces in such a way that they are both close to the body and the load and do not exert pressure likely to cause muscular tension in pressure-sensitive body parts, notably the neck, upper side of the shoulder, abdomen and kidneys, or result in harmful deformation of the spine or rotation of the pelvis about the Z-axis.

Classifications:

International (IPC 8-9): A45F3/08 A45F3/14

A47D13/02 (Advanced/Invention);

A45C11/38 A45F3/00 A45F3/04 A45F4/02 (Advanced/Non-invention);

A45F3/00 A45F3/04 A47D13/00 (Core/Invention);

A45C11/00 A45F4/00 (Core/Non-invention)

International (IPC 1-7): A45F3/08 A45F3/10 A45F3/12 A45F3/14

A45F4/02 A45F5/00 A47D13/02 A61F5/055 A63C11/02 B65G7/12

G03B17/56 G10G5/00

CPC: A45C11/38 A45F3/005 A45F3/08 A45F3/14 A45F4/02 A45F5/00


A45F2003/002 A45F2003/045 A45F2003/146 A45F2200/0533

A47D13/025 A45F2003/144

European: A45F3/08 A45F3/14 A47D13/02B K45C11/38

K45F200/05G K45F3/00B K45F3/00D K45F3/04F K45F3/14F

K45F3/14H K45F4/02 K45F5/00



Family:

Publication number	Publication date	Application number	Application date
DE10000595 A1	20011011	DE20001000595	20000110
DE10033738 A1	20020124	DE20001033738	20000712
WO0041589 A2	20000720	WO2000EP00107	20000110
WO0041589 A3	20010405	WO2000EP00107	20000110

Priority:

DE19991001190 19990114

DE19991021193 19990507

DE20001000595 20000110

DE20001033738 20000712

Probable Assignee: GORSKI EKKEHARD

Assignee(s): (std): GORSKI EKKEHARD

Inventor(s): (std): GORSKI EKKEHARD

Designated states: AT BE CA CH CY DE DK ES FI FR GB GR IE IT JP LU MC NL PT SE US

14) Family number: 23484306 (DE10052061A1)

© PatBase

Title: PORTABLE LITHIUM-POLYMER BATTERY FOR E.G. ELECTRIC MINI-SCOOTERS, ROLLER BLADES AND POWER TOOLS IS DISTRIBUTED AND CONFORMED OVER BODY IN CLOTHING

Abstract: Battery capacity, weight and volume are e.g. 0.5 kWh, 5 kg and 3 l, or greater, distributed between a number of individual batteries. They are carried e.g. in rucksack fashion, or in various other dispositions about the body, strapped-on or

in diverse items of clothing. The battery itself may be configured to match the body shape, as in a curved underarm variant which is suitably-rounded to match body shape and has overall dimensions 2 cm (thick) x 22 cm (width) x 35 cm (height).


Classifications:

International (IPC 8-9): H01M2/10 (Advanced/Invention);
H01M2/10 (Core/Invention)

International (IPC 1-7): A63C17/12 H01M2/10

CPC: H01M2/10 H01M2/1005

European: H01M2/10 H01M2/10B Y02E60/12



Family:

Publication number	Publication date	Application number	Application date
DE10052061 A1	20020801	DE20001052061	20001019

Priority:

DE20001052061 20001019

Probable Assignee:

KLUDSZUWEIT ALFRED

Assignee(s): (std):

KLUDSZUWEIT ALFRED

15) Family number: 31730007 (DE202004017696U1)

© PatBase

Title: WARNING TRIANGLE FOR ROAD AND OTHER EMERGENCIES HAS LIT OR UNLIT DIGITAL DISPLAY WITH LIQUID CRYSTAL AND LIGHT DIODES EMERGENCY ALARM SYSTEM AND RADIO TRANSMISSION

Abstract: A warning triangle with digital display, emergency call system, alarm and radio transmission comprises a liquid crystal display, light diode and flashing lights integrated into a frame with plug connections and strips, movable link and battery holder. There are recesses for liquid crystal displays and speed signs.


Classifications:

International (IPC 8-9): B60Q7/00 G08G1/095
G09F13/00 (Advanced/Invention);
B60Q7/00 G08G1/095 G09F13/00 (Core/Invention)

International (IPC 1-7): B60Q7/00 G09F13/00

CPC: B60Q7/00 G08G1/095

European: B60Q7/00 G08G1/095



Family:

Publication number	Publication date	Application number	Application date
DE202004017696 U1	20050203	DE200420017696U	20041115

Priority:

DE200420017696U 20041115

Probable Assignee:

KLOTZ WERNER

Assignee(s): (std):

KLOTZ WERNER

16) Family number: 33476519 (US2009064400A)

© PatBase

Title: INTEGRAL PROTECTION FOR A JOB GARMENT, WITH FREELY INCORPORATED RETENTION ELEMENTS, AND DIGITAL ACTIVATION OF BOLT RETAINER

Abstract: The invention relates to an integral protective work clothing item comprising releasable integrated retaining elements and a digitally-activated retaining fastener. The inventive clothing item includes a harness and a retractable mechanism for securing a user to a standard lifeline. The item also comprises additional protective elements, such as a helmet, gloves and shoes which are connected thereto by means of respective elastic bands. Each of said bands is equipped with a hole for a fastener device that can only be released using a device designed for said purpose. The digitally-activated fastener comprises an electromagnet, a mobile discoidal part and a spring element. The cover of the fastener casing is provided with a hole and a tubular formation in which a pin or rod can be inserted and guided. In the operative position, the core of the electromagnet retains the rod in place and prevents the removal thereof, such that the casing and the rod are connected to one another and can only be released using the separate releasing device.

Classifications:

International (IPC 8-9): A41D1/00 A41D13/00 A41D27/00

A41F17/00 A41F19/00 A62B17/00 E05B47/00

E05B67/36 (Advanced/Invention);

A41D13/00 A41D27/00 A41F17/00 A41F19/00 A62B17/00 E05B47/00

E05B67/00 (Core/Invention)

CPC: E05B47/00 E05B67/36 Y10T24/1391 Y10T24/1397 Y10T24/4093


A41D13/0002 A41D13/0007 E05B47/06 Y10T70/5004

European: A41D13/00B A41D13/00H E05B47/00 E05B47/06

E05B67/36

US: 182/3 182/6 2/160 2/310 2/323 2/323S 2/338 2/338S 2/421

2/456 2/458 2/458P 2/79 2/94 24/200 24/3.11 24/3.13 70/57.1



Family:

Publication number	Publication date	Application number	Application date
EP1867244 A1	20071219	EP20050824288	20051128
EP1867244 A9	20090318	EP20050824288	20051128
ES2259924 AA	20061016	ES20050000789	20050405
ES2259924 BA	20070601	ES20050000789	20050405
ES2264385 AA	20061216	ES20050001353	20050606
ES2264385 BA	20070801	ES20050001353	20050606
US2009064400 AA	20090312	US20050910623	20051128
US8256026 BB	20120904	US20050910623	20051128
WO06106160 A1	20061012	WO2005ES00646	20051128

Priority:

ES20050000789 20050405

ES20050001353 20050606

WO2005ES00646 20051128

Probable Assignee: OLIEQUIP SA

Assignee(s): (std): GARRIGOS RAMON OLIVARES ; OLIEQUIP S A ; OLIVARES GARRIGOS RAMON ; OLTEQUIP S A

Assignee(s): OLTEQUIP SA ; OLIEQUIP SA

Inventor(s): (std): OLIVARES GARRIGOS RAMON ; GARRIGOS RAMON OLIVARES

Agent(s): ISERN JARA NURIA ET AL; STURM AND FIX LLP

Designated states: AE AG AL AM AT AU AZ BA BB BE BF BG BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU CY CZ DE DK DM DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GW HR HU ID IE IL IN IS IT JP KE KG KM KN KP KR KZ LC LI LK LR LS LT LU LV LY MA MC MD MG MK ML MN MR MW MX MZ NA NE NG NI NL NO NZ OM PG PH PL PT RO RU SC SD SE SG SI SK SL SM SN SY SZ TD TG TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW

17) Family number: 40496368 (DE102007009741A1)

© PatBase

Title: OBJECT E.G. ROAD MAP, EXISTENCE AND ABSENCE MONITORING METHOD FOR USE IN E.G. PASSENGER CAR, INVOLVES OUTPUTTING INFORMATION IN FORM OF MESSAGE AND IN FORM OF ACOUSTIC OR OPTICAL ALARMS, BASED ON EXISTENCE OR ABSENCE OF OBJECTS

Abstract: The method involves checking the existence of transponders e.g. radio frequency identification (RFID) tags, that

are arranged at or in objects using a scanner. The objects are arranged in the interior of a vehicle (1). Information is output based on the existence or absence of the objects. The information is output in the form of a message at a display and in the form of acoustic or optical alarms. An independent claim is also included for a monitoring arrangement for checking the existence and/or absence of objects in a surrounding area e.g. interior of a vehicle.

Classifications:

International (IPC 8-9): B60R16/02 G08B21/24 (Advanced/Invention);
B60R16/02 G08B21/00 (Core/Invention)


CPC: B60R25/1001

European: B60R25/10A

PatBase - DE102007009741_A1

DE 10 2007 009 741 A1 2007.10.18

Anhängende Zeichnungen



66

Family:

Publication number	Publication date	Application number	Application date
DE102007009741 A1	20071018	DE200710009741	20070228

Priority:

DE200710009741 20070228

Probable Assignee: SIEMENS AG

Assignee(s): (std): SIEMENS AG

Inventor(s): (std): MEYER STEPHAN ; ANKLAM UWE

18) Family number: 42060544 (CN201085220Y)

© PatBase

Title: Anti-rob, anti-stealing bag for carrying in hand or on back capable of wearing

Abstract: The utility model discloses a wearable anti-robbing anti-theft backpack which is characterized in that: a shoulder back is respectively arranged on left and right section bodies with a plurality of bags, a zipper group is arranged on the main body and the shoulder back, the zipper group is provided with a first zipper head and a second zipper head, when the first zipper head the second zipper head move in the same direction, the left and right section bodies (also including the shoulder back) are enclosed to form a handbag for accommodating objects so as to be worn on the back; whereas, when the first zipper head and the second zipper head move in the opposite direction, the left and right section bodies and the shoulder back are in open state so as to form a waistcoat shape so as to be worn on the human body, therefore besides the convenience is added in use, all bags are arranged in the front of user when wearing the backpack, thereby reinforcing the effect of anti-robbing and anti-theft.


Classifications:

International (IPC 8-9): A45C13/00 A45C13/18

A45F3/00 (Advanced/Invention);

A45C13/00 A45F3/00 (Core/Invention)

PatBase - CN201085220_Y



Family:

Publication number	Publication date	Application number	Application date
--------------------	------------------	--------------------	------------------

Priority:

CN200720007905U 20070809


Probable Assignee: CAITONG CHI**Assignee(s):** (std): CAITONG CHI**Assignee(s):** CHI CAITONG**Inventor(s):** (std): CAITONG CHI ; LIWEI TIAN ; YINGJUN TIAN**Inventor(s):** TIAN LIWEI ; TIAN YINGJUN ; CHI CAITONG**19) Family number: 42144499** (DE202008005550U1)

© PatBase

Title: Taschen-Holster (Taschenholster) Bag Holster (Taschenholster) (Machine translation)

Abstract: Source: DE202008005550U1 [DE] (Claim 1) 1. Eine Tasche („Taschenholster“), die auf dem Körper achselnah getragen wird, dadurch gekennzeichnet, dass die Konstruktion des Taschenholsters ist dem Pistolenholster (bekannt auch als Achselholster) entlehnt, aber als symmetrischer Schulter-Nacken-Holster konstruiert. Während der Pistolenholster so konstruiert ist, dass die Waffentasche über nur eine Schulterseite und nur unter einer Achsel platziert ist (meistens links), hat der Taschenholster auf beide Achseln mehrere Taschen platziert, verbunden mit einem Schulter-Nackenteil das gepolstert ist.

Machine translation: (Claim 1) 1. A bag („Taschenholster“), which on the body is shoulder near carried, by it characterized that the construction of the Taschenholsters is the Pistolenholster (admits also as Achselholster) taken, but when symmetrical shoulder neck Holster designs. While the Pistolenholster is so designed that the weapon bag is placed over only one shoulder side and only under a shoulder (mostly left), has the Taschenholster on both shoulders several bags placed, connected with a shoulder neck part that padded is.

Classifications:**International (IPC 8-9):** F41C33/02 (Advanced/Invention)**CPC:** A45F3/14 A45F2003/148 F41C33/02 F41C33/046**European:** A45F3/14 F41C33/02 F41C33/04D K45F3/14S**Family:**

Publication number	Publication date	Application number	Application date
DE202008005550 U1	20080828	DE200820005550U	20080422

Priority:

DE200820005550U 20080422

Probable Assignee: ZUCKER WERNER**Assignee(s):** (std): ZUCKER WERNER**20) Family number: 43132519** (DE202009000081U1)

© PatBase


Title: Trageband oder Sicherungsspannband fuer Gepaeckstuecke und Taschen Stretcher volume or safeguard band for luggage items and bags (Machine translation)

Abstract: Source: DE202009000081U1 [DE] (Claim 1) 1. Trageband oder Sicherungsspannband fuer Gepaeckstuecke und Taschen (3) mit einem ueber die Schulter eines Traegers oder einer Traghilfe legbaren Band und an den Enden des Bandes befestigten Haltemitteln zur Befestigung an dem Gepaeckstueck oder der Tasche (3), dadurch gekennzeichnet, dass das Band von einem die Gewichtskraft aufnehmenden Basisband (1) und zumindest einem, mit dem Basisband (1) verbundenen, auf der Oberseite des Basisbandes (1) angeordneten Dekorationsband (2) gebildet ist.

Machine translation: (Claim 1) 1. Stretcher volume or safeguard band for luggage items and bags (3) marked by over the shoulder of a carrier or a carrying assistance putable a volume and at the ends of the volume fastened retaining means for attachment in the luggage item or the bag (3), by the fact that at least the volume is formed for 1), decoration volume (2), located connected, on the top side of the baseband (1), by a baseband (1) and one taking up the Gewichtskraft, with the

baseband (.

Classifications:
International (IPC 8-9): A45F3/14 (Advanced/Invention);
A45F3/00 (Core/Invention)
CPC: A45C13/30 A45F3/14
European: A45C13/30 A45F3/14



Family:

Publication number	Publication date	Application number	Application date
DE202009000081 U1	20090402	DE200920000081U	20090202

Priority:

DE200920000081U 20090202

Probable Assignee: ADRIAN DESIREE

Assignee(s): (std): ADRIAN DESIREE

21) Family number: 49385232 (DE202011100067U1) © PatBase

Title: Halterbare Tasche Owner-cash bag (Machine translation)

Abstract: Source: DE202011100067U1 [DE] Halterbare Tasche (1), umfassend – einen Taschenkoerper (10) mit einem Taschenboden (14) und mindestens zwei Seitenwaenden (12a, 12b); – mindestens eine mit dem Taschenkoerper (10) verbundene Trage-Einrichtung (16a); und – auf der Aussenseite des Taschenkoerpers (10) mindestens eine Aufnahme-Einrichtung (18) zur Aufnahme mindestens eines Taschen-Halters (20).

Machine translation: Owner-cash bag (1), comprehensively - a bag body (10) with one bag soil (14) and at least two side panels (12a, 12b); - at least one with the bag body (10) connected stretcher mechanism (16a); and - on the exterior of the bag body (10) at least one photograph mechanism (18) for the admission at least one bag owner (20).

Classifications:
International (IPC 8-9): A45C11/24 (Advanced/Invention)
CPC: A45C3/04 A45C7/0077 A45C13/004
European: A45C13/00E A45C3/04 A45C7/00D3

Family:

Publication number	Publication date	Application number	Application date
DE202011100067 U1	20110804	DE201120100067U	20110429

Priority:

DE201120100067U 20110429

Probable Assignee: REISENTHEL PETER

Assignee(s): (std): REISENTHEL PETER

Assignee(s): REISENTHEL


22) Family number: 51385159 (CN202283073U) © PatBase

Title: Waistcoat type split schoolbag

Abstract: The utility model discloses a waistcoat type split schoolbag, which comprises straps and two independent bags. The upper portions of the straps are longitudinal straps, the top end of each longitudinal strap is provided with a left shoulder strap extending towards the left side and a right shoulder strap extending towards the right side, the middles of the lower portions of the straps are furcal, and two edges of each furcal position respectively serve as a left side plate and a right side plate. One bag face is adhered to the outside of the left side plate, the periphery of the bag face and the edge of the left side plate are sewn to form a left bag, the other bag face is adhered to the outside of the right side plate, and the periphery of the other bag face and the edge of the right side plate are sewn to form a right bag. The front side edge of the left side plate and the front side edge of the right side plate are connected through a front tying strap. The left shoulder strap is connected with

the front upper corner position of the left side plate through a left upper tying strap, and the right shoulder strap is connected with the front upper corner position of the right side plate through a right upper tying strap. The waistcoat type split schoolbag adopts a symmetrical structure and the two bags are respectively arranged under the arms through the waistcoat type straps so that the waistcoat type split schoolbag can disperse the whole born weight reasonably and facilitate action and is safe and anti-theft.

Classifications:
International (IPC 8-9): A45C3/02 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
CN202283073 U	20120627	CN201120420234U	20111028

Priority:

CN201120420234U 20111028


Probable Assignee: YANG WU
Assignee(s): (std): YANG WU
Assignee(s): WU YANG
Inventor(s): (std): WU JUN ; YANG WU
Inventor(s): WU YANG

23) Family number: 54487545 (CN203072922U) © PatBase

Title: WAISTCOAT FOR MEN

Abstract: The utility model provides a waistcoat for men, relating to the technical field of clothes. The waistcoat comprises a body, a magnetic card bag mouth and a magnetic card concealed bag and is characterized in that the magnetic card concealed bag is arranged on the upper part on the left side of the body; and the magnetic card bag mouth is formed at the top of the magnetic card concealed bag and is a linear flat bag mouth. Along with wide application of the electronic magnetic cards, the magnetic cards bring great convenience for lives of people. People continuously use various magnetic cards in life, such as ID cards, China Union Pay cards, passes, bus cards, metro cards and train tickets. The magnetic cards are put in handbags, so some handbag buckles with magnetism can demagnetize the electronic cards. The magnetic cards are easy to bend if being put in the clothes bags. The magnetic cards are easy to demagnetize if being put together with other things in the clothes bags, such as mobile phones, in a mixing manner. Such magnetic tickets with soft textures as train tickets are difficultly input into train ticket detectors if not being well stored and being wrinkled. The waistcoat for men has the characteristic of preventing bending, theft and demagnetization and is convenient to use and popularize.

Classifications:
International (IPC 8-9): A41D1/00 A41D27/20 (Advanced/Invention)
CPC: A41D27/207



Family:

Publication number	Publication date	Application number	Application date
CN203072922 U	20130724	CN201320077998U	20130219

Priority:

CN201320077998U 20130219

Probable Assignee:

ZHONG LIMEI

Assignee(s): (std):

ZHONG LIMEI

Inventor(s): (std):

ZHONG LIMEI

24) Family number: 56088617 (GB2522279A)

© PatBase


Title: CLEVER BLAZER BAG

Abstract: A waistcoat (figure 1) with a series of inside pockets (9, figure 13) is convertible into a bottomless bag (figure 2) by connecting a series of buttons 5 with an associated series of button-holes 4. The device may have a half cross loop belt 2 and is covered with layers of fabric 3 which may serve to disguise the bulkiness of any items in the pockets. The device may also be fitted with zippers (6, figures 3 and 4) which enable the device to be converted into a short waistcoat and a min-skirt (figure 3) or two different style bags (figure 4). The device may be lined with a mesh fabric (8, figure 13).

Classifications:

International (IPC 8-9): A41D15/04 (Advanced/Invention)

CPC: A41D15/04



Family:

Publication number	Publication date	Application number	Application date
GB201401025 A0	20140305	GB20140001025	20140121
GB2522279 A1	20150722	GB20140001025	20140121

Priority:

GB20140001025 20140121

Probable Assignee: MELBOURNE JEANE S

Assignee(s): (std): MELBOURNE JEANE S ; MELBOURNE JEANE SUMUAL

Assignee(s): JEANE SUMUAL MELBOURNE

Inventor(s): (std): MELBOURNE JEANE SUMUAL

Inventor(s): JEANE SUMUAL MELBOURNE