





Fig. 2

Solución	Sac % conc.	R mg/l
R Maltosa	0	1,2
R Maltosa	0,5	2,7
R Maltosa	7,5	7,9
R Maltosa	24	34,6
R Maltosa	50	99,9
R Maltotriosa	0	1,2
R Maltotriosa	0,5	3,7
R Maltotriosa	7,5	14,6
R Maltotriosa	24	136,3
R Isomaltotriosa	0	1,2
R Isomaltotriosa	0,005	0,9
R Isomaltotriosa	0,05	1,8
R Maltotetraosa	0	1,2
R Maltotetraosa	0,005	1,2
R Maltotetraosa	0,05	2,0



Solución	Sacárido % conc..	R mg/l	Factor de aum. de solub.
R Ico	0	6,0	
R Ico	0,024	10,6	1,8
R Ico	0,24	15,2	2,5
R Ico	2,4	23,8	4,0
R Ico	7,5	115,3	19,2
R Ico	15	154,1	25,7
R Malto DE 16-19	0	6,0	
R Malto DE 16-19	0,024	9,5	1,6
R Malto DE 16-19	0,24	11,5	1,9
R Malto DE 16-19	2,4	28,4	4,7
R Malto DE 16-19	7,5	77,4	12,9
R Malto DE 16-19	24	599,6	99,9
R Malto DE 4-7	0	6,0	
R Malto DE 4-7	0,024	7,7	1,3
R Malto DE 4-7	0,24	8,7	1,5
R Malto DE 4-7	2,4	19,6	3,3
R Malto DE 4-7	7,5	21,2	3,5
R Malto DE 4-7	24	160,3	26,7





Fig. 3




Fig4