

Drug Lookup:

Browse: [Drugs](#) [Alt Meds](#)

Select formulary:

[Help](#)
[FDA Reporting Form](#)

Iclusig
ponatinib

Black Box Warnings

Arterial Occlusion
incl. fatal MI, stroke, intracranial large arterial vessel stenosis and severe PVD, occurred in at least 35% of pts; pts may experience >1 event type; seen in pts w/ and w/o cardiovascular risk factors, incl. pts <50 yo; monitor for s/sx of arterial occlusion; interrupt or D/C tx immediately if arterial occlusion develops; weigh risk/benefit prior to restarting tx

Venous Thromboembolism
occurred in 6% of pts; monitor for s/sx of venous thromboembolism; consider dose reduction or D/C tx if serious venous thromboembolism develops

Heart Failure
incl. fatal cases, occurred in 9% of pts; monitor cardiac fxn and interrupt or D/C tx if new or worsening heart failure occurs

Hepatotoxicity
incl. liver failure and death occurred; monitor LFTs and interrupt tx if hepatotoxicity suspected

Drug Monograph

- Entire Monograph
- [Black Box Warnings](#)
- [Adult Dosing](#)
- [Peds Dosing](#)
- [Contraindications/Cautions](#)
- [Drug Interactions](#)
- [Adverse Reactions](#)
- [Safety/Monitoring](#)
- [Pregnancy/Lactation](#)
- [Pharmacology](#)
- [Manufacturer/Pricing](#)
- [Patient Education](#)
- [Pill Pictures](#)
- [Add to Interaction Check](#)
- [Dosing Calculator](#)