

Search query (2): fn=(1644956 or 1644956 or 43832160 or 41657351 or 52543225 or 56781286 or 24049717 or 1644956 or 18007821 or 2979084 or 12434140 or 29349277 or 12275596 or 43954105 or 41657351 or 41657351 or 52543225 or 41657351 or 52212231 or 52212231 or 24049717 or 52824827 or 22877641 or 40973262 or 30944700 or 1227690)

Results: 18

Search history

Search pn=(US3991777) (Results 1)

1:

Search fn=(1644956 or 1644956 or 43832160 or 41657351 or 52543225 or 56781286 or 24049717 or 1644956 or 18007821 or 2979084 or 12434140 or 29349277 or 12275596 or 43954105 or 41657351 or 41657351 or 52543225 or 41657351 or 52212231 or 52212231 or 24049717 or 52824827 or 22877641 or 40973262 or 30944700 or 1227690) (Results 18)

1) Family number: 22877641 (US3062222A)

© PatBase

Title: LIPSTICK ATTACHMENT

Abstract: (Claim 1) 1. A lipstick dispenser including an elongated tube adapted to contain a lipstick and having at one end at least one projection extending substantially radially from said tube; and a tubular member surrounding said tube at said one end thereof and formed with a groove into which said projection extends for releasably fixing said tubular member to said tube, said tubular member extending beyond said tube and terminating in an end having an edge whose curvature serves to accurately guide the lipstick onto the lips.

Classifications:

International (IPC 8-9): A45D40/06 (Advanced/Invention);


A45D40/06 (Core/Invention)

International (IPC 1-7): A45D40/00

CPC: A45D40/06

European: A45D40/06

US: 132/320 401/193



Family:

Publication number	Publication date	Application number	Application date
US3062222 A	19621106	US19590855194	19591124

Priority:

US19590855194 19591124

Probable Assignee:

WHALEN QUINN ELIZABETH

Assignee(s): (std):

WHALEN QUINN ELIZABETH

Inventor(s): (std):

WHALEN QUINN ELIZABETH

Inventor(s):

QUINN ELIZABETH WHALEN

2) Family number: 40973262 (US3620632A)

© PatBase

Title: LIPSTICK AND SIMILAR HOLDER

Abstract: A lipstick or like holder is largely of the conventional kind having two relatively rotatable coaxial sleeves. The inner sleeve has an external operating knob and the outer sleeve is fitted by force into a metallic reinforcing and/or decorative tube. A godet for supporting the stick is slidable axially in the inner sleeve and has a lug extending through a slot in the inner sleeve and engaging a slot in the outer sleeve, one slot being longitudinal and the other helicoidal. In order to

prevent unwanted relative rotation of the sleeves and the consequent risk of the stick engaging the cover the invention provides an extension on the metallic tube beyond that end of the outer sleeve adjacent to the operating knob. There are then two opposed faces, one on the extension and the other on the inner tube. A boss or bosses on one of these faces exerts or exert a braking force on the other face.

Classifications:

International (IPC 8-9): A45D40/06 B65D83/00 (Advanced/Invention);
A45D40/06 B65D83/00 (Core/Invention)

International (IPC 1-7): A45D40/00 A45D40/02 A45D40/04
A45D40/06 A45D40/12 A45D40/26

CPC: A45D40/06


European: A45D40/06

US: 401/68 401/75 401/78

PatBase - US3620632_R

PATENTED NOV 16 1971

3.620.632



Family:

Publication number	Publication date	Application number	Application date
DE1948351 A1	19700521	DE19691948351	19690924
DE6937449 U	19711104	DE19690037449U	19690924
DE7305418 U	19730614	DE19730005418U	19730213
ES176931 U	19720901	ES19690176931U	19690923
ES176931 Y	19730801	ES19690176931U	19690923
ES188578 U	19740316	ES19730188578U	19730210
ES188578 Y	19740916	ES19730188578U	19730210
FR1589255 A	19700323		00000000
FR2176195 A6	19731026	FR19720008757	19720314
GB1278087 A	19720614	GB19690047883	19690930
GB1426645 A	19760303	GB19730006761	19730212
IT1045464 A	19800510	IT19730020137	19730207
JP48101282 A2	19731220	JP19730023022	19730226
SE346905 B	19720724	SE19690013348	19690929
US3620632 A	19711116		00000000
US3850183 A	19741126	US19730333631	19730220

Priority:

FR19680169355 19681010

FR19720008757 19720314

Probable Assignee:

EJECTORET SA

Assignee(s): (std):

EJECTORET S A ; EJECTORET SA

Assignee(s):

EJECTORET SA CH ; EJECTORET CH SA

Inventor(s): (std):

GRUSKA R ; GRUSKA RALPH

Inventor(s):

RALPH GRUSKA ; GRUSKA R FR

3) Family number: 30944700 (US3913595A)

© PatBase

Title: COSMETIC CASE

Abstract: In a case for a stick of cosmetic material such as lipstick, the stick fits closely in a tubular casing open at both ends, the stick being advancable to extend its front end from the front end of the casing as the stick is worn away by a slide member extending through the other end of the casing and engaging the other end of the stick, the slide member, engaging the major part of the end surface of the stick. The casing and slide member are mounted in the remainder of the case for relative longitudinal movement and the casing is detachable for replacement by one containing a fresh stick. The tubular casing with the cosmetic stick is also retractable within an outer portion of the case by relative rotation of two case parts.

Classifications:

International (IPC 8-9): A45D40/04 A45D40/06 A45D40/16

A45D40/26 (Advanced/Invention);

A45D40/00 A45D40/02 A45D40/06 A45D40/26 (Core/Invention);

A45D (Subclass/Invention)


International (IPC 1-7): A45D A45D40/02 A45D40/04 A45D40/06

A45D40/14 A45D40/16 A45D40/20 A45D40/26

CPC: A45D40/04

European: A45D40/04

US: 132/88.7 401/75 401/78 401/88

**Family:**

Publication number	Publication date	Application number	Application date
BE814703 A	19740902	BE19740144045	19740508
CA1001583 A1	19761214	CA19740198936	19740503
CH588836 A	19770615	CH19740005964	19740502
DE2421971 A1	19741205	DE19742421971	19740507
ES191470 U	19740716	ES19730191470U	19730514
ES191470 Y	19741216	ES19730191470U	19730514
ES191471 U	19740716	ES19730191471U	19730514
ES191471 Y	19741216	ES19730191471U	19730514
ES191472 U	19740716	ES19730191472U	19730514
ES191472 Y	19741216	ES19730191472U	19730514
ES191473 U	19740716	ES19730191473U	19730514
ES191473 Y	19741216	ES19730191473U	19730514
ES195683 U	19750201	ES19730195683U	19730928
ES195683 Y	19750716	ES19730195683U	19730928
FR2229364 A1	19741213	FR19740016729	19740508
FR2229364 B1	19790525	FR19740016729	19740508
GB1460504 A	19770106	GB19740020155	19740507
IT1011825 A	19770210	IT19740068397	19740506
JP50015660 A2	19750219	JP19740051368	19740510
NL7406107 A	19741118	NL19740006107	19740507
US3913595 A	19751021	US19740466019	19740501

Priority:

US19740487309 19740710

Probable Assignee: VCA CORP
Assignee(s): (std): VCA CORP
Inventor(s): (std): HAYES THOMAS H ; OSTROWSKY EFREM

Title: Lipstick container

Abstract: A lipstick container comprising a cylinder having a rotatable knob on one end and an opening at the opposite end. The cylinder is comprised of an opaque lower section and a transparent shield which extends from the top of the lower section to the cylinder opening. A lipstick is movably disposed inside the cylinder. The relative position of the lipstick with respect to the cylinder is controlled by rotation of the knob, and for application, the lipstick is moved so that a top portion of the lipstick extends outside the cylinder. For storage, the lipstick is selectively moved to its lowest position so that all of the lipstick is inside the cylinder below the level of the opening. In this storage position, the top portion of the lipstick remains above the lower section of the cylinder and, therefore, is visible through the transparent shield. In this storage position, a transparent cover is put on over the cylinder and the shield protects the lipstick from coming in contact with the cover. In addition, as both the cover and shield are transparent, the color of the lipstick can be determined without the need for removing the cover and moving the lipstick.

Classifications:


International (IPC 8-9): A45D40/04 A45D40/06 (Advanced/Invention)

International (IPC 1-7): A45D40/04 A45D40/06 A45D40/30

CPC: A45D40/04 A45D40/06 A45D2040/0062

European: A45D40/04 A45D40/06 K45D40/00L6

US: 132/320 132/88.5 401/192 401/59 401/78 401/98



Family:

Publication number	Publication date	Application number	Application date
DE2749088 A1	19781012	DE19772749088	19771102
DE2749088 C2	19850926	DE19772749088	19771102
FR2386282 A1	19781103	FR19770034797	19771118
FR2386282 B1	19831028	FR19770034797	19771118
GB1552081 A	19790905	GB19770044360	19771025
US4579134 A	19860401	US19820361855	19820325

Priority:

US19770784554 19770404 US19770831371 19770908 US19820361855 19820325

Probable Assignee: BRIDGEPORT METAL GOODS MFG CO

Assignee(s): (std): BRIDGEPORT METAL GOODS MFG CO

Assignee(s): CENTURY BUSINESS CREDIT CORP ; THE BRIDGEPORT METAL GOODS MANUFACTURING CO ; THE BRIDGEPORT METAL GOODS MANUFACTURING CO BRIDGEPORT CONN US ; WELLS FARGO CREDIT INC ; BRIDGEPORT METAL GOODS MANUFACTU

Inventor(s): (std): MOORE ARTHUR H

Inventor(s): H MOORE ARTHUR

Title: Cosmetic applicator with transparent container portion

Abstract: The invention contemplates a propel-repel container for cosmetic or the like substance wherein the color of the substance may be externally viewable at a location near the point of cosmetic-substance support, without requiring the container to be opened or the substance to be propelled from its retracted position within the container.

Classifications:


International (IPC 8-9): A45D40/06 (Advanced/Invention);
A45D40/06 (Core/Invention)

International (IPC 1-7): B43K5/12

CPC: A45D40/06

European: A45D40/06

US: 132/320 401/192 401/194 401/78 401/98



Family:

Publication number	Publication date	Application number	Application date
US4208144 A	19800617	US19790026755	19790403
USRE31021 E	19820831	US19810234574	19810213

Priority:

US19790026755 19790403 US19810234574 19810213

Probable Assignee: EYELET SPECIALTY CO

Assignee(s): (std): EYELET SPECIALTY CO

Assignee(s): EYELET SPECIALTY CO INC

Inventor(s): (std): KLIMECK EDWARD F ; IDEC ERIC J ; HULTGREN ERIC A

7) Family number: 18007821 (US4884912A) © PatBase

Title: Make-up applicator having a replaceable product cartridge

Abstract: An applicator for lipstick comprises means for fastening (a) the base member of the inner tubular casing of the assembly forming the displacement actuating assembly, to (b) the base of an outer case to be held by the operator, so that the base member and base execute conjoint rotation. The fastening means comprise a jacket arranged between the inner tubular casing and the base.

Classifications:


International (IPC 8-9): A45D40/12 (Advanced/Invention)

International (IPC 1-7): A45D40/00 A45D40/04 A45D40/06
A45D40/12 A45D40/18 B05C17/00 B65D83/00 B65D85/72

CPC: A45D40/06

European: A45D40/06

US: 401/68 401/78 401/86

**Family:**

Publication number	Publication date	Application number	Application date
DE3633600 A1	19870409	DE19863633600	19861002
DE3633600 C2	19970227	DE19863633600	19861002
ES2001311 AF	19880501	ES19860002356	19861002
FR2588167 A1	19870410	FR19850014667	19851003
FR2588167 B1	19880108	FR19850014667	19851003
GB2181110 A1	19870415	GB19860021831	19860910
GB2181110 B2	19891004	GB19860021831	19860910
GB8621831 A0	19861015	GB19860021831	19860910
IT8653904 U0	19861002	IT19860053904U	19861002
IT8667748 A0	19861002	IT19860067748	19861002
JP2043548 C3	19960409	JP19860234739	19861003
JP62087106 A2	19870421	JP19860234739	19861003
JP7053129 B4	19950607	JP19860234739	19861003
US4884912 A	19891205	US19860908202	19860917

Priority:

FR19850014667 19851003

Probable Assignee: LOREAL SA**Assignee(s):** (std): OREAL ; LOREAL SA**Assignee(s):** OREAL L ; LOREAL ; L'OREAL A FRENCH JOINT STOCK ; L OREAL ; L OREAL A FRENCH JOINT STOCK ; L OREAL PARIS FR ; L OREAL SA**Inventor(s):** (std): JEAN LOUIS GUERET ; JIAN RUI GERE ; GUERET JEAN LOUIS ; GUERET JEAN LOUIS H ; GUERET JAN LOUIS**Inventor(s):** JAN LOUIS GUERET ; GUERET JEAN LOUIS PARIS FR**8) Family number: 2979084 (US5027838A)**

© PatBase

Title: Cosmetic applicator brush

Abstract: A cosmetic applicator is provided having a brush with radially adjustable length bristles. The applicator includes a brush head, a shaft and a sleeve. The brush head has an elongated brush stem with a plurality of bristle tufts circumferentially attached radiating outwardly therefrom. A plurality of slots are provided in an end of the sleeve through which the bristle tufts are forced to protrude. The brush head and shaft to which the latter is attached are held within the sleeve. Upon rotation, the bristle tufts can wind or unwind, depending upon direction of rotation, around the brush stem. In this manner, the effective outward radial length of each bristle tuft can be rendered adjustable.

Classifications:**International (IPC 8-9):** A45D34/04 A45D40/26 A46B11/00

A46B15/00 A46B9/10 (Advanced/Invention);

A45D34/04 (Advanced/Non-invention);

A45D34/04 A45D40/26 A46B11/00 A46B15/00

A46B9/00 (Core/Invention)

International (IPC 1-7): A45D34/04 A45D34/4 A45D40/26

A45D40/30 A46B11/0 A46B15/0 A46B7/02 A46B9/10

CPC: A45D40/265**European:** A45D40/26C2**US:** 132/218 132/320




FIG. 1




FIG. 2

Family:

Publication number	Publication date	Application number	Application date
AT103476 E	19940415	AT19910304245T	19910510
AU199176489 A1	19911114	AU19910076489	19910510
AU642249 B2	19931014	AU19910076489	19910510
BRPI9101949 A	19911217	BR1991PI01949	19910513
CA2041918 AA	19911115	CA19912041918	19910507
DE69101515 D1	19940505	DE19916001515	19910510
DE69101515 T2	19940714	DE19916001515T	19910510
EP0458496 A1	19911127	EP19910304245	19910510
EP0458496 B1	19940330	EP19910304245	19910510
ES2050506 T3	19940516	ES19910304245T	19910510
JP4231008 A2	19920819	JP19910204989	19910514
KR19910019558 A	19911219	KR19910007608	19910511
KR950011850 B1	19951011	KR19910007608	19910511
US5027838 A	19910702	US19900523452	19900514
ZA9103637 A	19930127	ZA19910003637	19910514

Priority:

US19900523452 19900514 CA19912041918 19910507 EP19910304245 19910510

Probable Assignee: UNILEVER NV

Assignee(s): (std): CHESEBROUGH POND S USA CO DIVI ; CHESEBROUGH PONDS USA ; UNILEVER NV ; UNILEVER PLC

Assignee(s): UNILEVER N V ROTTERDAM NL ; UNILEVER N V ROTTERDAM ; CHESEBROUGH POND'S USA CO ; IAIA MARK J ; WHEATON RANDY ; UNILEVER N V ; CHESEBROUGH POND'S USA CO ; CHESEBROUGH POND S USA CO DIVISION OF CONOPCO INC ; CHESEBROUGH POND S U CO SA ; CHESEBROUGH POND S USA CO

Inventor(s): (std): HUTON LANDY ; IAIA MARK J ; MAAKU JIEI IAIA ; WHEATON RANDY ; MARK J IAIA ; RANDEI HOITON ; RANDY WHEATON

Inventor(s): WHEATON RANDY DANBURY CONNECTICUT 06811 US ; WHEATON RANDY DANBURY CONNECTICUT 06811 ; IAIA MARK J PEARL RIVER NEW YORK 10965 US ; IAIA MARK J PEARL RIVER NEW YORK 10965

Agent(s): UNILEVER AUSTRALIA LTD; BERESKIN AND PARR; KAWAGUCHI YOSHIO

Designated states: AT BE CH DE DK ES FR GB GR IT LI NL SE

9) Family number: 12434140 (US5499747A)

© PatBase

Title: Retractable carrier for, and in combination with, a vial-type fluid dispenser

Abstract: A cylindrical base slidably receives a sleeve which has spiral trackways formed therein. Pins projecting from the base, into the trackways, cause the sleeve to rise through the base, and to project outwardly from the base, when an apertured cap, which is coupled to the base, and the base are rotated therebetween. The sleeve receives a vial of fluid (viz.: perfume) which has an atomizing cap. Consequently, with elevation of the sleeve, through the base, the atomizing cap of the vial is exposed for operation. A reverse rotation causes the vial and sleeve to retract into the base, and the atomizing cap sealingly closes off the aperture of the carrier.

Classifications:


International (IPC 8-9): A45D40/06 B65D83/14 (Advanced/Invention); A45D40/06 B65D83/14 (Core/Invention)

International (IPC 1-7): B65D85/20 B67D5/64

CPC: A45D40/06 B65D83/384

European: A45D40/06 B65D83/14L5

US: 132/320 206/446 222/167 222/182 401/116

**Family:**

Publication number	Publication date	Application number	Application date
US5499747 A	19960319	US19940243217	19940516

Priority:

US19940243217 19940516

Probable Assignee: QUENNESSEN BERNARD R**Assignee(s):** (std): QUENNESSEN BERNARD R**Inventor(s):** (std): QUENNESSEN BERNARD R**10) Family number: 29349277** (US6030136A)

© PatBase

Title: Expendable mass retention devices for expellant holders

Abstract: The present invention provides retention devices for securing an expendable mass, e.g., lipsticks, deodorants, anti-perspirants, glue or the likes, to an expellant holder by providing one or more spikes fixedly attached to a receiving cup of the expellant holder such that the one or more spikes penetrate the expendable mass to anchor the mass to the receiving cup.

Classifications:**International (IPC 8-9):** A45D40/02 A45D40/04

A45D40/06 (Advanced/Invention);


A45D40/02 (Advanced/Non-invention);

A45D40/02 A45D40/06 (Core/Invention)

International (IPC 1-7): A45D40/02 A45D40/04 A45D40/06

B43K21/08

CPC: A45D40/06 A45D2040/0062**European:** A45D40/06 K45D40/00L6**US:** 401/78 401/87

**Family:**

Publication number	Publication date	Application number	Application date
AT219638 E	20020715	AT19960912583T	19960405
AU199655356 A1	19961030	AU19960055356	19960405
AU693689 B2	19980702	AU19960055356	19960405
CA2192657 AA	19961211	CA19962192657	19960405
CA2192657 C	20011002	CA19962192657	19960405
DE69621999 D1	20020801	DE19966021999	19960405
DE69621999 T2	20030130	DE19966021999T	19960405
DK0771161 T3	20021021	DK19960912583T	19960405
EP0771161 A1	19970507	EP19960912583	19960405
EP0771161 A4	19980923	EP19960912583	19960405
EP0771161 B1	20020626	EP19960912583	19960405
ES2177782 T3	20021216	ES19960912583T	19960405
IL117852 A0	19960804	IL19960117852	19960408

IL117852 A1	20000726	IL19960117852	19960408
JP10504994 T2	19980519	JP19960531068T	19960405
JP3061645 B2	20000710	JP19960531068T	19960405
PT771161 T	20021129	PT19960912583T	19960405
US6030136 A	20000229	US19980009418	19980120
WO9632031 A1	19961017	WO1996US04698	19960405
ZA9602935 A	19960828	ZA19960002935	19960412

Priority:

US19950421657 19950413 WO1996US04698 19960405 US19980009418 19980120

Probable Assignee: ESTEE LAUDER COMPANIES

Assignee(s): (std): ESTEE LAUDER CO ; ESTEE LAUDER COMPANIES

Assignee(s): ESTEE LAUDER COMPANIES INC ; WARGO JOSEPH S ; ESTEE LAUDER CO NEW YORK ; BENNETT HAROLD E

Inventor(s): (std): BENNETT HAROLD E ; WARGO JOSEPH S ; JOSEPH S WARGO ; HAROLD E BENNETT

Agent(s): PHILLIPS ORMONDE FITZPATRICK; OSLER HOSKIN AND HARCOURT LLP; REINHOLD COHN AND PARTNERS; DR SHLOMO COHEN AND CO

Designated states: AL AM AT AU AZ BB BE BF BG BJ BR BY CA CF CG CH CI CM CN CZ DE DK EE ES FI FR GA GB GE GN GR HU IE IS IT JP KE KG KP KR KZ LI LK LR LS LT LU LV MC MD MG MK ML MN MR MW MX NE NL NO NZ PL PT RO RU SD SE SG SI SK SN SZ TD TG TJ TM TR TT UA UG UZ VN

11) Family number: 12275596 (US6068421A)

© PatBase

Title: Protective shell for a cosmetic container

Abstract: A protective shell for a cosmetic container including a tubular topshell and a tubular baseshell for maintaining the moisture level of a cosmetic housed therein. The tubular topshell and tubular baseshell each include a mating portion and a mating member. The mating portion of the topshell is defined by an outwardly tapered sidewall portion. The mating portion of the baseshell is defined by an inwardly tapered sidewall portion. The topshell is placed on the baseshell and a seal is formed between the mating portions. The topshell mating member according to one embodiment is defined by a circumferential rib and the baseshell mating member is defined by a circumferential channel which receives the topshell rib. According to a second embodiment, the topshell mating member is defined by a circumferential band of depending projections and the baseshell mating member is defined by a circumferential band of upending projections for mating with the topshell depending projections. The mating members further seal the protective shell, provide a tactile indicator that the topshell is mated with the baseshell, and prevents unintentional removal of the topshell.

Classifications:

International (IPC 8-9): A45C13/00 A45D40/00

A45D40/06 (Advanced/Invention);

A45C13/00 A45D40/00 A45D40/06 (Core/Invention)


International (IPC 1-7): A45D34/00 A45D40/00 A45D40/04

CPC: A45C13/008 A45D40/06

European: A45C13/00W A45D40/06

US: 220/796 401/78 401/98

PatBase - US6068421_A



Family:

Publication number	Publication date	Application number	Application date
BRPI9903835 A	20000829	BR1999PI03835	19990825
EP1018311 A2	20000712	EP19990402086	19990819
EP1018311 A3	20000816	EP19990402086	19990819
JP2000083728 A2	20000328	JP19990237714	19990825

Priority:

US19980139421 19980825

Probable Assignee: REXAM COSMETIC PACKAGING INC**Assignee(s):** (std): REXAM COSMETIC PACKAGING INC**Inventor(s):** (std): ROBERT L PIAPONT ; PIERPONT ROBERT L**Inventor(s):** ROBERT L PIERPONT**Designated states:** AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE**12) Family number: 41657351 (US2008152418A)**

© PatBase

Title: COSMETIC CONTAINER WITH COLOR INSERT

Abstract: A container for holding cosmetics which has a colored insert configured to indicate the color of a cosmetic product contained in the container. A method of replacing a lipstick cartridge comprising replacing a lipstick cartridge with a replacement lipstick cartridge and inserting a replacement colored insert in the cap of the lipstick container.


Classifications:**International (IPC 8-9):** A45D33/00 A45D34/00 A45D40/00

A45D40/14 A45D40/18 A45D40/20 B43K21/08 B43K23/00

B43K5/12 (Advanced/Invention);

A45D33/00 A45D34/00 A45D40/00 B43K21/00

B43K23/00 (Core/Invention)

International (IPC 1-7): A45D40/00**CPC:** A45D40/16 A45D2200/052 A45D40/00**European:** A45D40/00 K45D200/05D K45D40/16**US:** 401/194 401/61 401/61P 401/78 401/78S 401/98 401/98P
D28/88 D9/504**Locarno class:** 28/03 28/02 09/01**Family:**

Publication number	Publication date	Application number	Application date
AR064506 AA	20090408	AR2007P105871	20071221
AT505104 E	20110415	AT20070869836T	20071221
BRPI0720997 A2	20140318	BR2007PI20997	20071221
BRPI0720997 B1	20180313	BR2007PI20997	20071221
CA120967 S	20090226	CA20070120967F	20070604
CA2672493 AA	20080703	CA20072672493	20071221
CA2672493 C	20120710	CA20072672493	20071221
CN101594803 A	20091202	CN200780047428	20071221
CN101594803 B	20120627	CN200780047428	20071221
CN300789954 D	20080611	CN200730146477F	20070515
DE602007013948 D1	20110526	DE200760013948T	20071221
EA016753 B1	20120730	EA20090000825	20071221
EA200900825 A1	20091030	EA20090000825	20071221
EP2124670 A2	20091202	EP20070869836	20071221
EP2124670 B1	20110413	EP20070869836	20071221
ES2364741 T3	20110913	ES20070869836T	20071221
KR101239093 B1	20130306	KR20097014106	20071221
KR20100014301 A	20100210	KR20097014106	20071221
MX2009006792 A1	20091029	MX20090006792	20071221
TW200847965 A	20081216	TW20070149585	20071221
TWD125992 S1	20081111	TW20070302609F	20070510
US2008152418 AA	20080626	US20070750546	20070518
US2012063834 AA	20120315	US20110302737	20111122
US8083427 BB	20111227	US20070750546	20070518
US8197151 BB	20120612	US20110302737	20111122
USD565797 S1	20080401	US20060275360F	20061221
WO08080130 A2	20080703	WO2007US88713	20071221
WO08080130 A3	20080918	WO2007US88713	20071221

Priority:

US20060275360F 20061221

US20070750546 20070518

WO2007US88713 20071221

US20110302737 20111122


Probable Assignee: MARY KAY INC
Assignee(s): (std): MADDY TIMOTHY ; MARY KAY INC ; MARY KAY INC US
Inventor(s): (std): MADDY TIMOTHY ; TIMOTHY MADDY
Agent(s): BERESKIN AND PARR LLP SENCRL SRL; UEXKUELL AND STOLBERG; FULBRIGHT AND JAWORSKI LLP; KRAWZSENEK MICHAEL R
Designated states: AE AG AL AM AT AU AZ BA BB BE BF BG BH BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IS IT JP KE KG KM KN KP KR KZ LA LC LI LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PG PH PL PT RO RS RU SC SD SE SG SI SK SL SM SN SV SY SZ TD TG TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

13) Family number: 43832160 (FR2929493B) © PatBase

Title: DISPOSITIF DE PROTECTION POUR PATE COSMETIQUE VISIBLE

Abstract: The device has a transparent bottle (2) opened on an end (2') with an interior fillet (2a) to receive a movable closure (3) with double function of bottle closure and mechanism of tube of cosmetic pomade (7), which is in an exit position of the mechanism when the closure is screwed on the bottle and in an enter position when the closure is unscrewed. Rotation movement exerts on the closure giving priority to screwing the pomade in the closure in the enter position and permitting unscrewing of the closure from the bottle when the pomade is protected in the mechanism belonging to the bottle.

Classifications:
International (IPC 8-9): A45D40/06 (Advanced/Invention);
A45D40/06 (Core/Invention)
CPC: A45D40/06 A45D2040/0018
European: A45D40/06 K45D40/00I



Family:

Publication number	Publication date	Application number	Application date
FR2929493 A1	20091009	FR20080001905	20080404
FR2929493 B1	20100423	FR20080001905	20080404

Priority:
FR20080001905 20080404


Probable Assignee: DJ PACK SARL
Assignee(s): (std): DJ PACK ; DJ PACK SARL
Assignee(s): DJ PACK SOC A RESPONSABILITE LIMITEE ; DJ PACK SOCIETE A RESPONSABILITE LIMITEE
Inventor(s): (std): DEMELLIER STEPHANE
Inventor(s): STEPHANE DEMELLIER
Agent(s): DJ PACK

Title: DOCKING STATION FOR A LIQUID CONTAINER INCLUDING A LIQUID DISPENSER

Abstract: A docking station for use with a liquid container which supports the container in a convenient fixed location. The docking station is designed to accept a liquid container having a predetermined height and diameter. The docking station includes a cam operated actuator which is movable between an upper "open" position to a lower "closed" position. When the actuator is moved to its lower closed position, the actuator opens a valve in the liquid container to permit liquid to be drawn from the container. When the actuator is in its upper position, the valve in the container is closed. A manually controlled dispenser is mounted on the upper end of the docking station which is in communication with a source of water under pressure and the liquid being drawn from the container so as to mix the same and to dispense the same.

Classifications:

International (ipc 8-9): B65D88/54 B67D5/06 B67D5/60 B67D5/64 B67D7/06 B67D7/78 B67D7/84 (Advanced/Invention); B67D7/06 B67D7/78 B67D7/84 (Core/Invention)
CPC: Y10T137/87973 B67D7/0288 B67D7/74 B67D7/02
European: B67D7/02 B67D7/02G B67D7/74
US: 137/614.06 141/346 141/348 222/153.04 222/182 222/325 222/402.14 222/464.1 222/464.100S 251/149.9



Family:

Publication number	Publication date	Application number	Application date
US2009272766 AA	20091105	US20090380720	20090303
US7631783 BA	20091215	US20060451215	20060612
US7854354 BB	20101221	US20090380720	20090303

Priority:

US20060451215 20060612 US20090380720 20090303

Probable Assignee: RL INNOVATIONS LLC

Assignee(s): (std): LAIBLE RODNEY

Assignee(s): MUTUAL OF OMAHA BANK ; RL INNOVATIONS LLC


Inventor(s): (std): LAIBLE RODNEY

Agent(s): THOMTE LAW OFFICE LLC; THOMTE PATENT LAW OFFICE LLC; DENNIA L; DENNIS L

Title: COSMETIC CONTAINER

Abstract: The design consists of the features of the shape and configuration of the cosmetic container shown in the drawings; wherein Figures 1 to 3 show a first variant of the cosmetic container; and Figures 4 to 6 show a second variant of the cosmetic container. The portions shown in broken lines are for illustration purposes only and form no part of the design. Fig. 1 is a top perspective view of the cosmetic container; Fig. 2 is a side view of the cosmetic container; Fig. 3 is a top view of the cosmetic container; Fig. 4 is a top perspective view of the cosmetic container; Fig. 5 is a side view of the cosmetic container; and Fig. 6 is a top view of the cosmetic container.

Classifications:
US: D28/88
Locarno class: 28/02 09/01 28/03



Family:

Publication number	Publication date	Application number	Application date
CA143525 S	20120628	CA20110143525F	20111205
CN302229432 S	20121212	CN201130471701F	20111212
TWD149891 S1	20121021	TW20110306757F	20111209
USD692184 S1	20131022	US20110406226F	20111110
USD703384 S1	20140422	US20130467615F	20130920

Priority:

US20110406226F 20111110 US20130467615F 20130920

Probable Assignee: MARY KAY INC

Assignee(s): (std): DASARO KRISTIN ; DEMARCO JENNY ; MARY KAY INC

Inventor(s): (std): DASARO KRISTIN ; DEMARCO JENNY

Agent(s): BERESKIN AND PARR LLP SENCRL SRL; FULBRIGHT AND JAWORSKI LLP


16) Family number: 52543225 (US2014003855A)
© PatBase

Title: RETRACTABLE WRITING AND ERASING PIECE AGAINST SLIDING BACK

Abstract: A retractable writing/erasing piece against sliding back is provided, including a holding pipe, an internal pipe, a sleeve pipe, a slide base and a writing/erasing piece. At least a pair of stepped guide grooves is disposed on a pipe wall of the internal pipe and the stepped guide grooves have multiple guide groove windows. At least a pair of spiral guide slots is disposed on an internal wall of the sleeve pipe. At least a pair of guide protrusions is disposed on the slide base. The pair of guide protrusions is contained in the pair of spiral guide slots. The guide protrusions are abutted against a blocking wall of a guide groove window therein, so that an accident sliding back of the writing/erasing piece and the slide base can be avoided.

Classifications:

International (IPC 8-9): A45D40/04 A45D40/06 A45D40/12
 B43K21/08 B43K23/016 B43K24/00 B43K24/04 B43K24/06
 B43L19/00 (Advanced/Invention)
CPC: B43K24/00 A45D40/04 A45D40/12 B43K24/04 B43K24/06
 B43L19/0081
US: 401/78 401/84 401/99

**Family:**

Publication number	Publication date	Application number	Application date
JP3184743 U	20130711	JP20130002455U	20130502
TWM442935 Y	20121211	TW20120212762U	20120702
US2014003855 AA	20140102	US20130846808	20130318
US8905665 BB	20141209	US20130846808	20130318

Priority:

TW20120212762U 20120702

Probable Assignee:

LION PENCIL CO LTD

Assignee(s): (std):

LION PENCIL CO LTD

Assignee(s):

LION PENCIL CO

Inventor(s): (std):

CHANG HUNG JEN

Inventor(s):

CHANG HUNGJEN

Agent(s):

MERCHANT AND GOULD PC

17) Family number: 52824827 (US2013020218A)

© PatBase

Title: HOLDER FOR CONCEALED TOOTH CLEANING IMPLEMENT

Abstract: The present invention is a disguised holder or case that appears to be a lipstick application dispenser but has there within a dental scaler concealed in a faux lipstick tube. The device is designed to fool an observer into believing that the user is applying lipstick rather than picking at or removing food between teeth and therefore can be used by a person in public places.

Classifications:**International (IPC 8-9):** A45D40/00 A45D40/18 A61C A61C15/00

A61C15/02 A61C3/02 B65D B65D85/20

B65D85/24 (Advanced/Invention);

A45D40/00 (Advanced/Non-invention);

B65D (Subclass/Invention)

CPC: A61C3/02 A61C15/02 A46B2200/108 A45D40/04 A45D40/18

A45D40/00

US: 1/1 132/321 132/328 132/329 206/349 206/380

**Family:**

Publication number	Publication date	Application number	Application date
AU2016296081 AA	20170126	AU20160296081	20160325
BR112017020418 A2	20180605	BR20171120418	20160325
CA2980568 AA	20170921	CA20162980568	20160325
CO20170010818 A2	20180105	CO20170010818	20171024
EP3273904 A2	20180131	EP20160828160	20160325
EP3273904 A4	20180912	EP20160828160	20160325
HK1249082 A1	20181026	HK20180108699	20180705
IL254637 A0	20171130	IL20160254637	20160325
MX2017012291 A1	20180620	MX20170012291	20160325
US2013020218 AA	20130124	US20120551901	20120718
US2015164623 AA	20150618	US20150621834	20150213
US2016199162 AA	20160714	US20160079471	20160324
US8973590 BB	20150310	US20120551901	20120718
US9387058 BB	20160712	US20150621834	20150213
WO17014813 A2	20170126	WO2016US24161	20160325
WO17014813 A3	20170420	WO2016US24161	20160325
ZA201707088 A	20181031	ZA20170007088	20171019


Priority:

US20110508748P 20110718	US20120551901 20120718	US20150621834 20150213
US20150138649P 20150326	US20150168417P 20150529	US20150207623P 20150820
US20150244317P 20151021	US20160079471 20160324	WO2016US24161 20160325

Probable Assignee: G AND E INT LLC**Assignee(s):** (std): BRILLIANT JO ANNE ; BRILLIANT MARGO ; G AND E INT LLC ; SCHWARTZ ROBERT M**Inventor(s):** (std): BRILLIANT JO ANNE ; BRILLIANT MARGO ; JO ANNE BRILLIANT ; MARGO BRILLIANT ; SCHWARTZ ROBERT M ; SCHWARTZ M ROBERT ; ROBERT M SCHWARTZ**Inventor(s):** SCHWARTZ M ; ROBERT SCHWARTZ M**Agent(s):** WRAYS PTY LTD; BERESKIN AND PARR LLP SENCRL SRL; ANDREA TOBOS MATEUS; FRKELLY; CHANG TSI AND PARTNERS INTELLECTUAL PROPERTY HK LTD; ROBERT M; SCHWARTZ ROBERT M**Designated states:** AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JP KE KG KM KN KP KR KZ LA LC LI LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW**18) Family number: 56781286** (US2014175131A)

© PatBase

Title: CONTENT DISPENSING CONTAINER APPARATUS**Abstract:** A content dispensing package apparatus configured to elevate contents for immediate dispensing to the user, the user able to raise the contents from outside an outer container.**Classifications:****International (IPC 8-9):** B65D83/00 G01F11/00 (Advanced/Invention)**CPC:** B65D83/0027 B65D83/0005**US:** 222/1 222/386 222/390 222/405 222/46

**Family:**

Publication number	Publication date	Application number	Application date
US2014175131 AA	20140626	US20120723719	20121221
US2016130069 AA	20160512	US20160997279	20160115

Priority:

US20120723719 20121221 US20160997279 20160115

Probable Assignee:

ABRAMS DAVID

Assignee(s): (std):

ABRAMS DAVID

Inventor(s): (std):

ABRAMS DAVID