

FIG. 8a Blautix 10/12 presenta reducción en hidrógeno (83%)

	DÍA 1	DÍA 2	PROMEDIO	DÍA 15	DÍA 16	PROMEDIO		DIF
ID del paciente	C MAX	C MAX		C MAX	C MAX			C MAX
3.02	123.0	94.0	108.5	34.0	74.0	54.0		-54.5
3.04	70.0	32.0	51.0	25.0	46.0	35.5		-15.5
3.05	163.0	116.0	139.5	167.0	111.0	139.0		-0.5
3.07	71.0	69.0	70.0	46.0	80.0	63.0		-7.0
3.09	121.0	76.0	98.5	66.0	65.0	65.5		-33.0
3.11	75.0	98.0	86.5	128.0	76.0	102.0		15.5
3.13	118.0	41.0	79.5	85.0	59.0	72.0		-7.5
3.15	155.0	99.0	127.0	63.0	87.0	75.0		-52.0
3.17	134.0	210.0	172.0	139.0	107.0	123.0		-49.0
3.19	72.0	53.0	62.5	87.0	85.0	86.0		23.5
3.21	144.0	139.0	141.5	75.0	126.0	100.5		-41.0
3.22	59.0	71.0	65.0	55.0	34.0	44.5		-20.5
Promedio	108.8	91.5	100.1	80.8	79.2	80.0		-20.1
SD	37.3	48.4		43.5	26.7			26.2
Mediana	119.5	85.0		70.5	78.0			-18.0
				Pacientes con reducción de H ₂				10 (83%)