

1) Family number: 890182 (US3480178A)

© PatBase

Title: CONTAINERS THAT ARE COMPACTLY NESTABLE WHEN EMPTY AND STACKABLE IN SPACED RELATION WHEN FULL**Abstract:** ABSTRACT OF THE DISCLOSURE

Containers molded from plastic in an open-work wall structure are compactly nestable when empty and are equipped with removable corner supports for stable stacking in spaced relation when filled. This application is a continuation-in-part of application Ser. No. 674,415, filed Oct. 11, 1967, now abandoned.

Classifications:


International (IPC 8-9): B65D1/34 B65D21/06 (Advanced/Invention);
B65D1/34 B65D21/06 (Core/Invention)

International (IPC 1-7): B65D1/24 B65D1/38 B65D21/04 B65D21/06
CPC: Y10S206/821 B65D21/06 B65D1/34

European: B65D1/34 B65D21/06

US: 206/506 206/512 206/520 206/821 220/519 220/97 229/406

PatBase - US3480178_A

**Family:**

Publication number	Publication date	Application number	Application date
US3480178 A	19691125	US19680766666	19680916

Priority:

US19680766666 19680916

Probable Assignee:

HENRY Z MORGAN

Assignee(s): (std):

HENRY Z MORGAN

Inventor(s): (std):

MORGAN HENRY Z

Inventor(s):

HENRY Z MORGAN

2) Family number: 1712679 (DE2154337A1)

© PatBase

Title: OBST- UND GEMUESESTEIGE FRUIT AND GEMUESESTEIGE (Machine translation)


Abstract: Source: DE2154337A1 [DE] Patentansprueche Obststeige aus Kunststoff, die mit gleichartigen Obst steigen aufeinander und ineinander stapelbar ist und bei der in den Raumwinkeln der vier etwa senkrechten Eckkanten des starren Steigenkoerpers Stuetzen als Trager fuer eine darauf zu stapelnde Obststeige mit ihrem unteren Ende am Steigenkoerper gelenkig derart gehalten sind, dass sie zum Zweck des Ineinanderstapelns der Steige etwa in die Waagerechte herabschwenkbar sind, waehrend sie fuer die Ingebrauchnahme der Steige aufgerichtet und in dieser aufgerichteten Bragstellung mittels einer Arretierung gesichert werden koennen, dadurch gekennzeichnet, dass die als selbstaendige Teile gefertigten Stuetzen an ihrem HuBende ueber einen als Gelenk dienenden duennen Verbindungsstreifen (5) in eine am Steigenboden an- bringbare Befestigungsplatte (6) uebergehen 2.

Machine translation: Claims fruit crate made of plastic, which increases with similar fruit can be stacked together and with each other and when for the solid angles of the four approximately vertical corner edges of the rigid Steigenkoerpers Props as a carrier one to be stacked fruit crate with its lower end on Steigenkoerper are mounted articulated so that they are herabschwenkbar for the purpose of Ineinanderstapelns the walks around in a horizontal position, they while for the proper use of the platforms are erected and secured in the upright Bragstellung Mittel a catch can, characterized in that an independent parts manufactured Props to her stroke about one serving as a thin connecting strip joint (5) on climbing into a ground-can be brought to mounting plate (6) go over second

Classifications:

International (IPC 8-9): B65D21/06 (Advanced/Invention);
B65D21/06 (Core/Invention)

International (IPC 1-7): B65D85/34



Family:

Publication number	Publication date	Application number	Application date
DE2154337 A1	19730510	DE19712154337	19711102

Priority:

DE19712154337 19711102


Probable Assignee: BOETTIGER AND CO
Assignee(s): (std): BOETTIGER AND CO
Assignee(s): BOETTIGER AND CO 6081 BIEBESHEIM

3) Family number: 19008195 (ES2013142A) © PatBase

Title: Improvements to boxes with rigid walls

Abstract: The improvements are applicable to that type of box, made from plastic material, which forms rigid walls intended to contain perishable or similar products and said improvements are based on the fact that, in correspondence with each one of the corners of the base 2 of the box 1, provision has been made for individual columns 4 capable of occupying two positions, one which is retractable and accommodated in a cavity 3 in said base, formed, at each corner, in the diagonal direction, and another in a vertical position, for which said column 4 has two weakened areas 7 and 8 each forming hinges which allow the column 4 to pass from its retractable and inoperative position into the aforesaid vertical position in order to allow, in the first case, the stacking of empty boxes, these being inserted in one another, and, in the second case, the stacking of full boxes, these resting one upon the other by means of the corresponding columns 4.

Classifications:
International (IPC 8-9): B65D21/06 (Advanced/Invention);
B65D21/06 (Core/Invention)
International (IPC 1-7): B65D21/6



Family:

Publication number	Publication date	Application number	Application date
ES2013142 AF	19900416	ES19890001165	19890404

Priority:

ES19890001165 19890404

Probable Assignee: AGRARIA DE TRANSFORMACION LA T

Assignee(s): (std): AGRARIA DE TRANSFORMACION LA T ; AGRARIA DE TRANSFORMACION LA TIESA SOC

Assignee(s): SOCIEDAD AGRARIA DE TRANSFORMACION LA TIESA

Inventor(s): (std): ROVIRA LUITZ FELIPE

4) Family number: 20751278 (US6179156B)

© PatBase

Title: Multi-purpose container

Abstract: A multi-purpose container, such as for storing and transporting produce, includes a bottom surface, a first pair of opposed walls integrally joined with the bottom surface and extending upwardly therefrom, and a second pair of opposed walls integrally joined with the bottom surface and extending upwardly therefrom. The first and second pairs of opposed walls are integrally joined with each other to define, along with the bottom surface, a storage area. The bottom surface has a ridge that includes at least one vertical rib that extends along the bottom surface between one of the first and second pairs of opposed walls. The rib has an upper end that is covered by a top layer so as to define a smooth profile along the bottom surface. Therefore, the ridge provides reinforcement to the container while minimizing the potential for damaging produce stored and transported therein.

Classifications:

International (IPC 8-9): B65D21/00 B65D21/06 B65D6/00

B65D81/00 B65D85/00 (Advanced/Invention);


B65D21/06 B65D6/00 B65D81/00 B65D85/00 (Core/Invention)

International (IPC 1-7): B65D21/00 B65D6/00

CPC: B65D21/064 B65D2205/02

European: B65D21/06C L65D205/02

US: 220/1.5 220/15 220/607 220/608



Family:

Publication number	Publication date	Application number	Application date
AU2001231088 AA	20010814	AU20010231088	20010122
CA2397522 AA	20020716	CA20012397522	20010122
CA2397522 C	20081021	CA20012397522	20010122
CL2001000263 A1	20020108	CL20010000263	20010202
CL45987 B	20091006	CL20010000263	20010202
PE00852002 A1	20020213	PE20010000118	20010202
US6179156 BA	20010130	US20000498946	20000204
WO0156897 A1	20010809	WO2001US02219	20010122

Priority:

US20000498946 20000204 WO2001US02219 20010122

Probable Assignee: REHRIG PACIFIC CO

Assignee(s): (std): AIKEN CYNTHIA R ; REHRIG PACIFIC CO

Assignee(s): REHRIG PACIFIC COMPANY

Inventor(s): (std): AIKEN CYNTHIA R

Inventor(s): CYNTHIA R AIKEN

Agent(s): MACRAE AND CO; VILLASECA

Designated states: AE AG AL AM AT AU AZ BA BB BE BF BG BJ BR BY BZ CA CF CG CH CI CM CN CR CU CY CZ DE DK DM DZ EE ES FI FR GA GB GD GE GH GM GN GR GW HR HU ID IE IL IN IS IT JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MC MD MG MK ML MN MR MW MX MZ NE NL NO NZ PL PT RO RU SD SE SG SI SK SL SN SZ TD TG TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW

5) Family number: 32812872 (CH695335A)

© PatBase

Title: STACKABLE CONTAINER HAS BASEPLATE, FOUR SIDE WALLS EXTENDING TO A WIDENED OPENING AND AT LEAST ONE STIRRUP MOVABLY ARRANGED IN THE AREA OF THE SIDE WALLS

Abstract: The stackable container (1) has a baseplate (2), four side walls (5,6,7,8) extending to a widened opening (3) and at least one stirrup (30) arranged in the area of the side walls, which in the extended position projects into the free aperture of the container. The movable stirrup is so formed that during the stacking process a positive engagement is produced with an opposing stirrup of a like-shaped container, thus absorbing the vertical forces exerted on the container walls by the opposing stirrup.

Classifications:

International (IPC 8-9): B65D21/06 (Advanced/Invention);

B65D21/06 (Core/Invention)

CPC: B65D21/062

European: B65D21/06B




Fig.1

Family:

Publication number	Publication date	Application number	Application date
CH695335 A	20060413	CH20000000792	20000422

Priority:

CH20000000792 20000422

Probable Assignee: UTZ GEORG HOLDING AG**Assignee(s):** (std): UTZ GEORG HOLDING AG**Assignee(s):** GEORG UTZ HOLDING AG**Inventor(s):** (std): DUBOIS JEAN MARC ; MOSER CHRISTIAN**6) Family number: 750420 (US3651977A)**

© PatBase

Title: CONTAINERS THAT ARE COMPACTLY NESTABLE WHEN EMPTY AND STACKABLE IN SPACED RELATION WHEN FULL


Abstract: A container that stacks compactly with like containers when empty and that stacks with them when filled in a way that protects the contents of each container. A fascia rim continuous with and integrally formed to the side and end walls of the container at the top thereof is provided with a plurality of removable corner supports. Each corner supports comprises an adapter to engage with the bottom corners of a like container and comprises a horizontal member generally triangular in shape and having on its upper surface an inset generally vertical right angle wall, and having on its lower surface a series of tapered vertical projections, namely, a corner projection and two extreme projections of substantial length and two shorter intermediate projections, one between the corner projection and each extreme projection. Each fascia rim has a corresponding series of receptacles, namely, a through opening at the corner to receive the corner projection, a through opening spaced from the corner to receive each extreme projections, and a dead end socket having an end bearing wall to receive the shorter projections so that they can rest in and upon it.

Classifications:**International (IPC 8-9):** B65D21/06 (Advanced/Invention);

B65D21/06 (Core/Invention)

International (IPC 1-7): B65D1/24 B65D1/36 B65D1/38 B65D21/04

B65D21/06 B65D85/34

CPC: B65D21/06**European:** B65D21/06**US:** 206/506 206/512 220/97B**Family:**

Publication number	Publication date	Application number	Application date
IL37095 A0	19710825	IL19710037095	19710620
IL37095 A1	19740731	IL19710037095	19710620
US3651977 A	19720328	US19700072283	19700915

Priority:

US19700072283 19700915

Probable Assignee: VISUAL CONTAINER CORP**Assignee(s):** (std): MAJOR PLASTICS INC ; VISUAL CONTAINER CORP


Inventor(s): (std): MORGAN HENRY Z
Inventor(s): HENRY Z MORGAN
Agent(s): SELIGSOHN GABRIELI AND CO

7) Family number: 9048055 (US5503275A) © PatBase

Title: CRATES WITH STACKING AND NESTING METHODS

Abstract: The invention relates to packaging crate for transport and storage of light vegetables, having the form of a slightly truncated rectangular parallelepiped open towards the top and including five walls delimiting the five other faces of the parallelepiped, and defining the bottom 1, and the four side 2, 3, 4, 5 walls of the crate, and provided with stacking and nesting means 7a, 8a, 9a, 10a. According to the present invention this packaging crate is made of the association of a rigid framework delimited by two lower 1a and upper 6a peripheral belts, joined by four angled spacer columns 7, 8, 9, 10 to filling panels formed with spaced slats in a latticework structure with lower rigidity than the elements which constitute the aforementioned frame.

Classifications:
International (IPC 8-9): B65D21/02 B65D21/04
B65D21/06 (Advanced/Invention);
B65D21/02 B65D21/04 B65D21/06 (Core/Invention)
International (IPC 1-7): B65D1/38 B65D1/38000 B65D21/02
B65D21/04 B65D21/04000 B65D85/34 B65D85/34000 B65D85/62
CPC: B65D21/0235 B65D21/045 B65D21/062
European: B65D21/02H B65D21/04D2 B65D21/06B
US: 206/505 206/509 206/512



Family:

Publication number	Publication date	Application number	Application date
AT149942 E	19970315	AT19930111159T	19930713
CA2100691 AA	19940118	CA19932100691	19930716
DE69308661 D1	19970417	DE19936008661	19930713
DE69308661 T2	19971002	DE19936008661T	19930713
EP0579158 A1	19940119	EP19930111159	19930713
EP0579158 B1	19970312	EP19930111159	19930713
ES2101904 T3	19970716	ES19930111159T	19930713
FR2693704 A1	19940121	FR19920009009	19920717
FR2693704 B1	19941014	FR19920009009	19920717
FR2698611 A1	19940603	FR19920014587	19921127
FR2698611 B1	19950127	FR19920014587	19921127
GR3023706 T3	19970930	GR19970401346T	19970609
US5503275 A	19960402	US19940235554	19940429

Priority:
FR19920009009 19920717 FR19920014587 19921127 US19930090662 19930713
CA19932100691 19930716 US19940235554 19940429


Probable Assignee: FESQUET JACQUES
Assignee(s): (std): FESQUET JACQUES
Assignee(s): FESQUET JACQUES SAINT SERIN SUR RANCE FR
Inventor(s): (std): FESQUET JACQUES ; JACQUES FESQUET
Inventor(s): FESQUET JACQUES SAINT SERIN SUR RANCE FR
Agent(s): ROBIC ; GUY DELHAYE
Designated states: AT BE CH DE DK ES FR GB GR IE IT LI LU MC NL PT SE

8) Family number: 31031257 (US2004195139A) © PatBase

Title: STORAGE CONTAINER

Abstract: A storage container includes a corner support extending across each corner and supported on an upper edge of each of the two adjacent walls in the corner. Each corner support is hingeably connected to one of the two adjacent walls. The corner support is supported on an upper surface of a column projecting inward from each adjacent wall. A ledge also protrudes inward from each column and supports a leg extending downward from the corner support. A third ledge is formed on an inner surface of the corner and supports a third leg extending downward from the corner support. Each corner support is pivotable about its hinge between a use position, generally parallel to the base, and an open position, generally adjacent one of the edge walls.

Classifications:
International (IPC 8-9): B65D21/00 B65D21/06 (Advanced/Invention);
B65D21/06 (Core/Invention)
International (IPC 1-7): B65D21/00 B65D21/06
CPC: B65D21/062 B65D21/066 B65D21/0
European: B65D21/06B B65D21/06D
US: 206/506 206/509



Family:

Publication number	Publication date	Application number	Application date
AU2004230916 AA	20041028	AU20040230916	20040407
CA2521667 AA	20051005	CA20042521667	20040407
CA2521667 C	20120207	CA20042521667	20040407
CL2004000741 A1	20050318	CL20040000741	20040406
GB200520337 A0	20051116	GB20050020337	20040407
GB200709029 A0	20070620	GB20070009029	20070510
GB2415690 A1	20060104	GB20050020337	20040407
GB2415690 B2	20070801	GB20050020337	20040407
GB2435031 A1	20070815	GB20070009029	20070510
MXPA05010758 A1	20051212	MX2005PA10758	20040407
US2004195139 AA	20041007	US20030410565	20030407
US6994216 BB	20060207	US20030410565	20030407
WO04092028 A2	20041028	WO2004US10752	20040407
WO04092028 A3	20050217	WO2004US10752	20040407

Priority:

US20030410565 20030407 GB20050020337 20040407 WO2004US10752 20040407

Probable Assignee: REHRIG PACIFIC CO

Assignee(s): (std): REHRIG PACIFIC CO ; REHRIG PACIFIC COMPANY ; WONG MICHAEL P

Inventor(s): (std): MICHAEL P WONG ; OVERHOLT TRENTON M ; WONG MICHAEL P

Inventor(s): TRENTON M OVERHOLT

Agent(s): GRIFFITH HACK; MACRAE AND CO; VILLASECA

Designated states: AE AG AL AM AT AU AZ BA BB BE BF BG BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU CY CZ DE DK DM DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GW HR HU ID IE IL IN IS IT JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MC MD MG MK ML MN MR MW MX MZ NA NE NI NL NO NZ OM PG PH PL PT RO RU SC SD SE SG SI SK SL SN SY SZ TD TG TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW

9) Family number: 3026863 (WO8900531A1)

© PatBase

Title: PACKAGING

Abstract: A stacking element for packages in the form of a tray, said stacking element including a main portion in the form of a web (10b) having opposed substantially parallel planar faces of pre-selected width(s) and length(s), said web being provided around part or all of its perimeter with means (46, 50) co-operatively engageable with one or more sleeves (20) of pre-selected height(s) capable of forming walls of packages of which said stacking elements form lids and/or bases, and optionally, including means for ventilation (84) of contents of said packages. Also a two-part stacking element in the form of a tray, the first component (66) including a main portion in the form of a web (57), bounded by flanges (62), said flanges having ventilation means (88) and said web having ventilation means (84), the second component of the stacking element including a web with ventilation means and fluid flow deflection means (104). The second component being load supportive and fitting inside the first component.

Classifications:

International (IPC 8-9): B65D21/02 B65D25/00 B65D51/16

B65D6/24 B65D81/20 (Advanced/Invention);

B65D21/02 B65D25/00 B65D51/16 B65D6/16

B65D81/20 (Core/Invention)


International (IPC 1-7): B65D6/24

CPC: B65D15/22 B65D21/0201 B65D21/0215 B65D21/0219

B65D25/00 B65D51/1611 B65D81/2092

European: B65D15/22 B65D21/02B B65D21/02E5 B65D21/02E7A

B65D25/00 B65D51/16C1 B65D81/20F2A



Family:

Publication number	Publication date	Application number	Application date
AU198820742 A1	19890213	AU19880020742	19880708
EP0385993 A1	19900912	EP19880905637	19880708
EP0385993 A4	19910724	EP19880905637	19880708
WO8900531 A1	19890126	WO1988AU00252	19880708

Priority:

AU19870003037 19870710 AU19870004626 19870929 AU19870005968 19871217
 WO1988AU00252 19880708 AU19880020742 19880708

Probable Assignee: SULLIVAN BRENDON MICHAEL O

Assignee(s): (std): BRENDON MICHAEL O SULLIVAN ; SULLIVAN BRENDON MICHAEL O

Assignee(s): O SULLIVAN BRENDON MICHAEL

Inventor(s): (std): O SULLIVAN BRENDON MICHAEL

Inventor(s): BRENDON MICHAEL O SULLIVAN

Agent(s): CALLINANS; FISHER ADAMS KELLY CALLINANS; SPRUSON AND FERGUSON

Designated states: AT AU BE BG BR CH DE DK FI FR GB HU IT JP KR LI LU NL NO RO SE SU US

10) Family number: 29750624 (US2002110625A)


© PatBase

Title: CONTINUOUS PACKAGING IN ENCLOSED CONDUITS

Abstract: The invention relates to a package having a first web defining a cavity and a second web bonded to the first web, wherein the second web includes microperforations at a location that is specific to minimize the escape of liquids from the cavity to the exterior of the package. In one particular embodiment, the first web defines a four sided cavity with walls and corresponding flaps attached to the walls that can be folded and bonded to the cavity walls. The second web is an overwrapping lidding web, wherein microperforations are provided on the web material so that the microperforations are aligned with a flap recess, which in turn is in communication with the interior of the tray cavity. In this manner, suitable gas exchange can occur with minimal to no escape of liquids from the tray cavity.

Classifications:

International (IPC 8-9): A22C17/00 A22C17/08 A22C17/10 A22C18/00 A23B4/00 A23B4/12 A23B4/16 A23B4/18 A23B4/20 A23B4/24 A23B4/26 A23K1/18 A23L1/015 A23L1/27 A23L1/31 A23L1/312 A23L1/313 A23L1/317 A23L1/48 A23L13/00 A23L13/20 A23L13/30 A23L13/60 A23L3/015 A23L3/34 A23L3/3418 A23L3/3445 A23L35/00 A23L5/20 A23L5/40 A23P1/00 A23P1/02 A23P1/10 A61L2/16 B01D21/02 B01D21/26 B04B3/04 B32B37/00 B60K6/12 B61J1/08 B65B25/06 B65B31/00 B65B31/02 B65B47/02 B65B55/00 B65B55/12 B65B7/16 B65D21/00 B65D21/06 B65D5/42 B65D6/10 B65D77/20 B65D81/00 B65D81/20 B65D81/26 B65D81/28 B65D85/00 B65G47/61 C10L1/18 C10L5/00 C10L5/40 C12C3/04 F02B57/08 G01N21/00 G01N31/12 G01N33/12 G06Q30/00 (Advanced/Invention); B04B1/20 (Advanced/Non-invention); A23B4/00 A23B4/12 A23B4/14 A23B4/26 A23L1/015 A23L1/27 A23L1/31 A23L1/317 A23L3/015 A23L3/34 A23P1/02 A61L2/16 B01D21/02 B32B37/00 B65B25/00 B65B31/02 B65B7/16 B65D21/06 B65D6/00 B65D77/10 B65D81/20 B65D81/26 B65D81/28 C12C3/00 G01N33/02 (Core/Invention)
International (IPC 1-7): A01J1/00 A23B4/00 A23B4/12 A23C9/12 A23L1/27 A23P1/00 B01D11/02 B61J1/08 B65B25/06 B65B31/00 B65B31/02 B65B47/02 B65B51/10 B65B55/00 B65B9/04 B65D21/00 B65D5/42 B65D77/20 B65D81/00 B65D81/20 B65D85/00 B65G47/61 C12C3/04 G01N21/00 G01N33/02
CPC: A61L2/202 A61L2/22 B29C66/53461 B29C66/344 B29C2795/002 B29K2027/06 B29L2031/712 B01D21/262 B04B1/20 A22C17/00 A23L3/3445 B29C65/4815 B29C65/4825 A23V2200/10 A23V2250/11 A23B4/20 A23B4/26 A23J1/02 B29C65/7894 B29C66/83413 B29C66/83421 B29C66/83531 B01D21/34 B29C66/24244 A22C17/08 B01D21/02 B01D21/2405 B01D21/2433 B01D21/2444 B01D21/2461 B01D21/2494 B01D21/26 B01D2221/06 B65D81/261 B65B7/162 B65B51/02 B65D81/263 B29C66/71 A23L13/00 A23L13/60 A23L5/23 B65B7/164 A22B5/0029 A22B5/0041 A22C17/10 Y02E50/30 A23B4/10 A23L3/3409 A23V2002/00 B65B31/028 B65D77/2008 B65D77/2024 G06Q30/0621 B65D81/264 B65B25/067 B65D21/062 B65D21/066 B65D81/2076 B65D81/267 B65D81/268 B65D81/28 A23B4/12 A23B4/00 A23B4/16 A23B4/24 A23L3/0155 A23L3/3418 G01N33/12 B29C66/1122 B01D21/245



European: A22B5/00B2 A22B5/00B4 A22C17/00 A22C17/08 A22C17/10 A23B4/00 A23B4/10 A23B4/12 A23B4/16 A23B4/20 A23B4/24 A23B4/26 A23L1/015 A23L1/015C A23L1/31 A23L1/317 A23L3/015F A23L3/3409 A23L3/3418 A23L3/3445 A61L2/20C A61L2/22 B01D21/02 B01D21/24A B01D21/24D B01D21/24G B01D21/24N4 B01D21/24V B01D21/30 B29C65/48 B29C66/344 B29C66/534 B65B25/06D1 B65B31/02F2 B65B7/16B B65B7/16B1 B65D21/06B B65D21/06D B65D77/20B1 B65D77/20E B65D81/20F1 B65D81/26E B65D81/26F1 B65D81/26F2 B65D81/28 B65G47/61 G06Q30/0621 K23V2/00 L01D21/26 L01D221/06 L29C65/48B2F L29C65/48B4 L29C795/00B L29K27/06 L29L31/712 Y02E50/30

US: 1/1 123/44.00RS 123/44R 156/164 156/292 156/292S 156/494 156/494S 180/165 220/675 422/255 422/255S 422/261 422/268 422/269 422/273 422/274 422/275 426/108 426/118 426/127 426/127S 426/129 426/129P 426/2 426/231 426/231P 426/231S 426/232 426/232 426/235 426/235P 426/2P 426/312 426/312P 426/312S 426/315 426/315P 426/316 426/320 426/321 426/321P 426/326 426/326P 426/332 426/335 426/335S 426/35 426/35P 426/383 426/383P 426/392 426/392P 426/392S 426/393 426/393S 426/394 426/394S 426/395 426/398 426/398P 426/416 426/416S 426/417 426/417S 426/425 426/437 426/442 426/442P 426/478 426/478P 426/480 426/480P 426/480S 426/495 426/506 426/518 426/518S 426/519 426/524 426/574 426/641 426/646 426/656 44/307 44/307S 44/308 44/308S 44/589 44/605 44/628 452/150 452/150S 452/155 452/155S 452/173 452/173S 53/478 53/478P 705/1 705/1.1 705/1.100S 705/26 705/26.5

Family:

Publication number	Publication date	Application number	Application date
AU200110977 A1	20010508	AU20010010977	20001019
AU200110977 A5	20010508	AU20010010977	20001019
AU2002220000 AA	20020611	AU20020220000	20011128
AU2003206384 AA	20030724	AU20030206384	20030102
AU2003206384 AH	20030724	AU20030206384	20030102
AU2003249694 AA	20031219	AU20030249694	20030603
AU774767 B2	20040708	AU20010010977	20001019
CA2387349 AA	20020403	CA20002387349	20001019
CA2429794 AA	20030521	CA20012429794	20011128
CA2526966 AA	20051202	CA20032526966	20030603
CA2589649 AA	20070601	CA20052589649	20051202
EP1226072 A1	20020731	EP20000972296	20001019
EP1347917 A1	20031001	EP20010998482	20011128
EP1347917 A4	20050608	EP20010998482	20011128
US2002110625 AA	20020815	US20020037440	20020102
US2002122856 AA	20020905	US20010027929	20011220
US2003091708 AA	20030515	US20020320863	20021216
US2003124221 AA	20030703	US20030368679	20030214
US2003129274 AA	20030710	US20020320837	20021216
US2003152675 AA	20030814	US20030384874	20030307
US2003152679 AA	20030814	US20030368933	20030214
US2003165602 AA	20030904	US20030368953	20030214
US2003170357 AA	20030911	US20030369079	20030214
US2003170358 AA	20030911	US20030384914	20030307
US2003170359 AA	20030911	US20030385217	20030307
US2003175392 AA	20030918	US20030385264	20030307
US2003182903 AA	20031002	US20030418354	20030416
US2003185937 AA	20031002	US20030384853	20030307
US2003185947 AA	20031002	US20030384913	20030307
US2003185948 AA	20031002	US20030385158	20030307
US2003215551 AA	20031120	US20030413073	20030410
US2004037932 AA	20040226	US20030418558	20030416
US2004081729 AA	20040429	US20030440460	20030516
US2004146602 AA	20040729	US20040432973	20040107
US2004185152 AA	20040923	US20040769677	20040129
US2004185154 AA	20040923	US20040769489	20040130
US2004185155 AA	20040923	US20040769674	20040129
US2004185156 AA	20040923	US20040769714	20040130
US2005042346 AA	20050224	US20040868394	20040615
US2005142250 AA	20050630	US20040958996	20041005
US2005208188 AA	20050922	US20040942756	20040916
US2005260311 AA	20051124	US20040004669	20041202
US2006029699 AA	20060209	US20050063650	20050222
US2006147588 AA	20060706	US20050176013	20050705
US2006278327 AA	20061214	US20060508513	20060822
US2007254074 AA	20071101	US20060589320	20061026
US2007292559 AA	20071220	US20060558832	20061110
US2009074922 AA	20090319	US20080248386	20081009
US2009159355 AA	20090625	US20080271701	20081114
US2009214730 AA	20090827	US20050720594	20051202
US2009226586 AA	20090910	US20080207300	20080909
US2011008505 AA	20110113	US20100697592	20100201
US2011171353 AA	20110714	US20100968045	20101214
US2012225171 AA	20120906	US20110224994	20110902
US2012282382 AA	20121108	US20120452526	20120420
US6866832 BB	20050315	US20010027929	20011220
US7093734 BB	20060822	US20030384874	20030307
US7205016 BB	20070417	US20030385158	20030307
US7415428 BB	20080819	US20030369079	20030214
US7455704 BB	20081125	US20040958996	20041005
US7575770 BB	20090818	US20030368933	20030214
US7666456 BB	20100223	US20040868394	20040615
US8012521 BB	20110906	US20060589320	20061026
US8178144 BB	20120515	US20050720594	20051202
US8568813 BB	20131029	US20100697592	20100201
US8911809 BB	20141216	US20120452526	20120420

US9131707-B2	20150915	US20100968045	20101019
WO0130655 A2	20010905	WO2000US29058	20001019
WO0244026 A1	20020606	WO2001US45146	20011128
WO0244026 C2	20030410	WO2001US45146	20011128
WO03057566 A2	20030717	WO2003US00167	20030102
WO03057566 A3	20040603	WO2003US00167	20030102
WO03101210 A1	20031211	WO2003US17643	20030603
WO05099482 A2	20051027	WO2005US12245	20050411
WO05099482 A3	20070208	WO2005US12245	20050411
WO06060596 A2	20060608	WO2005US43507	20051202
WO06060596 A3	20060908	WO2005US43507	20051202

Priority:

US19970040556P	19970313	US19980039150	19980313	US19990129595P	19990415
US19990141569P	19990629	US19990144400P	19990716	US19990148227P	19990727
US19990149938P	19990819	US19990152677P	19990907	US19990392074	19990908
US19990154068P	19990914	US19990160445P	19991019	US20000175372P	20000110
US20000550399	20000414	WO2000US29038	20001019	US20000724287	20001128
US20000255684P	20001213	US20010286688P	20010426	US20010291872P	20010517
US20010299240P	20010618	US20010312176P	20010813	US20010314109P	20010821
US20010323629P	20010919	US20010335760P	20011019	WO2001US45146	20011128
US20010027929	20011220	US20020037440	20020102	US20020373222P	20020415
US20020373232P	20020416	US20020385710P	20020603	US20020388067P	20020610
US20020391702P	20020624	US20020411138P	20020916	US20020422949P	20021030
US20020424388P	20021105	US20020427516P	20021119	US20020429644P	20021125
US20020469644P	20021125	US20020433526P	20021213	US20020320863	20021216
US20020320837	20021216	WO2003US00167	20030102	US20030438546P	20030107
US20030369079	20030214	US20030368679	20030214	US20030368933	20030214
US20030368953	20030214	US20030384913	20030307	US20030384853	20030307
US20030384874	20030307	US20030384914	20030307	US20030385217	20030307
US20030385264	20030307	US20030385158	20030307	US20030413073	20030410
US20030418354	20030416	US20030418558	20030416	US20030440460	20030516
WO2003US17643	20030603	US20030483311P	20030627	US20040432973	20040107
US20040536770P	20040115	US20040769677	20040129	US20040769674	20040129
US20040769489	20040130	US20040769714	20040130	US20040545841P	20040218
US20040561128P	20040409	US20040868394	20040615	US20040878491	20040628
US20040942756	20040916	US20040958996	20041005	US20040004669	20041202
US20040639828P	20041228	US20050063650	20050222	US20050176013	20050705
WO2005US43507	20051202	US20050720594	20051202	US20060508513	20060822
US20060589320	20061026	US20060558832	20061110	US20080207300	20080909
US20080248386	20081009	US20080271701	20081114	US20090720594	20090430
US20100697592	20100201	US20100968045	20101214	US20110224994	20110902
US20120452526	20120420				

Probable Assignee: SAFEFRESH TECHNOLOGIES LLC

Assignee(s): (std): ATKINSON KEVAN J ; CASE READY SOLUTIONS LLC ; GARWOOD ANTHONY J ; GARWOOD ANTHONY J M ; STEPHENS ROBERT M ; SAFEFRESH TECHNOLOGIES LLC ; AGB LLC ; GARWOOD NICHOLAS J

Assignee(s): STONE MICHAEL ; TIMMERMAN SF LLC ; MILLER ANDREW W ; AMERICAN BEEF PROCESSING LLC ; ANTHONY J GARWOOD ; GARWOOD ANTHONY JM ; FEFRESH TECHNOLOGIES LLC SA

Inventor(s): (std): ANTHONY J ; ANTHONY J GARWOOD ; ANTHONY J M GARWOOD ; ANTHONY JM GARWOOD ; ATKINSON KEVAN J ; GARWOOD ANTHONY J ; GARWOOD ANTHONY J M ; STEPHENS ROBERT M ; GARWOOD NICHOLAS J

Inventor(s): GARWOOD ANTHONY ; GARWOOD ANTHONY JM ; KEVAN J ATKINSON ; ROBERT M STEPHENS

Agent(s): FREEHILLS PATENT AND TRADE MARK ATTORNEYS; FREEHILLS PATENT ATTORNEYS; FPA PATENT ATTORNEYS PTY LTD; HERBERT SMITH FREEHILLS; SMART AND BIGGAR; CHRISTENSEN OCONNOR JOHNSON KINDNESS PLLC; FOLEY AND LARDNER; CHRISTENSEN O'CONNOR JOHNSON KINDNESS PLLC; FOLEY AND LARDNER LLP; CHRISTENSEN; JOHNSON KINDNESS PLLC

Designated states: AE AG AL AM AT AU AZ BA BB BE BF BG BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU CY CZ DE DK DM DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GW HR HU ID IE IL IN IS IT JP KE KG KM KN KP KR KZ LC LI LK LR LS LT LU LV LY MA MC MD MG MK ML MN MR MW MX MZ NA NE NG NI NL NO NZ OM PG PH PL PT RO RU SC SD SE SG SI SK SL SM SN SY SZ TD TG TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW

11) Family number: 18055461 (US4236664A)

© PatBase

Title: STACKABLE TRANSPORT CONTAINER

Abstract: The invention relates to a stackable transport container, particularly for fruits, vegetables or dairy products, in which a one-piece blank has a quadrangular bottom and four walls rising upwardly and slanting slightly outwardly therefrom, which walls delimit an upwardly widening container filling space. In the four corners thereof there are arranged upright stacking supports formed by parts of the blank and serving for stiffening the container. The upper edges of the stacking supports are arranged below the upper edges of the adjacent container side wall sections so that during the stacking of two nested containers, the bottom of the upper container rests on the stacking supports of the lower container, the upper edges of the container side walls of the lower container securing the upper container against lateral displacement. Each stacking support is constituted by parts of the blank which can be pushed towards the container filling space and can be pushed back again so that these parts align with the adjacent sections of the container side walls. Thus transport room can be saved by nesting empty containers more closely one to each other after pushing back the stacking supports. Into the hollow space formed by each stacking support and the adjacent container side walls an insert body may be withdrawable inserted, which insert body rests on the container bottom and has an enlarged top surface.

Classifications:


International (IPC 8-9): B65D5/00 (Advanced/Invention); B65D5/00 (Core/Invention)

International (IPC 1-7): B65D21/00 B65D21/02 B65D21/04 B65D21/06 B65D5/20 B65D5/42 B65D5/50 B65D57/00 B65D85/34

CPC: B65D5/006 B65D5/0065 Y10S229/918

European: B65D5/00B4C B65D5/00B4D

US: 229/117.16 229/120 229/191 229/198 229/49 229/918

**Family:**

Publication number	Publication date	Application number	Application date
AT117178 A	19810315	AT19780001171	19780217
AT364644 B	19811110	AT19780001171	19780217
AT367369 B	19820625	AT19780007527	19781019
AT368972 B	19821125	AT19780004684	19780628
AT468478 A	19820415	AT19780004684	19780628
AT752778 A	19811115	AT19780007527	19781019
DE2905819 A1	19790823	DE19792905819	19790215
DE7904189 U1	19790613	DE19790004189U	19790215
ES241453 U	19791116	ES19790241453U	19790217
ES241453 Y	19800416	ES19790241453U	19790217
ES241453 Y1	19800623	ES19790241453U	19790217
FR2417441 A1	19790914	FR19790004501	19790216
FR2417441 B3	19811127	FR19790004501	19790216
GB2017639 A1	19791010	GB19790005802	19790219
GB2017639 B2	19820818	GB19790005802	19790219
GR68027 B	19811027	GR19790158371	19790214
IL56674 A0	19790531	IL19790056674	19790215
IL56674 A1	19810130	IL19790056674	19790215
IT1111209 A	19860113	IT19790020280	19790216
IT7920280 A0	19790216	IT19790020280	19790216
US4236664 A	19801202	US19790039166	19790515
ZA7902260 A	19810429	ZA19790002260	19790510

Priority:

AT19780001171 19780217 AT19780004684 19780628 AT19780007525 19781019
 AT19780007527 19781019

Probable Assignee: EUROTRAY STAPELBEHAELTER

Assignee(s): (std): EUROTRAY STAPELBEHAELTER UND V ; HARTELMUELLER LUDWIG ; HARTELMUELLER L ; HARTELMULLER L ; HARTELMULLER LUDWIG ; LUDWIG HARTELMULLER ; EUROTRAY STAPELBEHAELTER ; EUROTRAY STAPELBEHAELTER U V

Assignee(s): EUROTRAY STAPELBEHAELTER U VERPACKUNGEN HAND ; "EUROTRAY" STAPELBEHAELTER UND... ; LUDWIG HARTELMULLER ; EUROTRAY STAPELBEHAELTER UND VERPACKUNGEN
 HANDELSGESELLSCHAFT M B H

Inventor(s): (std): HARTELMUELLER L ; HARTELMUELLER LUDWIG

Agent(s): WOLFF BREGMAN AND GOLLER

12) Family number: 18797449 (GB2268472A)

© PatBase

Title: Plastic stackable/nestable boxes

Abstract: A stackable/nestable box has stacking members (9) including stubs (11) movable in vertical tracks, the members (9) being movable by pivoting/sliding between two positions: a vertical one for nesting empty boxes and a horizontal one for stacking full boxes.

Classifications:


International (IPC 8-9): B65D21/06 (Advanced/Invention);

B65D21/06 (Core/Invention)

International (IPC 1-7): B65D21/02 B65D21/04 B65D21/06

CPC: B65D21/062

European: B65D21/06B

**Family:**

Publication number	Publication date	Application number	Application date
DE4313801 A1	19940105	DE19934313801	19930427
ES2066657 AB	19950301	ES19920001386	19920703
ES2066657 AC	19950401	ES19920001386	19920703

■ ES2066657 BA	19951101	ES19920001386	19920703
■ FR2693171 A1	19940107	FR19930004672	19930421
■ GB2268472 A1	19940112	GB19930007812	19930415
■ GB9307812 A0	19930602	GB19930007812	19930415
■ NL9300701 A	19940201	NL19930000701	19930423

Priority:

ES19920001386 19920703

Probable Assignee: CONTENEPLASTIC S A

Assignee(s): (std): CONTENEPLASTIC S A ; CONTENEPLASTIC S A TE PATERNA SPANJE ; CONTENEPLASTIC SA

Assignee(s): CONTENEPLASTIC S A PATERNA VALENCIA ES

Inventor(s): (std): DELER JOAQUIN ARNAL ; JOAQUIN ARNAL DELAR ; JOAQUIN ARNAL DELER ; MONTALAR VINCENTE SANCHEZ ; SOSA ANGEL ABRIL ; VICENTE SANCHEZ MONTALAR ; SANCHEZ MONTALAR VICENTE ; ARNAL DELER JOAQUIN ; ANGEL ABRIL SOSA ; ABRIL SOSA ANGEL

Inventor(s): ARNAL DELER JOAQUIN BARCELONA ES ; ABRIL SOSA ANGEL CASTELLON ES ; ARNAL DELAR JOAQUIN ; SANCHEZ MONTALAR VICENTE GODELLA ES