

Diego Gonzalez

1) Family number: 32029153 (US2005138731A)

© PatBase

Title: MULTI-PURPOSE PATIENT CHAIR

Abstract: A medical chair provides a radiolucent backrest pivotally secured to a seat section. A pivoting push bar on the backrest pivots between an operative position, where it can be used to maneuver the chair, and a storage position where it does not compromise the radiolucent property of the backrest. The chair includes a leg support section, and the backrest and leg support section pivot between a chair structure and a stretcher structure. The pivoting of the backrest and legs support section are controlled by actuators that are positioned so as not to interfere with the radiolucent property of the backrest. A foot platform on the leg support section is connected to remain substantially parallel to the seat section as the leg support section is pivoted. A remote control allows for adjusting the configuration of the chair from points distant from the medical chair.

Classifications:

International (IPC 8-9): A61B6/04 A61G5/00 A61G7/015 A61G7/05 A61G7/14 A61G7/16 (Advanced/Invention);

A61G5/10 (Advanced/Non-invention);

A61B6/04 A61G5/00 A61G7/002 A61G7/05 A61G7/10 (Core/Invention)

International (IPC 1-7): A61B6/04 A61G7/015

CPC: A61G5/1072 A61G5/006 A61G5/1059 A61G7/015 A61G7/0507

A61G2203/12 A61B6/548 A61G7/051 A61G7/0514 A61G7/0522


European: A61G5/00C A61G5/10S12 A61G7/015 A61G7/05S

K61G203/12 K61G5/10S2 K61G7/05S12P K61G7/05S2A

K61G7/05S2B K61G7/05S4A2

US: 280/650 280/655.1 297/423.35 5/601 5/601P 5/618 5/618S

5/86.1 56/1 56/18



Family:

Publication number	Publication date	Application number	Application date
■ CN1640363 A	20050720	CN200410082186	20041231
■ US2005138731 AA	20050630	US20030750442	20031231
■ US7069608 BB	20060704	US20030750442	20031231

Priority:

US20030750442 20031231

Probable Assignee: WINCO MFG LLC

Assignee(s): (std): SPORT CONVERSION MEDICAL CORP ; TRANSMOTION MEDICAL INC

Assignee(s): WINCO MFG LLC ; ENTERPRISE BANK AND TRUST ; FAILOR RAYMOND A ; FOX MICHAEL D

Inventor(s): (std): FAILOR RAYMOND A ; FOX MICHAEL D

Inventor(s): FAILOR RAYMOND ; FOX MICHAEL

Agent(s): RAY L WEBER RENNER KENNER GREIVE BOBAK TAYLOR AND WEBER; RENNER KENNER GREIVE BOBAK TAYLOR AND WEBER

2) Family number: 57422629 (US2014259420A)

© PatBase

Title: RECONFIGURABLE PATIENT SUPPORT

Abstract: A patient support includes a base, a deck for supporting a patient, and a lift mechanism supporting the deck on the base and configured to adjust the orientation of the deck while allowing the head and foot sections of the deck to be articulated with respect to the seat section of the deck.

Classifications:

International (IPC 8-9): A61G1/00 A61G1/003 A61G1/017 A61G1/02

A61G1/04 A61G1/056 A61G5/00 A61G5/06 A61G5/10 A61G7/00

A61G7/015 A61G7/05 A61G7/16 B62B1/00 (Advanced/Invention);

A61G1/02 A61G7/05 A61G7/16 (Advanced/Non-invention)

CPC: A61G5/006 A61G1/02 A61G7/015 A61G5/06 A61G7/0015

A61G7/16 A61G1/017 A61G1/0225 A61G1/025 A61G5/066


A61G5/1059 A61G5/1067 A61G5/107 A61G5/1075 A61G1/0212

A61G1/0262 A61G1/0275 A61G1/0567 A61G5/061 A61G2007/0513

A61G2007/165 A61G1/04 A61G1/003 A61G5/104 A61G5/1054

A61G7/0513 A61G7/165

US: 1/1 280/28.5 280/657 296/20 5/618 5/86.1

**Family:**

Publication number	Publication date	Application number	Application date
AU2014236954 AA	20150924	AU20140236954	20140313
AU2014236954 BB	20180816	AU20140236954	20140313
AU2018264062 AA	20181206	AU20180264062	20181115
DE112014001286 T5	20151203	DE201411001286T	20140313
GB201517466 A0	20151118	GB20150017466	20140313
GB2527454 A1	20151223	GB20150017466	20140313
US2014259420 AA	20140918	US20140206257	20140312
US2014265181 AA	20140918	US20140206151	20140312
US2017079859 AA	20170323	US20160334933	20161026
US2018177650 AA	20180628	US20180932271	20180216
US9486373 BB	20161108	US20140206257	20140312
US9510981 BB	20161206	US20140206151	20140312
US9925098 BB	20180327	US20160334933	20161026
US10406043 BB	20190910	US20180932271	20180216
WO14151741 A1	20140925	WO2014US26370	20140313

Priority:

US20130781844P 20130314	US20130781308P 20130314	US20130806189P 20130328
US20140206151 20140312	US20140206257 20140312	AU20140236954 20140313
WO2014US26370 20140313	US20160334933 20161026	US20180932271 20180216
AU20180264062 20181115		

Probable Assignee: STRYKER CORP**Assignee(s):** (std): STRYKER CORP**Inventor(s):** (std): NABER BRANDON DAVID ; LUCAS ROSS TIMOTHY ; DACY IV ALFRED JAMES ; PUVOGEL THOMAS ALAN ; LAMBARTH CLIFFORD EDWIN ; WROBLEWSKI JASON JAMES ; DACY ALFRED JAMES ; LAMBARTH CLIFFORD E ; DACEY IV ALFRED JAMES**Inventor(s):** BRANDON DAVID NABER ; CLIFFORD E LAMBARTH ; ROSS TIMOTHY LUCAS ; ALFRED JAMES DACY ; THOMAS ALAN PUVOGEL ; JASON JAMES WROBLEWSKI**Agent(s):** DAVIES COLLISON CAVE; DAVIES COLLISON CAVE PTY LTD; WARNER NORCROSS AND JUDD LLP; COLLINS CATHERINE S ET AL**Designated states:** AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW**3) Family number: 57369060 (US2016008206A)**

© PatBase


Title: SYSTEMS AND METHODS FOR EXERTING FORCE ON BODIES

Abstract: Systems and methods for exerting forces on a body, including a support structure defining a space and a plurality of surface contacting units that are configured to exert force upon the body, such that the weight is distributed away from the primary weight bearing regions to non-weight bearing regions of the body, or vice versa, without exerting significant shear or frictional forces on surfaces of the body. The systems and methods may be used to exert forces to cause fluid shift in different compartments of the body. Applications include treatment of various disease conditions including pressure ulcers, heart failure, high blood pressure, preeclampsia, osteoporosis, injuries of spine and to slow microgravity-induced bone and muscle loss. The systems and methods may be used to simulate gravity, weightlessness or buoyancy, in rehabilitation medicine. The system may include a chair, bed, a wearable suit or an exoskeleton.

Classifications:

International (IPC 8-9): A47C9/00 A61F5/01 A61F5/02 A61F5/03
A61H1/00 A61H15/00 A61H23/00 A61H23/02 A61H23/04 A61H3/00
A61H3/04 A61H7/00 A61H9/00 A61M21/02 A63B21/00 A63B21/04
A63B22/02 A63B69/00 (Advanced/Invention)
CPC: A61H2201/0103 A47C9/002 A61H7/007 A61H23/006
A61H23/02 A61H2003/043 A61H2015/0064 A61H2023/045

A61H2201/0142 A61H2201/0149 A61H2201/0207 A61H2201/0214
A61H2201/1207 A61H2201/1215 A61H2201/1246 A61H2201/1621
A61H2201/1635 A61H2201/164 A61H2201/1642 A61H2201/165
A61H2201/1654 A61H2201/168 A61H2201/1695 A61H2201/1697
A61H2201/5007 A61H2201/5061 A61H2201/5064 A61H2201/5071
A61H2201/5082 A61H2203/0406 A61H2203/0431 A61H2203/0456
A61H2205/12 A61H2230/805 A63B21/00181 A63B21/0442
A63B21/4005 A63B21/4007 A63B22/02 A63B69/0064 A61M21/02
A61H1/001 A61H3/00 A61H2201/1645 A61M2021/0022
A61H2201/5084 A61H2230/045 A61H2230/105 A61H2230/405
A61H2209/00 A61H2201/1253 A61H9/0078 A61H1/008
US: 601/136



Family:

Publication number	Publication date	Application number	Application date
EP2964164 A2	20160113	EP20140760192	20140306
EP2964164 A4	20160914	EP20140760192	20140306
IN06046CN2015 A	20151023	IN2015CN06046	20151006
US2016008206 AA	20160114	US20140772359	20140306
US2019247269 AA	20190815	US20190391169	20190422
US10265237 BB	20190423	US20140772359	20140306
WO14138504 A2	20140912	WO2014US21448	20140306
WO14138504 A3	20141224	WO2014US21448	20140306

Priority:

US20130773154P 20130306 US20140772359 20140306 WO2014US21448 20140306
US20150772359 20150902 US20190391169 20190422

Probable Assignee: DEVANABOYINA UDAYA SANKAR

Assignee(s): (std): DEVANABOYINA UDAYA SANKAR

Inventor(s): (std): DEVANABOYINA UDAYA SANKAR

Agent(s): APLEYARD LEES; DAVE LAW GROUP LLC; DAVE RAJ S

Designated states: AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JP KE KG KM KN KP KR KZ LA LC LI LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

4) Family number: 28132477 (US2001008028A)

© PatBase

Title: Patient bed with leg lifter

Abstract: A cantilevered mobile bed/chair apparatus for safely transferring a patient from and to a hospital type bed comprises three hinged together segments forming back, seat and foot platforms operating in conjunction with a four wheeled, rectangular base. The hinged together platforms convert from a fully adjustable chair mode to a bed mode by a first jack located beneath the seat platform. The platforms are raised and lowered by a second jack associated with a telescoping tower attached to an E frame. The telescoping tower is mounted vertically from one side of the rectangular base, and when extended, has a height greater than a hospital bed. The E frame, which supports the platforms, is cantilevered horizontally from the top portion of the telescoping tower, and the height thereof is controlled by the second jack mounted together with the bottom portion of the telescoping tower, to the wheeled base. The side edges of the platforms are beveled or angled downward. When it is desired to transfer a patient from a hospital bed to the bed/chair apparatus, the unit is wheeled over in the bed mode. The lower height is extended by the second jack which enables the platforms to overhang in cantilever fashion the hospital bed by up to eighteen inches, and then lowered so as to press into the mattress of the hospital bed. The angled down edges of the platforms pressing into the mattress results in a tight embrace of the hospital bed, and an almost flat profile for the two beds so that a single caregiver can safely effect the patient transfer. Numerous other features are included for medical and physical maintenance of the patient.

Classifications:


International (IPC 8-9): A61G5/00 A61G7/10 A61G7/14
A61G7/16 (Advanced/Invention)

International (IPC 1-7): A47B7/00 A47B7/02 A47B83/04 A61G7/015
A61G7/08 A61G7/10 A61G7/14 A61S7/08

CPC: A61G5/006 A61G7/02 A61G7/1019 A61G7/1036 A61G7/1046
A61G7/1048 A61G7/1057 A61G7/1017

European: A61G5/00C A61G7/10N4 A61G7/10N6 A61G7/10P10
A61G7/10S6 A61G7/10S6A A61G7/10T8 K61G7/02

US: 177/144 5/611 5/613 5/613P 5/618 5/618S 5/81.1 5/81.10R
5/81.10RP 5/81.1R 5/86.1 5/86.100S 5/87.1

**Family:**

Publication number	Publication date	Application number	Application date
US2001008028 AA	20010719	US20010796368	20010302
US2004154097 AA	20040812	US20040771324	20040205
US5996150 A	19991207	US19970835991	19970411
US6427270 BA	20020806	US19990455764	19991207
US6691349 BB	20040217	US20010796368	20010302

Priority:

US19960016254P 19960424	US19970835991 19970411	US19990455764 19991207
US20000186345P 20000302	US20010796368 20010302	US20040771324 20040205

Probable Assignee: BLEVINS JERRY**Assignee(s):** BLEVINS JAMES W ; BLEVINS JERRY ; BLEVINS JERRY L**Inventor(s):** (std): BLEVINS JERRY ; BLEVINS JAMES W ; BLEVINS JERRY L**5) Family number: 56170829 (CN203524227U)**

© PatBase

Title: MULTIFUNCTIONAL MEDICAL DRESSING CHANGING CHAIR

Abstract: The utility model discloses a multifunctional medical dressing changing chair. The multifunctional medical dressing changing chair comprises a chair back, a chair seat and four chair legs, wherein the chair back comprises a back bracket and a back cushion; the back cushion is positioned inside the back bracket; the back bracket in the middle of the top end of the chair back and the back cushion are sink downward, so as to form an arc groove; the chair seat is fixed above the middle of the four chair legs; armrests are installed at top ends of the chair legs at two ends of the chair seat; the chair seat comprises a base bracket and a seat cushion installed on the base bracket; a pair of leg telescoping brackets are arranged below the base bracket; the leg telescoping brackets can extend out to the front part of the dressing changing chair; foot brackets perpendicular to the leg telescoping brackets are connected with front ends of the leg telescoping brackets; the foot brackets are connected with the leg telescoping brackets, so as to form an L shape. As the structure is adopted, the multifunctional medical dressing changing chair provides a dressing changing platform for various body parts of patients, and meanwhile as part of components of the dressing changing chair can be stretched, the chair can be adjusted according to the requirements, a stable structure, and is comfortable and convenient to use and easy to popularize.

Classifications:**International (IPC 8-9):** A47C1/00 A47C7/18 A47C7/40 A47C7/50

A47C7/54 (Advanced/Invention)

CPC: A47C7/503




图 1

5

Family:

Publication number	Publication date	Application number	Application date
■ CN203524227 U	20140409	CN201320720175U	20131115

Priority:

CN201320720175U 20131115

Probable Assignee: FIRST HOSPITAL OF YC**Assignee(s):** (std): DONG JINLIAN ; FIRST HOSPITAL OF YC ; PAN QUN**Assignee(s):** PAN GROUP ; DONGJIN LIAN**Inventor(s):** (std): CHEN XIAOFANG ; DONG JINLIAN ; GUAN MINZHI ; HUANG LIPING ; LI HAIRONG ; LI NA ; LIU HUAJUN ; PAN QUN ; WANG KAIJU ; XU XI ; YUAN HONG ; ZHANG JIN ; ZHANG PING ; ZHAO LIANG**6) Family number: 50002615** (CN202044351U)

© PatBase

Title: SPECIAL TREATMENT CHAIR FOR CARDIOLOGICAL PATIENT

Abstract: The utility model discloses a medical treatment appliance, especially discloses a special treatment chair for a cardiologist, which comprises a chair seat, chair legs, a chair back, two armrests and a transfusion rack; and is characterized in that: the chair seat is hinged with the chair back; a hydraulic cylinder and a telescoping rod are disposed between the chair back and the chair seat; the hydraulic cylinder is connected with a hydraulic pump; the hydraulic pump is provided with a control switch mounted on an armrest; a damping spring is disposed on the contact position of the chair seat with each chair leg; a wheel is disposed on the lower end of each chair leg. The special treatment chair for a cardiologist achieves the advantages of simple structure, and comfortable riding; a patient sitting on the chair can adjust the gradient of the chair back freely; and the damping springs can reduce the vibration generated in the traveling process of the chair; thereby, the chair is beneficial to the treatment to a patient.

Classifications:

International (IPC 8-9): A61B19/00 A61G15/04 A61G15/10
A61G5/00 A61G5/10 (Advanced/Invention)




图1

4

Family:

Publication number	Publication date	Application number	Application date
■ CN202044351 U	20111123	CN201120122568U	20110425

Priority:

CN201120122568U 20110425

Probable Assignee:

FAQIANG ZHOU

Assignee(s): (std):

FAQIANG ZHOU

Assignee(s):

ZHOU FAQIANG

Inventor(s): (std):

XUFEN ZHAO ; FAQIANG ZHOU

Inventor(s):

ZHOU FAQIANG ; ZHAO XUFEN

7) Family number: 59313365 (CN104622071A)

© PatBase


Title: MULTIFUNCTIONAL MEDICAL DRESSING CHANGING CHAIR

Abstract: The invention provides a multifunctional medical dressing changing chair. The multifunctional medical dressing changing chair comprises a back, a seat and four legs; the back comprises a back bracket, and a backrest which is positioned in the back bracket; the back bracket and the backrest in the middle part of the top end of the back are downwards sunken to form an arc-shaped groove; the seat is fixed above the middle parts of the four legs; armrests are mounted on the top ends of the legs at two ends of the seat; the seat comprises a base bracket, and a cushion mounted on the base bracket; a pair of leg telescoping brackets is arranged below the base bracket and can extend in front of the dressing changing chair; feet supports vertical to the leg telescoping brackets are connected to the front ends of the leg telescoping brackets and connected with the leg telescoping brackets into an L shape. The multifunctional medical dressing changing chair adopting the structure above has the advantages that a dressing changing platform is provided to change dressing of a plurality of parts of a body of a patient; some parts are telescopic and can be adjusted as requirement; meanwhile, the multifunctional medical dressing changing chair is stable in structure, comfortable, convenient to use, and easy to popularize.

Classifications:

International (IPC 8-9): A47C1/00 A47C7/18 A47C7/40 A47C7/50
A47C7/54 (Advanced/Invention)

CPC: A47C7/503



Family:

Publication number	Publication date	Application number	Application date
CN104622071 A	20150520	CN201310569474	20131115

Priority:

CN201310569474 20131115

Probable Assignee: FIRST HOSPITAL OF YC

Assignee(s): (std): DONG JINLIAN ; FIRST HOSPITAL OF YC ; PAN QUN

Assignee(s): FIRST PEOPLE S HOSPITAL IN YICHANG CITY ; PAN GROUP ; DONGJIN LIAN

Inventor(s): (std): CHEN XIAOFANG ; DONG JINLIAN ; GUAN MINZHI ; HUANG LIPING ; LI HAIRONG ; LI NA ; LIU HUAJUN ; PAN QUN ; WANG KAIJU ; XU XI ; YUAN HONG ; ZHANG JIN ; ZHANG PING ; ZHAO LIANG

8) Family number: 59451997 (CN204601049U)


© PatBase

Title: RECOVERED TREATMENT DEVICE OF TRUCK

Abstract: The utility model belongs to the technical field of medical instrument, involve a recovered treatment device of truck who carries out healthy treatment to the disease, including chair leg, seat support, the back of the chair and handrail, the chair leg and the back of the chair are articulated through the pivot, and the back of the chair rotates around chair leg tip, seat support tip and chair leg are articulated through the pivot, and the seat support rotates around chair leg tip, the handrail tip articulates at back of the chair side through the pivot, seat support, the back of the chair and the handrail back are fixed with respectively and make it around each axis of rotation pivoted telescoping device, the telescoping device includes motor and electronic jar, the singlechip signal is received to the motor, the singlechip is connected with input device, the utility model discloses simple structure, can be simultaneously to the motion of recovering of patient's back, buttock, shank, arm position, the function is various, is favorable to comprehensive recovery of patient.

Classifications:

International (IPC 8-9): A61H1/00 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
CN104622665 A	20150520	CN201510067324	20150210
CN104622665 B	20160706	CN201510067324	20150210
CN204601049 U	20150902	CN201520091503U	20150210

Priority:

CN201510067324 20150210 CN201520091503U 20150210

Probable Assignee: UNIV HUNAN CHINESE MEDICINE**Assignee(s):** (std): HUNAN UNIV OF TRADITIONAL CHINESE MEDICINE ; UNIV HUNAN CHINESE MEDICINE**Assignee(s):** HUNAN UNIV OF CHINESE MEDICINE**Inventor(s):** (std): LI YUEBING ; AI KUN ; TAN JIE ; ZENG XUQIU ; LI TIELANG ; DENG SHIFENG ; ZHANG HONG**9) Family number: 67778931** (CN206714494U)


© PatBase

Title: SEAT WITH ADJUSTABLE IT IS MEDICAL

Abstract: The utility model provides a seat with adjustable it is medical, the chair frame includes go up chair frame and lower chair frame, the last chair frame of is provided with the telescoping device, sets up the backup plate on going up the chair frame, go up the chair frame and the chair frame is articulated down, the backing plate setting on chair frame down, the backing plate is divided into backing plate no. 1 and backing plate no. 2, and lower chair frame is provided with four chair legs, and be provided with between two forelegs and be provided with supporting leg no. 3 and supporting leg no. 4 between supporting leg no. 1 and two, two back legs of supporting leg, be provided with elevating system no. 1 and elevating system no. 2 below backing plate no. 1 and the backing plate no. 2 respectively, elevating system no. 1 sets up in backup pad no. 1, elevating system no. 2 sets up in backup pad no. 2, the tip of activity dining table setting chair leg extension end before two, activity dining table below is provided with the handrail, the one end of handrail is articulated with last chair frame. This seat simple structure not only can have promoting function to patient's recovery, satisfied the many -sided demand of patient simultaneously.

Classifications:

International (IPC 8-9): A47C7/00 A47C7/46 A47C7/68
A61F5/37 (Advanced/Invention)

**Family:**

Publication number	Publication date	Application number	Application date
■ CN206714494 U	20171208	CN201621441845U	20161227

Priority:

CN201621441845U 20161227

Probable Assignee: XUZHOU CENTRAL HOSPITAL**Assignee(s):** (std): XUZHOU CENTRAL HOSPITAL**Inventor(s):** (std): JI JIE ; NIU RU ; QIN DAN ; WANG JINFENG ; WANG MIN**10) Family number: 63816982** (CN205649567U)


© PatBase

Title: A CERVICAL VERTEBRA TREATMENT CHAIR FOR MEDICAL CARE

Abstract: The utility model discloses a cervical vertebra treatment chair for medical care, including seat and landing leg, the last fixed surface of seat installs the massage cushion, and massages the right -hand member connection massage back of cushion, the upper end fixed mounting of massage back has a massage back cushion, and fixed mounting has a telescoping device on the lateral surface of massage back, the right -hand member of telescoping device rotates the support frame of connecting the L type, and just rotate in the bottom of support frame and be connected with the base, the last fixed surface of seat right -hand member installs the motor, and the coaxial fixed connection pulley of motor, the one end of pulley fixed connection steel wire, the other end overlaps through installing to rectify at the assembly pulley cooperation connection cervical vertebra of support frame inner chamber, the handrail is installed on prolonging length direction's side to the massage back, and the upper surface of handrail is provided with regulating switch.

Classifications:

International (IPC 8-9): A61F5/042 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
CN205649567 U	20161019	CN201620239203U	20160326

Priority:

CN201620239203U 20160326

Probable Assignee:

LIU YONGJIANG

Assignee(s): (std):

LIU YONGJIANG

Inventor(s): (std):

LIU YONGJIANG ; XIN YUEHONG

11) Family number: 68718594 (US2018055704A)

© PatBase

Title: PHYSICAL TRANSFER ELECTRIC ASSIST DEVICE/BOARD FOR PEOPLE IN THERAPY OR IN NEED OF SPECIAL CARE


Abstract: A physical transfer device/board for people in therapy or in need of special care. It starts with a long plank that bridges between the start and finish point and then the plank has a movable, rotating disk with an optional back and leg rest. The disk slides from Point A start to Point B finish and is actuated by an electric motor powered with a battery or electricity from a plug-in receptacle. The whole device is portable with a foldable leg structure to securely and safely support the patient. The use and method of the device anticipates transfers such as a patient in a bed or wheel chair transfer to a tub, shower, toilet or other place for some personal or medical need.

Classifications:

International (IPC 8-9): A61G7/10 (Advanced/Invention)

CPC: A61G7/103 A61G7/1034 A61G7/1088 A61G7/1076 A61G7/1074 A61G7/1003 A61G7/1007

US: 1/1 5/81.1RP



Family:

Publication number	Publication date	Application number	Application date
US2018055704 AA	20180301	US20170687305	20170825
US9931260 BB	20180403	US20170687305	20170825

Priority:

US20160379333P 20160825

US20170687305 20170825

Probable Assignee:

MLUNGWANA DUMISANI

Assignee(s): (std):

MLUNGWANA DUMISANI

Inventor(s): (std):

MLUNGWANA DUMISANI

Agent(s):

JOHN D; RITCHISON LAW OFFICES PC