

Search query (5): fn=(68544102:50 or 76695665:30 or 61917269:30 or 61322849:30 or 52129014:30 or 51961197:30 or 51689628:30 or 48287031:30 or 48241410:30 or 46622220:30 or 41818837:30 or 37242926:30 or 34151200:30 or 32666999:30 or 32662701:30 or 32098610:30 or 31358288:30 or 31227150:30 or 31050259:30 or 29991549:30 or 29759607:30 or 28556218:30 or 19273481:30 or 15330638:30 or 14279719:30 or 13421483:30 or 13211206:30 or 12942159:30 or 12645847:30 or 12092191:30 or 11980454:30 or 11522424:30 or 9196267:30 or 5601684:30 or 4063943:30 or 3194059:30 or 76736952:20 or 76539574:20 or 76462631:20 or 76441406:20 or 76405956:20 or 76405873:20 or 76360845:20 or 76322050:20 or 76255631:20 or 76206084:20 or 76158248:20 or 76147391:20 or 76112269:20 or 76027516:20 or 76020528:20 or 75984989:20 or 75828751:20 or 75777467:20 or 75762770:20 or 75728916:20 or 75701559:20 or 75658220:20 or 75653703:20 or 75608719:20 or 75588236:20 or 75573855:20 or 75573829:20 or 75478090:20 or 75371531:20 or 75289553:20 or 75241314:20 or 75189577:20 or 75039036:20 or 74946717:20 or 74852013:20 or 74840464:20 or 74813733:20 or 74813686:20 or 74778738:20 or 74686228:20 or 74665357:20 or 74617738:20 or 74601769:20 or 74552852:20 or 74402823:20 or 74371384:20 or 74344833:20 or 74137007:20 or 74116453:20 or 73860617:20 or 73855914:20 or 73778345:20 or 73762761:20 or 73715852:20 or 73700198:20 or 73672837:20 or 73617348:20 or 73578110:20 or 73539246:20 or 73430745:20 or 73430713:20 or 73265570:20 or 73237280:20 or 73198231:20)

Results: 100

Search history

Search FT=(block and pet and polystyrene and recycle) and IC=(B09B1/00) (Results 2)

1:

Search FT=(block and pet and polystyrene and recycle) and IC=(B65F1/00) (Results 1)

2:

Search INV=(Carlos Ivan Fonseca Suarez) (Results 1)

3:

Search fn=(68544102) (Results 1)

4:

Search fn=(68544102:50 or 76695665:30 or 61917269:30 or 61322849:30 or 52129014:30 or 51961197:30 or 51689628:30 or 48287031:30 or 48241410:30 or 46622220:30 or 41818837:30 or 37242926:30 or 34151200:30 or 32666999:30 or 32662701:30 or 32098610:30 or 31358288:30 or 31227150:30 or 31050259:30 or 29991549:30 or 29759607:30 or 28556218:30 or 19273481:30 or 15330638:30 or 14279719:30 or 13421483:30 or 13211206:30 or 12942159:30 or 12645847:30 or 12092191:30 or 11980454:30 or 11522424:30 or 9196267:30 or 5601684:30 or 4063943:30 or 3194059:30 or 76736952:20 or 76539574:20 or 76462631:20 or 76441406:20 or 76405956:20 or 76405873:20 or 76360845:20 or 76322050:20 or 76255631:20 or 76206084:20 or 76158248:20 or 76147391:20 or 76112269:20 or 76027516:20 or 76020528:20 or 75984989:20 or 75828751:20 or 75777467:20 or 75762770:20 or 75728916:20 or 75701559:20 or 75658220:20 or 75653703:20 or 75608719:20 or 75588236:20 or 75573855:20 or 75573829:20 or 75478090:20 or 75371531:20 or 75289553:20 or 75241314:20 or 75189577:20 or 75039036:20 or 74946717:20 or 74852013:20 or 74840464:20 or 74813733:20 or 74813686:20 or 74778738:20 or 74686228:20 or 74665357:20 or 74617738:20 or 74601769:20 or 74552852:20 or 74402823:20 or 74371384:20 or 74344833:20 or 74137007:20 or 74116453:20 or 73860617:20 or 73855914:20 or 73778345:20 or 73762761:20 or 73715852:20 or 73700198:20 or 73672837:20 or 73617348:20 or 73578110:20 or 73539246:20 or 73430745:20 or 73430713:20 or 73265570:20 or 73237280:20 or 73198231:20) (Results 100)

1) Family number: 74137007 (CN208787186U)


© PatBase

Title: MEDICAL WASTE IS WITH SMASHING COMPRESSOR ARRANGEMENT

Abstract: The utility model relates to a medical waste treatment technical field, concretely relates to medical waste is with smashing compressor arrangement, including smashing pipe, passage and compression pipe, the utility model provides a medical waste is with smashing compressor arrangement drives the epaxial auger of taking the initiative through the rotation motor and smashes and drive the rubbish removal to rubbish, and the epaxial action wheel of taking the initiative simultaneously drives driven round of rotation, and then passes through driven shaft drive lead screw and rotate, and movement nut follows reciprocal lead screw reciprocating axially like this, and the rubbish right side that will fall into compression pipe pushes away compress, and the reduction taking the volume, it is as anorganic whole that this device will collect crushing compression function, only needs single power supply can accomplish smashing and compression work of rubbish, and easy operation is convenient.

Classifications:

International (IPC 8-9): B02C 19/22 B09B3/00
B30B9/28 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
■ CN208787186 U	20190426	CN201821236889U	20180801

Priority:

CN201821236889U 20180801

Probable Assignee: ZHANG

Assignee(s): (std): ZHANG BO

Assignee(s): ZHANG

Inventor(s): (std): DONG JIAJIA ; ZHANG BO ; WANG LIPING


Title: PILL MANAGEMENT DEVICE AND ASSOCIATED USE THEREOF

Abstract: A pill management device includes a portable reservoir having a pill-receiving inlet and an access door spaced from the pill-receiving inlet, a pill-crushing mechanism disposed within the reservoir and configured to transform a solid pill, introduced via the pill-receiving inlet, to pill powder, and a locking mechanism in communication with the access door and the pill-receiving inlet for preventing unauthorized access to the pill powder housed within the reservoir. Advantageously, the locking mechanism locks the access door and the pill-receiving inlet.

Classifications:

International (IPC 8-9): A61J7/00 B09B3/00 (Advanced/Invention);
B65F1/00 (Advanced/Non-invention)

CPC: B09B3/0075 B65F1/002 B65F2240/145 A61J7/0007 B65F1/1426
B65F2210/12 B65F2210/148 B65F2210/168

**Family:**

Publication number	Publication date	Application number	Application date
US10328469 BA	20190625	US20170667607	20170802

Priority:

US20160369804P 20160802 US20170667607 20170802

Probable Assignee:

SHAH BINOD

Assignee(s): (std):

SHAH BINOD ; SHAH PRASANNA

Inventor(s): (std):

SHAH BINOD ; SHAH PRASANNA

Agent(s):

NAJAFI ASHKAN


Title: CONCRETE BIN FOR PICKUP BUILDING SLATE ROOF AND THEREOF LANDFILL METHOD

Abstract: PURPOSE: A container for collecting asbestos containing construction materials and a method for burying the same are provided to prevent asbestos dust from being scattered by being sealed by a concrete cover. CONSTITUTION: A container for collecting asbestos containing construction materials is composed of a concrete collecting case and a concrete cover. The concrete collecting case receives construction materials(S10). The front side of the concrete collecting case is raised from the edge sides of the bottom side of the concrete collecting case in order to surround the front side, the rear side, the left side, and the right side of the construction materials. The concrete cover covers the concrete collecting case(S20). [Reference numerals] (S10) Filling a concrete collecting case with construction materials; (S20) Covering the concrete collecting case with a concrete cover; (S30) Burying the concrete collecting case

Classifications:

International (IPC 8-9): B09B1/00 B09B3/00
B65F1/00 (Advanced/Invention)

CPC: Y02W30/32 B65F1/00 B09B1/00 B65D13/00 B65D85/00 Y02W30/10

**Family:**

Publication number	Publication date	Application number	Application date
KR20120108275 A	20121005	KR20110025948	20110323

Priority:

KR20110025948 20110323


Probable Assignee: NET HANARO CO LTD
Assignee(s): (std): AHN DAE HEE ; JOUNG WON HUN ; NET HANARO CO LTD
Assignee(s): NET HANARO CO
Inventor(s): (std): AHN DAE HEE ; CHOI DAL EOP ; JOUNG WON HUN

4) Family number: 48287031 (KR20110012215A) © PatBase

Title: Garbage compressor (Machine translation)

Abstract: PURPOSE: A food waste compressor is provided to save the cost for garbage bags and to compress food waste for discharging soft substances including noodles and rice to a sewage drain. CONSTITUTION: A food waste compressor comprises the following: a mesh inserted into an outer container and an inner container for compressing food waste inside a sink by the lever fundamentals; a safety pine device installed on a compressing plate to fix the compressor in a pressed state with the inner container; and a zipper discharging the compressed food waste after separating the compressing plate and lifting the mesh.

Classifications:
International (IPC 8-9): B09B1/00 B09B3/00
B65F1/00 (Advanced/Invention)
CPC: Y02W30/10 E03C1/2665 B01D35/02 B09B3/00 B30B9/04
B65F2210/162 Y02W30/20 Y02W30/52



Family:

Publication number	Publication date	Application number	Application date
 KR20110012215 A	20110209	KR20090069835	20090730

Priority:

KR20090069835 20090730

Probable Assignee: MAENG JANG HO
Assignee(s): (std): MAENG JANG HO
Inventor(s): (std): MAENG JANG HO


5) Family number: 75039036 (CN109985885A) © PatBase

Title: BIOLOGICAL REACTOR LANDFILL STRENGTHENING TREATMENT SYSTEM AND METHOD

Abstract: The invention discloses a biological reactor landfill strengthening treatment system and method. The bioreactor landfill strengthening treatment system comprises a reactor body, the top of the pile body is provided with a covering layer, the covering layer is a low-permeability covering layer, the periphery of the pile body is coated with an anti-seepage layer, a ventilation unit is arranged in the reactor body, the bottom end of the ventilation unit is inserted into the reactor body, a nutrient solution injection port is formed in the top end of the ventilation unit, and a flow passage of the ventilation unit is shared by the flow passage after the nutrient solution is injected. The technical scheme provided has the advantages of being high in degradation speed, short in stabilization time, simple in construction, low in cost, easy to maintain and the like.

Classifications:

International (IPC 8-9): B09B1/00 B09B3/00 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
CN109985885 A	20190709	CN201910339817	20190425

Priority:

CN201910339817 20190425

Probable Assignee: HUNAN MODERN ENVIRONMENT TECH CO LTD

Assignee(s): (std): HUNAN MODERN ENVIRONMENT TECH CO LTD

Assignee(s): HUNAN MODERN ENVIRONMENT TECHNOLOGY CO ; HUNAN MODERN ENVIRONMENTAL TECHNOLOGY CO LTD

Inventor(s): (std): LIU CHAOHUI ; LI HUI ; LIU YAN ; YAN HONGLING

6) Family number: 76322050 (CN209558676U)

© PatBase


Title: A process for recovering waste heat of the gas turbine device (Machine translation)

Abstract: Source: CN209558676U **Machine translation:** The present utility model provides a method for recovering methane gas turbine waste heat means, comprising a recovery tank and a waste tank, waste tank fixedly connected to the recovery tank, the recovery tank length direction on both sides fixedly connected with an intake pipe and outlet pipe, the recovery tank top tank top is fixedly connected with a plurality of spaced along the longitudinal direction of the recovery tank, the recovery tank bottom is fixedly connected with a plurality of bottom water tank, the water tank along the longitudinal direction of the recovery tank bottom, the tank bottom and the top of the tank spaced length greater than half the height of the recovery tank and recovery tank cross distribution; width direction sides respectively fixedly connected there inlet and outlet pipe, inlet and outlet pipe are connected with the top of the tank between the tank and the bottom tank; adjacent bottom bottom opened a drain tank, drain tank through recycling bins and waste boxes, adjacent the top water tank fixedly connected between the strong winds of the tube so that the dross of impurities within the recovery tank is blown into the box, the utility model has the gas turbines produced waste heat recycling advantages.

Classifications:

International (IPC 8-9): B09B1/00 B09B3/00

F24H8/00 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
CN209558676 U	20191029	CN201822262866U	20181230

Priority:

CN201822262866U 20181230

Probable Assignee: TORCH BANG SEN IND TIANJIN ENERGY TECHNOLOGY CO LTD

Assignee(s): TORCH BANG SEN IND TIANJIN ENERGY TECHNOLOGY CO LTD

Title: DISPOSAL OF EMPTY CONTAINERS

Abstract: Containers of the type having a rigid outer casing 4 accommodating an inner liner 2 are disposed of by removing the outer casing 4, expelling air remaining in the liner 2, and placing the liner 2 in a waste receptacle 10. The casing 4 is disposed of separately. When full, the waste receptacle 10 is disposed of in its entirety by means appropriate to the nature of the former contents of the containers. For example, disposal of the receptacle 10 may be undertaken by specialist contractors. This relieves the users of the containers (which may formerly contain herbicide) from the responsibility of disposing of them safely.

Classifications:

International (IPC 8-9): B09B1/00 B09B3/00 B65D77/06 B65F1/00

B65F3/00 B65F5/00 (Advanced/Invention);

B09B1/00 B65D77/06 (Advanced/Non-invention);

B09B1/00 B09B3/00 B65D77/06 B65F1/00 (Core/Invention)

International (IPC 1-7): A61B19/2 B09B1/0 B09B1/00 B09B5/00
B65B5/04 B65B67/00 B65D77/06 B65D77/4 B65D85/82 B65D85/84
B65F1/00 B65F3/00 B65F5/00

CPC: B09B3/0025 B65F1/00

European: B09B3/00D B65F1/00

US: 53/438 53/468 53/471 534/380

PatBase - US5103619_A

U.S. Patent

Apr. 14, 1992

Sheet 1 of 3

5,103,619

FIG. 1





FIG. 2

**Family:**

Publication number	Publication date	Application number	Application date
AT113873 E	19941115	AT19900309651T	19900904
AU199061941 A1	19910321	AU19900061941	19900829
AU622046 B2	19920326	AU19900061941	19900829
CA2023727 AA	19910319	CA19902023727	19900821
DE69014061 D1	19941215	DE19906014061	19900904
EP0420422 A2	19910403	EP19900309651	19900904
EP0420422 A3	19920304	EP19900309651	19900904
EP0420422 B1	19941109	EP19900309651	19900904
ES2063924 T3	19950116	ES19900309651T	19900904
GB2236104 A1	19910327	GB19890021102	19890918
GB8921102 A0	19891101	GB19890021102	19890918
JP2568745 B2	19970108	JP19900254405	19900918
JP3118888 A2	19910521	JP19900254405	19900918
NZ235046 A	19930225	NZ19900235046	19900824
US5103619 A	19920414	US19900579808	19900910
ZA9006791 A	19910828	ZA19900006791	19900827

Priority:

GB19890021102 19890918 CA19902023727 19900821

Probable Assignee: NOMIX CHIPMAN LTD

Assignee(s): (std): NOMIX CHIPMAN LTD ; NOMIX MFG CO LTD

Assignee(s): NOMIX MFG ; GILL DAVID CHARLES ; NOMITSUKUSU MFG CO LTD ; NOMIX CHIPMAN LIMITED ; NOMIX CHIPMAN LTD STAPLE HILL BRISTOL GB ; NOMIX MANUFACTURING CO LTD ; NOMIX MANUFACTURING COMPANY LIMITED

Inventor(s): (std): GILL DAVID CHARLES ; DAVID CHARLES GILL ; DEIBITSUDO CHIYAARUZU GIRU ; GILL DAVID C

Inventor(s): GILL DAVID CHARLES BRISTOL BS18 2SG GB


Agent(s): LORD AND CO; SIM AND MCBURNEY

Designated states: AT BE CH DE DK ES FR GB GR IT LI LU NL SE

Title: One kind of fly ash chelating means (Machine translation)

Abstract: Source: CN209502540U **Machine translation:** The utility model discloses a fly ash cured chelating means, including fly ash cement weighing bin, weighing bin, weighing bin chelating agent and mixer mixer, fly ash weighing hopper outlet and mixer in communication, cement weighing hopper outlet and mixer in communication, chelating agents weighing bin through the pipe and mixer in communication, fly ash, cement and chelating agent are mixed in the mixing machine. Fly ash cured chelating system stability is essential to cement, fly ash, chelating agent ratio, good ratio between the three fly ash and cement, in order to maximize the chelating reaction, to save operating costs, reduce environmental risks; to this end design a weighing system in order to achieve accurate measurement of the object, in particular: Each material in the fly ash weighing bin is provided with fly ash, cement weighing weighing bin provided with a cement weighing, weighing bin provided with a chelating agent chelating agent weighing machines.

Classifications:
International (IPC 8-9): B09B1/00 B09B3/00 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
■ CN209502540 U	20191018	CN201920223529U	20190222

Priority:

CN201920223529U 20190222

Probable Assignee: ANHUI CONCH KAWASAKI ENERGY CONSERVATION EQUIPMENT MFG CO LTD

Assignee(s): (std): ANHUI CONCH KAWASAKI ENERGY CONSERVATION EQUIPMENT MFG CO LTD


9) Family number: 75478090 (CN209241854U)

© PatBase

Title: A life waste collection device (Machine translation)

Abstract: Source: CN209241854U **Machine translation:** A life waste collection device comprising a waste bin, solar panels, lamp, front door, rear doors, sewage, garbage bin, nets, cesspools, partitions, solar panels arranged in the waste bin top surface; The upper end of the waste bin front side provided with a plurality of lamp light; Several lights corresponding position below provided with several front doors; Outfall provided in the lower side of the waste bin; Rear door activities connected to the lower end of the waste bin back; Several garbage bin is provided on the waste bin inside a lower end; The upper end of the front door is fixedly connected to the lower end of the upper end fixedly connected with the garbage bin; The sewage pool provided at the lower end of the web; Outfall fixedly disposed at the lower side of the waste bin; Number of separator disposed in the waste bin inside; Solar panels 2 and the connection between the lamp 3 is electrically connected relationship. It has a pair of waste solid-liquid separation, night for easy identification, wastes simple classification recovery characteristics.

Classifications:
International (IPC 8-9): B09B3/00 B65F1/00
B65F1/14 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
■ CN209241854 U	20190813	CN201821977141U	20181128

Priority:

CN201821977141U 20181128

Probable Assignee: NANJING JIA RONG RENEWABLE MATERIALS RECOVERY LTD

Assignee(s): NANJING JIA RONG RENEWABLE MATERIALS RECOVERY LTD

10) Family number: 68544102 (CO20170006282A)

© PatBase

Title: PROYECTO PILOTO DE MONTAJE DE UN PARQUE ECOAMBIENTAL DE MANEJO INDUSTRIAL E INTEGRAL DE RESIDUOS SOLIDOS ORGANICOS E INORGANICOS CON DISPOSICION FINAL EN RELLENOS SANITARIOS EN COLOMBIA Pilot project of mounting a ECOAMBIENTAL PARK INDUSTRIAL MANAGEMENT AND INTEGRAL WITH ORGANIC AND INORGANIC SOLID WASTE DISPOSAL IN LANDFILLS IN COLOMBIA (Machine translation)

Abstract: Source: CO20170006282A [ES] RESUMEN: El montaje de UN PARQUE ECOAMBIENTAL CON TECNOLOGIA DE PUNTA PARA EL MANEJO INDUSTRIAL E INTEGRAL DE RESIDUOS ORGANICOS E INORGANICOS CON DISPOSICION FINAL, es un proyecto orientado a la extension de la vida util de los rellenos sanitarios en virtud de que tiende a dar tratamiento, basado en tecnologia moderna, a la variedad de residuos que se disponen en los mismos, conllevando soluciones de caracter ambiental y social debido a que reduce el pasivo ambiental derivado del actual manejo de los rellenos sanitarios y porque genera empleo a traves de contratos laborales legales con reconocimiento de prestaciones sociales completas. **Machine translation:** Summary: Mounting A ECOAMBIENTAL PARK WITH TECHNOLOGY TO INDUSTRIAL AND integral management of organic and inorganic waste with final disposal, is a project oriented to the extension of the useful life of the landfill under which tends to give treatment, based on modern technology, to the variety of waste that are arranged in the same, leading to environmental and social solutions because it reduces the environmental liabilities derived from the current management of landfills and because it generates employment through labor contracts with legal recognition of social benefits.

Classifications:

International (IPC 8-9): B09B1/00 B09B3/00 B30B9/28 B65F1/00 B65F3/06 (Advanced/Invention)

Family:

Publication number	Publication date	Application number	Application date
■ CO20170006282 A1	20180131	CO20170006282	20170904

Priority:

CO20170006282 20170904

Probable Assignee: FONSECA SUAREZ CARLOS IVAN

Assignee(s): (std): FONSECA SUAREZ CARLOS IVAN

Assignee(s): CARLOS IVAN FONSECA SUAREZ

Inventor(s): (std): FONSECA SUAREZ CARLOS IVAN ; RIOS VELILLA LUZ HELENA

Inventor(s): CARLOS IVAN FONSECA SUAREZ ; LUZ HELENA RIOS VELILLA