


20 Documents

Publication numbers	Title	Current assignees
CN206239567U U	Novel shoulder formula pregnant woman maternity belt carries on arm	QI MINGXU
CN206434455U U	Pregnant woman uses antenatal maternity belt	YANG JUFANG
CN206228476U U	Multi -functional pregnant woman maternity belt	ZHAO QIAOFEN
CN202200939U U	Multifunctional combined safety belt for pregnant women	CHANGSHA LIZHONG AUTOMOBILE DESIGN & DEVELOPMENT
CN104887373 A	Auxiliary supporting belt for hypogastrium of pregnant woman	BEIJING FORESIGHT MEDICAL TECHNOLOGY DEVELOPMENT
CN208287115U U	Multi -functional pregnant and lying -in women maternity belt	LAN XINYI
EP3305255 A1	Vest-type maternity belt	LEE EUN SUNG, ...
CN202437412U U	Multifunctional safety belt for pregnant woman	ZHEJIANG INDUSTRY & TRADE VOCATIONAL COLLEGE
CN209187109U U	Abdomen supporting belt for pregnant woman	SICHUAN SANHE MEDICAL MATERIALS
CN103381789 A	Automobile safety belt suitable for pregnant women	XU XIAOWEN
CN204161303U U	Three-point car safety belt adjustable limit cushion for pregnant women	LIU LI
CN205215472U U	Abdominal support belt for pregnant woman	WANG WENBO
CN109224281 A	Nursing device for pregnant women in middle and later periods of gestation	HENAN UNIVERSITY OF SCIENCE & TECHNOLOGY
CN205626216U U	Maternity abdomen supporting belt	ZHAO QIAN
CN206473442U U	Maternity abdomen supporting belt	WANG WENBO
CN205924262U U	Maternity abdomen supporting belt	WANG WENBO
CN208905414U U	Body shaping pants for pregnant women	XING ZHICUN
CN206730025U U	Maternity belt is supported to shoulder formula back	CHEN JIANFENG
JP2008144319 A	Maternity belt	PIGEON
CN202020583U U	Nanometer traditional Chinese medicine type maternity belt	QIU DINGWU

Family 1/20 - FAMPAT - ©Questel

Title

(CN206239567U)

Novel shoulder formula **pregnant** woman **maternity belt** carries on arm**Images****Publication numbers with kind code & date**

CN206239567

U

2017-06-13

CN206239567U

**Abstract**

(CN206239567)

The utility model discloses a novel shoulder formula **pregnant** woman **maternity belt** carries on arm, it relates to **pregnant** woman's articles for use field, sew up with crossing lower extreme both sides of carrying the baldric on the arm respectively mutually at the both ends of **maternity belt body**, and the department of the seing up one side at both ends has been made up compression **belt** respectively and has been tightened up the fixed band, tighten up and made up the cross -under of compression **belt** annular on the fixed band and detain, compression **belt** wears to establish in the lumbar vertebrae backup pad, and hook -and -loop fastener hooking face has been made up to compression **belt**'s one end medial surface, and the lumbar vertebrae backup pad is passed to compression **belt**'s one end and the bonding is detained on compression **belt**'s surface to the cross -under of compression **belt** annular, compression **belt**'s surface is the hair side structure. It shoulders structural design through adopting crossing carrying on the arm, utilizes the mechanics principle, makes the shoulder

atress to waist atress burden is alleviated, through setting up the lumbar vertebrae backup pad at the **maternity belt** rear portion, fine supporting role can be played, through adopting regulation formula compression **belt**, can be according to different users' fat thin arbitrary regulation, the **pregnant** woman that satisfy different heights, different weight uses.

Inventors


QI MINGXU

Family 2/20 - FAMPAT - ©Questel

Title

(CN206434455U)

Pregnant woman uses antenatal **maternity belt****Images**



Publication numbers with kind code & date

CN206434455

U

2017-08-25

CN206434455U

**Abstract**

(CN206434455)

The utility model discloses a **pregnant** woman uses antenatal **maternity belt**, this **pregnant** woman uses antenatal **maternity belt** contains corset and fixed band, the corset is the bar slice, the fixed band contains first fixed band, second fixed band, third fixed band, fourth fixed band, has one end to fix the minor face department in corset one side respectively, it forms the contained angle to fix between two fixed bands on same minor face, first fixed band and third fixed band symmetry, second fixed band and fourth fixed band symmetry, third fixed band and fourth fixed band are the two -layer fabric structure, and the one deck is the cotton layer, and the one deck is flannelette layer, first fixed band and second fixed band are three -layer elastic fabric structure, and first fixed band and second fixed band do not are equipped with the hook face of thread gluing in the terminal punishment of keeping away from the corset. The utility model provides a **pregnant** woman uses antenatal **maternity belt** can can also be used to restricting the position of a foetus to back played a supporting role, effectively protects the foetus.

Inventors


YANG JUFANG

Family 3/20 - FAMPAT - ©Questel

Title

(CN206228476U)

Multi -functional **pregnant** woman **maternity belt****Images**



Publication numbers with kind code & date

CN206228476

U

2017-06-09

CN206228476U



Abstract

(CN206228476)

The utility model discloses a multi-functional pregnant woman maternity belt, including maternity belt body and child heart monitoring devices and prenatal guidance audio playback system, child heart monitoring devices includes ultrasonic probe and the signal processing device main part of connecting rather than the electricity, and the maternity belt body includes and hold in the palm and shoulder for the abdominal bearing of the bearing body with the bearing body both ends waist that the elastic webbing is connected for the head that ultrasonic probe sets up on the bearing is personally experienced sth. Part of the body, and the setting of signal processing device main part is on the baldric, and signal processing device main part includes child heart monitoring devices 0, prenatal guidance audio playback system configuration is on shouldering to connect the speaker, the speaker imbeds in the internal side of bearing, and the audio input end of prenatal guidance audio playback system includes SD card input port, USB flash disk input port and outside microphone input port, and outside microphone input port connects the microphone, and the microphone sets up the position that is close to the mouth on shouldering, prenatal guidance audio playback system still includes recording system, and it is single to have solved current support abdomen product function, problem that the practicality is not strong.

Inventors

XU HAIDONG


Latest standardized assignees - inventors removed

ZHAO QIAOFEN

Family 4/20 - FAMPAT - ©Questel

Title

(CN202200939U)

Multifunctional combined safety **belt** for **pregnant** women**Images****Publication numbers with kind code & date**[CN202200939](#)

U

2012-04-25

CN202200939U

**Abstract**

(CN202200939)

The utility model provides a multifunctional combined safety **belt** for **pregnant** women, which is used for protecting **pregnant** women in different **pregnancy** phases. For a **pregnant** woman in a **pregnancy** phase of three months and below, the safety **belt** is provided with sheet shaped fabric with an anti-radiation function, wherein the sheet shaped fabric is connected with left and right waistbands by zippers or connecting clasps, and the sheet shaped fabric is attached to the belly of the **pregnant** woman to protect a fetus from radiation. For a **pregnant** woman in a **pregnancy** phase of more than three months, the safety **belt** is provided with an arc coating fabric, which is connected with the waistbands by zippers or connecting clasps and fixed on the belly to support the increasing belly. When the **pregnant** woman in the **pregnancy** phase of over three months takes a bus, the arc coating fabric is connected with the waistbands and a bellyband fixing **belt** by zippers or connecting clasps, the waistbands are fixed and tied at a proper position on the waist through nylon fasteners, and the bellyband fixing **belt** is connected with and fixed on the belly **belt** of a common three-point safety **belt** on a vehicle; And leg straps are sewn on the bellyband fixing **belt**, and nylon fasteners sewn on the leg straps can bind the leg straps on two thighs of the **pregnant** woman.

Inventors

CAO LIBO


Latest standardized assignees - inventors removed

CHANGSHA LIZHONG AUTOMOBILE DESIGN & DEVELOPMENT

Family 5/20 - FAMPAT - ©Questel

Title

(CN104887373)

Auxiliary supporting **belt** for hypogastrium of **pregnant** woman**Images****Publication numbers with kind code & date**

CN104887373

B

2017-04-19

CN104887373B

CN104887373

A

2015-09-09

CN104887373

**Abstract**

(CN104887373)

An auxiliary supporting **belt** for the hypogastrium of a **pregnant** woman is composed of a horizontal holding **belt**, longitudinal shoulder straps, a U-shaped **belt** and a draw cord. The horizontal holding **belt** provides supporting force in the horizontal direction, and acts together with the longitudinal shoulder straps so as to provide holding force in the vertical direction, and the draw cord can adjust the holding force. The auxiliary supporting **belt** assists in supporting the hypogastrium of the **pregnant** woman backwards and upwards so as to reduce tangent tension borne by the dermis of the hypogastrium of the

pregnant woman and avoid stretch marks.

Inventors

RUAN SHIRONG

Latest standardized assignees - inventors removed


BEIJING FORESIGHT MEDICAL TECHNOLOGY DEVELOPMENT

Family 6/20 - FAMPAT - ©Questel

Title

(CN208287115U)

Multi -functional **pregnant** and lying -in women **maternity belt**

Images**Publication numbers with kind code & date**

[CN208287115](#)

U 2018-12-28

[CN208287115U](#)

**Abstract**

(CN208287115)

The utility model belongs to the technical field of medical supplies, a multi-functional **pregnant** and lying -in women **maternity belt** is disclosed, be provided with: the waistband of built -in strengthening rib, the arc both ends of waistband are corresponding to be equipped with the magic subsides, the rear portion below of waistband is equipped with the support region of olive shape, the rear portion top of waistband is equipped with square connection fixed area, connects fixed area upper portion both sides and connects a baldric. The utility model discloses support region neither can crowdthe belly to waist played a supporting role, waistband the place ahead when using, has the abdominal effect that holds up again, plays in the later stage to the **pregnant** woman and protects the help effect, does benefit to the fixed recovering of wound and the restoration of contracting for abdominal time to the lying -in woman.

Inventors

LAN XINYI


Family 7/20 - FAMPAT - ©Questel

Title

(EP3305255)

Vest-type **maternity belt**

Images



Publication numbers with kind code & date

EP3305255	A4	2018-07-18	EP3305255
US20180161191	A1	2018-06-14	US20180161191
EP3305255	A1	2018-04-11	EP3305255
CN107635515	A	2018-01-26	CN107635515
WO2016/195184	A1	2016-12-08	WO2016195184



KR101625625

B1

2016-06-03

KR101625625

**Abstract**

(EP3305255)

A vest-type **maternity belt** according to the present invention includes: a vest **maternity belt body** (110) provided in the shape of a vest; size adjusting Velcro members (120) configured such that female Velcro members (121) and a male Velcro member (122) are fixedly disposed on both sides of the front part of the **maternity belt body** (110) and a fastening function is provided; hook fastener members (130) configured such that hooks (131) and loops (132) are fixedly and oppositely disposed on both sides of the lower end portion of the front part of the **maternity belt body** (110) and the abdominal load of the **pregnant** woman can be borne; and spine correction elastic bands (140) formed as elastic members contained in the back part of the **maternity belt body** (110), and configured to support and correct the spine of the **pregnant** woman.


Inventors

LEE EUN SUNG

Family 8/20 - FAMPAT - ©Questel

Title

(CN202437412U)

Multifunctional safety **belt** for **pregnant** woman**Images**

Publication numbers with kind code & date

CN202437412

U

2012-09-19

CN202437412U

**Abstract**

(CN202437412)

The utility model provides a multifunctional safety **belt** for a **pregnant** woman, comprising an arc-shaped abdomen supporting band matched with the abdomen of a **pregnant** woman, shoulder belts, a back **belt** and a plurality of side connecting belts, wherein the lower end of the back **belt** is connected with the arc-shaped abdomen supporting band, the upper end of the back **belt** (3) is connected with one ends of the shoulder belts (2), the other ends of the shoulder belts (2) are connected with the upper end of the arc-shaped abdomen supporting band, both the two sides of the arc-shaped abdomen supporting band are connected with the back **belt** through the plurality of side connecting belts, a detachable first connecting buckle is formed on each shoulder **belt** (2), and detachable second connecting buckles are formed on the side connecting belts. The multifunctional safety **belt** for **pregnant** woman disclosed by the utility model can support the abdomen of a **pregnant** woman so as to eliminate the feeling of falling and bulging.

Inventors

ZHANG YUNFAN

JIAO HEJIN

LIN ZHE

XIAO XIAOXIAO

YU LAN

Latest standardized assignees - inventors removed


ZHEJIANG INDUSTRY & TRADE VOCATIONAL COLLEGE

Family 9/20 - FAMPAT - ©Questel

Title

(CN209187109U)

Abdomen supporting **belt** for **pregnant** woman**Images**



Publication numbers with kind code & date

CN209187109

U

2019-08-02

CN209187109U



Abstract

(CN209187109)

The utility model discloses a **pregnant** woman bellyband which comprises a bellyband **body**, a waist **strap** connected to the bellyband **body** and an adjustable shoulder **strap** connected to the waist **strap**, and the bellyband **body** comprises a middle cartilage supporting **strap**, side waist elastic straps, detachable connecting hook-and-loop fasteners and safety adjusting buckle straps arranged on the two sides of the side waist elastic straps, and the side waist elastic straps and the detachable connecting hook-and-loop fasteners are sequentially connected. The waist **strap** is designed as an interlayer bag, and a detachable waist back cushion with adjustable height is arranged in the waist **strap**; the adjustable shoulder straps are elastic telescopic straps and are provided with adjusting buckles shaped like a Chinese character 'ri', the top ends of the adjustable shoulder straps are fixedly connected with the upper edges of the waist straps, and the bottom ends of the adjustable shoulder straps are provided with movable clamping buckles respectively and can be clamped, fixed and detached from any position of the abdomen supporting **strap**. Fluorescent reflective elastic bands are sewn on the outer side of the abdomen supporting band and the outer sides of the adjustable shoulder straps. The abdomen supporting **belt** for the **pregnant** woman is comfortable to wear, good in abdomen supporting effect, good in waist supporting degree for the **pregnant** woman and high in safety coefficient, and provides guarantee for comfort and safety of sitting and walking of the **pregnant** woman.

Inventors

LIANG XU

Latest standardized assignees - inventors removed


SICHUAN SANHE MEDICAL MATERIALS

Family 10/20 - FAMPAT - ©Questel

Title

(CN103381789)

Automobile safety **belt** suitable for **pregnant** women

Images**Publication numbers with kind code & date**[CN103381789](#)

A

2013-11-06

CN103381789

**Abstract**

(CN103381789)

The invention discloses an automobile safety **belt** suitable for **pregnant** women. The automobile safety **belt** comprises belts used for fixing a human **body**, wherein the belts comprise a transverse **belt** (2) and two shoulder belts (4); the transverse **belt** is arranged in the position, corresponding to thigh parts, of a seat (3); the shoulder belts are arranged between a seat back (1) and the seat. The automobile safety **belt** provided by the invention is composed of the transverse **belt** crossing thigh parts and two shoulder belts, stress is concentrated at the thigh parts and on two shoulders, and pressure cannot be brought to the abdomen and the stomach of a **pregnant** woman, so that a protective function can be achieved, and a fetus in the abdominal cavity is not hurt.

Inventors


XU XIAOWEN

Family 11/20 - FAMPAT - ©Questel

Title

(CN204161303U)

Three-point car safety **belt** adjustable limit cushion for **pregnant** women**Images**

**Publication numbers with kind code & date**[CN204161303](#)

U

2015-02-18

CN204161303U

**Abstract**

(CN204161303)

Disclosed is a three-point car safety **belt** adjustable limit cushion for **pregnant** women. Two connection modes are provided between the adjustable limit cushion and a car seat. The adjustable limit cushion can be used for car the front row of independent seats and the rear row of seats with isofix safety units. Two selectable usage modes are provided, side limit belts can be used during skirt wearing, a middle limit **belt** can be used during wearing of trousers, and the abdomen pressure can be reduced without affecting the safety **belt** function. According to the adjustable limit cushion, the three limit belts all have limit height adjustable functions, the middle limit **belt** is adjusted by adjusting the Velcro bonding position, and the side limit belts are adjusted by the cross matching of four fasteners.

Inventors


LIU LI

Family 12/20 - FAMPAT - ©Questel

Title

(CN205215472U)

Abdominal support **belt** for **pregnant** woman**Images**



Publication numbers with kind code & date

CN205215472

U

2016-05-11

CN205215472U



Abstract

(CN205215472)

The utility model relates to a **pregnant** woman's articles for use provide an abdominal support **belt** for **pregnant** woman, including holding in the palm the abdomen bag **body** and low back fixed band, include still to extend respectively and alternately go upward from back by the both ends of holding in the palm the abdomen bag **body** to stride across two shoulders and down and be fixed in the extension area of holding in the palm on the abdomen bag **body** that the both ends of holding in the palm the abdomen bag **body** are respectively gradually that the shrink form extends, ask abdomen bag **body** middle part to be equipped with the elastic adjustment portion that the cross -section is the V style of calligraphy, and the upper end of V style of calligraphy elastic adjustment portion are wide, the lower extreme is narrow. The utility model discloses, the science utilizes lifting of back porch back side and front shoulder to be used for carrying drawing and to hold in the palm the abdomen bag **body**, the support binder impetus that will have now after from the waist shift to back porch and front shoulder, alleviate the waist heavy burden, the travelling comfort is better, owing to extend the area and intersect from back to go upward, so extending the area, every upwards draws the effect to one side to asking the abdomen bag **body** to play, avoid directly the upwards condition of slippage of the abdomen bag **body** easily appearing holding in the palm by the shoulder pull -up, draw the effect simultaneously to one side, surround the bionical support abdomen of belly like human both hands, ask the abdomen effect better.

Inventors

WANG WENBO


Family 13/20 - FAMPAT - ©Questel

Title

(CN109224281)

Nursing device for **pregnant** women in middle and later periods of gestation

Images



Publication numbers with kind code & date

CN105771078	B	2019-03-12	CN105771078B
CN109224281	A	2019-01-18	CN109224281
CN105771078	A	2016-07-20	CN105771078



Abstract

(CN109224281)

The invention provides a nursing device for **pregnant** women in middle and later periods of gestation, and belongs to the field of obstetrical instruments. The device comprises a back nursing department, an abdominal nursing department and a fixing mechanism. The back care part comprises a back main **body**, a back main **body** is a rectangular back main **body**, and a massage mechanism is arranged on the back main **body**; The abdominal nursing part comprises an arc-shaped main **body**, a hollow chamber is arranged in the arc-shaped main **body**, a liquid storage bag is arranged in the hollow chamber, and a coating mechanism is arranged on the arc-shaped main **body**. The fixing mechanism comprises fixing belts respectively connecting two sides of a back main **body** and an arc main **body**, an end of the fixing belt is provided with an elastic adjuster, and a fixing sub-**belt** is provided at the lower end of the back main **body**. The device has the advantages that the device is convenient for nursing the abdomen of a **pregnant** woman, improves the skin of the abdomen of the **pregnant** woman, avoids the contamination of clothes and realizes better nursing according to the nursing of the **pregnant** woman during the **pregnancy**; Furthermore, the device has a massage effect, can alleviate the problem of **pregnant** women with low back pain during **pregnancy**, and has the advantages of light equipment, convenient carrying and convenience for **pregnant** women.

Inventors

THE INVENTOR HAS WAIVED THE RIGHT TO BE MENTIONED

Latest standardized assignees - inventors removed

HENAN UNIVERSITY OF SCIENCE & TECHNOLOGY


Family 14/20 - FAMPAT - ©Questel

Title

(CN205626216U)

Maternity abdomen supporting **belt**

Images



Publication numbers with kind code & date

[CN205626216](#)

U

2016-10-12

CN205626216U



Abstract

(CN205626216)


The utility model discloses a **maternity** abdomen supporting **belt**, including the narrow support binder in middle wide both sides, the one end of support binder is equipped with nylon fastener tape and buckles, asks the other end of binder to be equipped with the nylon fastener tape box, asks the middle wide section upper end of binder to be connected with the abdominal girth, and the inner face of abdominal girth is equipped with the out pocket, has placed the radiation protection magnetic stripe in the out pocket, and the narrow portion of support binder is connected with the one end of baldric, and the other end and the abdominal girth of baldric are connected, are equipped with on the baldric to adjust to detain. The utility model discloses, the problem that has the **maternity** abdomen supporting **belt** function singleness among the prior art of having solved, in first trimester of **pregnancy**, **pregnant** woman's belly does not produce too much burden to the **pregnant** woman as yet, and the abdominal girth can play the effect cold -proof and that protect against radiation that keeps warm when wearing **maternity** abdomen supporting **belt**, has arrived later period in the gestation, and **pregnant** woman's belly increases day by day, and the painful symptom of **pregnant** woman's waist is obvious, and auxiliary **belt** can help dispersion shoulder pulling force when wearing **maternity** abdomen supporting **belt**, massages the board simultaneously and can play and alleviate the painful effect of waist.

Inventors

Family 16/20 - FAMPAT - ©Questel

Title

(CN205924262U)

Maternity abdomen supporting **belt****Images****Publication numbers with kind code & date**[CN205924262](#)

U

2017-02-08

CN205924262U

**Abstract**

(CN205924262)

The utility model relates to a **pregnant** woman's articles for use technical field provides a **maternity** abdomen supporting **belt**, include the **maternity belt body**, the 2nd **maternity belt body**, low back protecting band and two braccess, the first end of the **maternity belt body** and the first end fixed connection of the 2nd **maternity belt body**, the tip of the tip of the second end that a **maternity belt** personally experienced sth. Part of the **body** and the second end of the 2nd **maternity belt body** all is equipped with can locate reciprocal anchorage and detachable connecting piece in the belly, and the middle part of low back protecting band and the first end of the **maternity belt body** reach the first end fixed connection of the 2nd **maternity belt body**, the one end of two braccess is fixed in the low back protecting band respectively, second that the other end of two braccess is fixed in the **maternity belt body** respectively hold and the second end of the 2nd **maternity belt body**, and the both ends of low back protecting band respectively with two braces fixed connection. The utility model discloses, the **maternity** abdomen supporting **belt** who has solved existence among the prior art just holds in the palm the problem that the abdomen effect is not good in that the back is fixed, the use is inconvenient.

Inventors


WANG WENBO

Family 17/20 - FAMPAT - ©Questel

Title

(CN208905414U)

Body shaping pants for **pregnant** women**Images**



Publication numbers with kind code & date

[CN208905414](#)

U 2019-05-28

CN208905414U



Abstract

(CN208905414)

The utility model discloses a pair of bodybuilding trousers for a **pregnant** woman. Abdomen supporting **belt**, Trouser legs and trouser legs, the abdomen supporting **belt** is formed by seamlessly weaving a high-elasticity fiber material; The abdomen supporting **belt** and the trouser legs are woven through a seamless knitting machine, and the trouser legs and the trouser legs are woven through a seamless knitting machine. a waist **belt** is arranged at the top of the abdomen supporting **belt**; the inner sides of the trouser legs are connected through tailoring and sewing; magic tapes are arranged on two sides of the upper parts of the trouser legs; a crotch part of each pant leg is formed by splicing and sewing a left pant piece and a right pant piece which are symmetrical; Side trouser lines formed by sewing the left trouser piece, the right trouser piece and the trouser legs extend to the front sides of the trouser legs from the rear sides of the two legs of the trouser legs, a plurality of bandage holes which are vertically arranged at equal intervals are formed in the two side edges of each trouser leg, the two ends of each bandage hole penetrate through bandages, and a plurality of granular magnets are arranged in each trouser leg. The belly protector can effectively protect the belly of the **pregnant** woman, and is simple to manufacture, low in cost, complete in function, novel in design, comfortable, soft, fashionable and attractive.

Inventors

XING ZHICUN


Family 18/20 - FAMPAT - ©Questel

Title

(CN206730025U)

Maternity belt is supported to shoulder formula back

Images



Publication numbers with kind code & date

CN206730025

U

2017-12-12

CN206730025U



Abstract

(CN206730025)

The utility model discloses a **maternity belt** is supported to shoulder formula back, including the mesh holding surface, **maternity belt** and adjustable baldric, the mesh holding surface includes an inverted trapezoid's mesh hole cloth and is vertically makes a plurality of metal shrapnel that are fixed in the mesh hole cloth back, sew up with the mesh holding surface is fixed the **maternity belt** rear end, the front end is connected through the connecting piece and is the whole form that leans forward that is of cyclic annular just **maternity belt**, adjustable baldric symmetry sets up and its top and mesh holding surface fixed connection, the bottom respectively with **maternity belt**'s both sides fixed connection, the middle part of adjustable baldric is provided with a fixed band of being connected with the mesh holding surface, the utility model discloses it is convenient to dress, asks the abdomen effectual, can effectually carry the belly through **maternity belt** and drawing, and adjustable baldric can alleviate belly pressure simultaneously, and the problem of the crooked ache of waist that arouses because of the belly tenesmus can effectively be alleviated to the mesh holding surface, and metal shrapnel can provide better lumbar support effect, alleviates **pregnant** woman's pain.


Inventors

CHEN JIANFENG


Family 19/20 - FAMPAT - ©Questel

Title

(JP2008144319)

Maternity belt**Images****Publication numbers with kind code & date**

JP4848260	B2	2011-10-21	JP4848260
JP2008144319	A	2008-06-26	JP2008144319

**Abstract**

(JP2008144319)

PROBLEM TO BE SOLVED: To provide a **maternity belt** excellent in use feeling and exhibiting excellent reduction of lower back pain/protective effect.

SOLUTION: This **maternity belt** of a **belt** shape is wound obliquely downward from around an upper end M1 of the back waist part of a **pregnant** woman to an abdomen N1, and has both ends which are attachable and detachable from each other on the front side. Furthermore, the **maternity belt** has an abdomen **belt** part 20 which has elasticity in a direction along the abdomen N1 from around the upper end M1 of the back waist part, a back **strap** part 30 which is connected to the back side of the abdomen **belt** part 20 and arranged on the back side along the thoracic vertebra of a **pregnant** woman, and has elasticity in a direction along the thoracic vertebra, and a shoulder **strap** part 40 which is connected to the upper end of the back **strap** part 30 and positioned on the shoulders through being hung to the shoulders of a **pregnant** woman.

COPYRIGHT: (C)2008,JPO&INPIT

Inventors

IKEHARA YOSHIKI

ISHIKAWA HIKARI


Latest standardized assignees - inventors removed

PIGEON

Family 20/20 - FAMPAT - ©Questel

Title

(CN202020583U)

Nanometer traditional Chinese medicine type **maternity belt****Images****Publication numbers with kind code & date**

CN202020583

U

2011-11-02

CN202020583U

**Abstract**

(CN202020583)

The utility model discloses a nanometer traditional Chinese medicine type **maternity belt** which comprises a bellyband that surrounds a lower abdomen of a **pregnant** woman and used for sharing abdominal straining, a pair of adjusting buttons respectively arranged at two ends of the bellyband and used for fixedly embracing the abdomen, and a back **strap** that is connected on the bellyband by sewing and passes by the back of the **pregnant** woman to be used for bearing the weight of the abdomen, wherein a lining bag is sewn on the bellyband, and the back **strap** is provided with an adjusting buckle for adjusting the length of the back **strap**. The bellyband is provided with the lining bag, and a cotton-padded mattress filled

with Chinese herbal medicine powder such as radix scutellariae is placed in the lining bag. The nanometer traditional Chinese medicine type **maternity belt** has the advantages of being simple in structure and effective in use, reducing abdominal burden and striae gravidarum, enabling the **pregnant** woman to feel easy in walking, and not causing redness or itch of skin after the abdomen is borne by the **maternity belt** for a long time.

Inventors

QIU DINGWU