


Diego Gonzalez

1) Family number: 29486392 (ES224889Y) © PatBase

Title: DISPOSITIVO PERFECCIONADO PARA JUEGO DE LOTERIA.

Abstract: Source: ES224889U [ES] Dispositivo perfeccionado para juego de loteria, caracterizado por cuanto esta constituido por un recipiente hermetico transparente dotado central e inferiormente de un ventilador sobre el que se disponen una pluralidad de elementos esfericos de poco peso, que elevan pertinentemente grabados unos numeros-segun una determinada numeracion, de cuyo recipiente emerge un conducto vertical o inclinado interiormente hueco que constituye la unica salida de aire al exterior, fabricado en material transparente y cuya boca inferior permanece a distancia conveniente del ventilador, mientras que su boca superior esta parcialmente ocluida con una pletina situada a nivel superior que hace de tapa; encontrandose practicada en una de las paredes laterales del recipiente, una abertura ocluida por una membrana elastica que impide el paso de los elementos esfericos de dentro hacia fuera; encontrandose el recipiente alojado en una estructura de configuracion y dimensiones convenientes, de la cual sobresale. superiormente la boca del conducto, cuya estructura es portadora de un tablero de mandos en el que se practica igual numero de orificios como elementos esfericos contiene el recipiente, siendo factible mediante accionamiento electromecanico, la apertura de unas trampillas para la caida de los elementos esfericos dispuestos en ellos, al recipiente a traves de la membrana y estando el dispositivo a una pantalla que refleja por iluminacion el numero extraido; con todo lo cual conectado pertinentemente el dispositivo a la red, los elementos esfericos entraran en movimiento hasta que uno de ellos se introduzca en el tubo y ascienda hasta la boca superior, debido a la corriente de aire que produce el ventilador y por su poco peso instante en que al desalojarlo por levantamiento de la tapa y depositarlo en el orificio numerado correspondiente del tablero de mandos, se iluminara la casilla de la pantalla correspondiente al numero y asi sucesivamente hasta el termino del juego, momento en que por accionamiento electromecanico, previo pulsado de un boton, se abiran las trampillas cayendo los elementos esfericos, a traves de la membrana, al recipiente. **Machine translation:** Refined to lottery game device, characterized in that this is a transparent airtight container equipped center and beneath a fan on which a plurality of spherical lightweight elements that lift a recorded appropriately-numbers are arranged according a specific numbering, of which container emerges a vertical duct or inclined inwardly hollow is the only air outlet to the outside, made of transparent material and the lower mouth is a convenient distance from the fan, while its upper face is partially occluded at a higher level that does cover; met Maria practiced in one of the side walls of the container, an opening occluded by an elastic membrane that prevents passage of the balls inside out; met Maria container housed in a structure suitable configuration and dimensions, which protrudes. superiorly the mouth of the canal, whose structure carries a dashboard in which the same number of holes as spherical elements practiced in the container, being feasible by electromechanical drive, opening hatches about the fall of the willing spherical elements in them, the container through the membrane and the device being a lighting display by reflecting the extracted number; yet which pertinently connected device to the network, the balls entering movement until one of them is introduced into the tube and move to the upper mouth, due to the air flow produced by the fan and low weight instant to evict by lifting the lid and place in the corresponding numbered hole in the dashboard, the box on the screen corresponding to the number and so on will illuminate until the end of the game, time for electromechanical drive, after down of a button, the flaps will open dropping the balls, through the membrane to the recipient.

Classifications:
International (IPC 8-9): G07C (Subclass/Invention)
International (IPC 1-7): G07C



Family:

Publication number	Publication date	Application number	Application date
ES224889 U	19770301	ES19760224889U	19761203
ES224889 Y	19770616	ES19760224889U	19761203

Priority:

ES19760224889U 19761203

Probable Assignee:

RUIZ DIAZ ISIDRO

Assignee(s):

RUIZ DIAZ ISIDRO

2) Family number: 16642844 (DE8215995U1)

© PatBase


Title: ZUFALLSGENERATOR, INSBESONDERE ZUR ERMITTLUNG DER LOTTOZAHLEN Random, ESPECIALLY FOR THE DETERMINATION OF LOTTO NUMBERS (Machine translation)

Abstract: Source: DE8215995U1 [DE] (Claim 1) Zufallsgenerator, insbesondere zur Ermittlung der Lottozahlen
Schutzansprüche: 1. Zufallsgenerator mit einer abrollenden Kugel, die in ihrer Endruhelage eine Zahl oder ein Zeichen aus einer Gruppe von Zahlen oder Zeichen definiert, dadurch gekennzeichnet, dass die Kugel als Hohlkugel (10) ausgebildet ist, und dass im Inneren der Hohlkugel freibeweglich ein Gewicht (14) angeordnet ist.

Machine translation: (Claim 1) random number generator, in particular to determine the winning lottery numbers
Schutzansprüche: 1 Random with a rolling ball that defines their Endruhelage a number or a character from a group of numbers or characters, wherein the ball is a hollow ball (10) is formed, and that inside the hollow sphere free to move a weight (14) is located.

Classifications:**International (IPC 8-9):** A63F9/04 G07C15/00 (Advanced/Invention);

A63F9/04 G07C15/00 (Core/Invention)

International (IPC 1-7): A63F9/04 G07C15/00**Family:**

Publication number	Publication date	Application number	Application date
DE8215995 U1	19821202	DE19820015995U	19820602

Priority:

DE19820015995U 19820602

Probable Assignee:

KB UHREN GMBH AND CO KG 7210 ROTTWEIL DE

Assignee(s):

KB UHREN GMBH AND CO KG 7210 ROTTWEIL DE

3) Family number: 16728563 (CN2342419Y)

© PatBase

Title: Air flow type lottery machine

Abstract: The utility model relates to an air flow type lottery machine, which is composed of a blower, an electromotor, a chassis, number balls, a casing, and a transparent ball out tube. The blower (1) is positioned in the chassis (3). The opening of the blower is opposed to the top of the chassis with a ventilation hole (9). The blower (1) is driven by the electromotor (2). The chassis (3) is provided with a fore and rear transparent casing (5). The space formed by the casing and the top of the chassis is provided with a plurality of number balls (4) with slight weight, minimal discreteness, and equal size. The middle of the casing (5) is provided with a transparent ball out tube (6). The diameter of the ball out tube can allow a number ball to pass by. The lottery machine has the advantages of visualization, fairness, transparency, high recreational performance, activation of atmosphere, simple structure, and application to various occasions of lottery and drawing.

Classifications:**International (IPC 8-9):** G07C15/00 (Advanced/Invention);

G07C15/00 (Core/Invention)

International (IPC 1-7): G07C15/00**Family:**

Publication number	Publication date	Application number	Application date
CN2342419 Y	19991006	CN19982024044U	19980518

Priority:

CN19982024044U 19980518

Probable Assignee: HONGSHUANGXI GUANDU SPORT GOOD

Assignee(s): (std): HONGSHUANGXI GUANDU SPORT GOOD ; HONGSHUANGXI GUANDU SPORT GOODS CO LTD SHANGHAI

Assignee(s): HONGSHUANGXI GUANDU SPORT GOODS CO

Inventor(s): (std): JINWU YANG ; LI LIANGXI ; LIANGXI LI ; YANG JINWU

4) Family number: 16780840 (DE8705333U1)

PatBase

Abstract: Source: DE8705333U1 [DE] (Claim 1) 1. Vorrichtung zum Auswaehlen von Zahlen bei Gluecksspielen, wie Lotto und/oder Toto, wobei aus einer vorgegebenen Menge von moeglichen Zahlen eine Teilmenge von Zahlen auszuwaehlen ist, um die ausgewaehlten Zahlen beim Gluecksspiel einzusetzen, insbesondere beim Ausfuellen von Lotto-und/oder Totoscheinen zu verwenden, una wobei mindestens eine der vorgeschriebenen @ Menge von moeglichen Zahlen entsprechende Anzahl von gleichartigen, in etwa gleiche Groesse und Gestalt und in etwa gleiches Gewicht aufweisenden Koerpern, vorzugsweise Kugeln in einem Mischraum angeordnet sind, und jeder oder mindestens ein Teil der Koerper mit jeweils einer der moeglichen Zahlen oder mindestens eine Teilmenge von Koerpern anstelle oder zusaetzlich @u den Zahlen durch andere Merkmale, wie Buchstaben, unterschiedliche Farbe oder dgl. markiert ist, dadurch g e k e n n z e i c h n e t, dass der Mischraum (9,11) vom Innenraum eines mindestens teilweise durch- sichtigen, vorzugsweise hohlkugelfoermigen Behaelters (1) ader eines Teiles desselben gebildet und so bemessen ist, dass die Koerper (8; 15,16) sich beim Schuetteln des Behaelters (1) mischen, und dass im Mischraum (9,11) eine oder mehrere oben offene Vertiefungen (6; 12, 13,14) vorgesehen sind, die so bemessen sind, dass jede nur wenige, vorzugsweise nur einen der Koerper (8; 15,16) aufnehmen kann.

Machine translation: (Claim 1) 1 Means for selecting numbers for gambling, like lottery and / or Toto is to select which of a predefined set of possible numbers is a subset of numbers to use the selected numbers in gambling, especially when completing use of Lotto-und/oder Toto tickets, una where at least one of the prescribed @ set of possible numbers corresponding number of equally-like, in about the same size and shape and of similar weight body having, preferably spheres are arranged in a mixing chamber, and each or at least a part of the body with each one of the possible numbers, or at least a subset of the body instead or additionally @ u the numbers by other features, such as letters, different color is selected or the like, wherein the mixing chamber (9.11) from the interior of an at least partially by - take into, preferably hohlkugelfoermigen container (1) a part of the same vein and formed of a size such that the body (8, 15,16) in the training Etteln of the container (1) mix, and that in the mixing chamber (9.11) or one open up several wells (6, 12, 13,14) are provided which are sized so that each only a few, preferably only one of the body (8, 15,16) can hold.

Classifications:


International (ipc 8-9): G07C15/00 (Advanced/Invention);

G07C15/00 (Core/Invention)

International (ipc 1-7): G07C15/00

CPC: G07C15/003

European: G07C15/00B2



Family:

Publication number	Publication date	Application number	Application date
DE8705333 U1	19871008	DE19870005333U	19870410

Priority:

DE19870003712U 19870312

DE19870005333U 19870410

Probable Assignee:

BUCHINGER JOHANN EFERDING AT

Assignee(s):

BUCHINGER JOHANN EFERDING AT

Title: KONTAKTEINRICHTUNG FUER EINE LOTTERIE-ZIEHUNGSMASCHINE CONTACT DEVICE FOR A LOTTERY DRAW MACHINE
(Machine translation)

Abstract: Source: DE583597A [DE] (Claim 1) 1. PATENTANSPRUECHE: i. Kontakteinrichtung fuer eine Lotterie-Ziehungsmaschine, bei welcher fuer den Ziehungsvorgang Kugeln Verwendung fin den, dadurch gekennzeichnet, dass mit einem Gewicht (Kugel5) ein Schalt glied (6) in eine vorbereitende Stellung gedreht und dieses.darauf unter Aus nutzung einer weiteren, bereits vorhanden Kraft (Kegel i) in die wirksame Stellung bewegt wird.

Machine translation: (claim 1) 1 CLAIMS: i-contact device for a lottery drawing machine in which balls for the drawing process using the fin, characterized in that shot with a weight (Kugel5) Member is a circuit (6) into a preparatory position and dieses.darauf from under utilization of is moved further, which already existing force (cone i) in the active position.

Classifications:


International (IPC 8-9): G07C15/00 (Advanced/Invention);

G07C15/00 (Core/Invention)

International (IPC 1-7): G07C15/00

CPC: G07C15/001

European: G07C15/00B



Family:

Publication number	Publication date	Application number	Application date
DE583597 A	19330906	DE1929T036437D	19290220

Priority:

DE1929T036437 19290220

Probable Assignee: ZWIETUSCH E AND CO GMBH

Assignee(s): (std): ZWIETUSCH E AND CO GMBH

Assignee(s): TELEPHON APPARAT FABRIK E ZWIETUSCH AND CO G M B H ; TELEPHON APPARAT FABRIK E ZWIETUSCH AND CO GMBH

6) Family number: 31950501 (JP2005115747A)

Title: BALL DRAWING LOTTERY WHEEL

Abstract: PROBLEM TO BE SOLVED: To provide a ball drawing lottery wheel capable of completing ejection and collection of a lottery ball during one rotation of a drum. SOLUTION: The ball drawing lottery wheel is provided with; a plurality of storage boxes each of which has one lottery ball stored therein and is capable of individually opening and closing; a control means which selects a storage box to be opened and opens an exit of the selected storage box at a prescribed timing; an ejection port which is provided on a drum and through which the lottery ball put out of the storage box is ejected; a saucer which is arranged below the drum and receives the lottery ball ejected from the ejection port; a carrying means which moves back and forth between a fall position and a rise position in accordance with rotation of the drum and stores the lottery ball in the saucer when being in the fall position and ejects the the lottery ball when being in the rise position; and an inclined passage which connects to respective storage boxes and has storage box entrances which permit the lottery ball to pass into only a storage box which doesn't have a lottery ball stored therein, arranged thereon and causes the lottery ball ejected from the carrying means to move by its own weight.

Classifications:

International (IPC 8-9): G07C15/00 (Advanced/Invention);

G07C15/00 (Core/Invention)

International (IPC 1-7): G07C15/00

JP F-Term: 3E038 3E038/LA02 3E138 3E138/LA02

JP F-Index: G07C15/00/A

30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

図1





図2

**Family:**

Publication number	Publication date	Application number	Application date
JP2005115747 A2	20050428	JP20030350726	20031009
JP3767594 B2	20060419	JP20030350726	20031009

Priority:

JP20030350726 20031009

Probable Assignee: SAMY KK**Assignee(s):** (std): SAMY KK**Assignee(s):** SEGA CORP ; SEGA GAMES CO LTD ; SAMII KK**Inventor(s):** (std): NAKAMURA KENICHI**7) Family number: 28846193 (US2003136836A)**

© PatBase

Title: BALLOT FORM AND METHOD FOR MAKING AND USING SAME

Abstract: The present invention is an improved scannable answer sheet or document suitable for a balloting process and a method for producing such document using a printing process, particularly a document that may be printed in a single color without impacting the ability of the document to be scanned by an automated mechanism.

Classifications:**International (IPC 8-9):** B42D15/00 G06K19/06

G07C13/00 (Advanced/Invention);

B42D15/00 G06K19/06 G07C13/00 (Core/Invention)

International (IPC 1-7): G06F17/60**CPC:** B42D15/0066 G07C13/00**European:** B42D15/00G G07C13/00**US:** 235/386 235/456 235/494 705/12




FIG. 1

Family:

Publication number	Publication date	Application number	Application date
US2003136836 AA	20030724	US20030348804	20030122
US2006249579 AA	20061109	US20060428042	20060630
US7070115 BB	20060704	US20030348804	20030122
US7306149 BB	20071211	US20060428042	20060630

Priority:

US20020350887P 20020123 US20030348804 20030122 US20060428042 20060630

Probable Assignee: DEBIASE JR SALVATORE E

Assignee(s): (std): DEBIASE JR SALVATORE E ; DEBIASE SALVATORE E ; DEBIASE SALVATORE E JR

Inventor(s): (std): DEBIASE JR SALVATORE E ; DEBIASE SALVATORE E ; DEBIASE SALVATORE E JR

Inventor(s): DEBIASE SALVATORE EJR ; DEBIASE SALVATORE

Agent(s): BASCH AND NICKERSON LLP; DUANE C; BOSCH AND NICKERSON LLP

8) Family number: 35081688 (CA2536065A)

© PatBase

Title: COMPACT 50 - 50 DRAW BOX

Abstract: A manually operable tool for conducting lottery-type ticket draws, which is comprised of a rectangular main box divided into two compartments. The frontal compartment contains a removable, rotating, ticket-tumbler drum; a pivotal carrying handle, and partitioned sections to hold currency and envelopes. The rear, elevated compartment, contains a ticket dispensing mechanism, consisting of a ticket-roll holder and spring loaded tension-guide. The ticket-roll holder which is in alignment with the tension-guide supports a perforated double column ticket-roll. To prepare the ticket dispensing mechanism for use; the leading end of the ticket column is extracted from the ticket-roll and passed through the tension-guide and through a slotted opening in the end wall of the compartment. The adjustable tension-guide provides alignment and necessary tension on the ticket column to prevent roll-back. This rear inner compartment has an upper hinged door, that when closed, conceals the compartment.

Classifications:

International (IPC 8-9): A63F3/06 G07C15/00 (Advanced/Invention);

A63F3/06 G07C15/00 (Core/Invention)

CPC: A63F3/06 A63F3/08 G07C15/005

European: A63F3/06 G07C15/00D K63F3/08

Application number/suivre de demande CA2536065Figure PhotoPages: DRW-IP

Unacceptable items
received with this application
(Requet original documents in File Prep. Section on the 10th Floor)

Documents reçus avec cette demande ne pouvant être bilingues
(Communiquer les documents originaux dans la section de préparation des dossiers au 10^{ème} étage)

Family:

Publication number	Publication date	Application number	Application date
CA2536065 AA	20070726	CA20062536065	20060126
CA2536065 C	20081007	CA20062536065	20060126

Priority:

CA20062536065 20060126

Probable Assignee:

SCHOCK STANLEY G

Assignee(s): (std):

SCHOCK STANLEY G

Inventor(s): (std):

SCHOCK STANLEY G

Agent(s):

NA

9) Family number: 40961299 (ES207997Y)


© PatBase

Title: BOMBO ESTATICO PARA BOLAS DE LOTERIA Y JUEGOS DE AZAR ANA- LOGOS.

Abstract: Source: ES207997U [ES] Bombo estatico para bolas de loteria y juegos de azar analogos, que se caracteriza esencialmente por consistir en una caja cerrada, de forma preferentemente paralelepipedica, y transparente, contenedora de bolas, numeradas de peso liviano, estando dotada la misma, ademas, de una base inferior provista de un ventilador convencional centrado, con una rejilla de paso del aire, el cual es inyectado dentro de la caja promoviendo un torbellino que mantiene en continuo movimiento a dichas bolas, barajandolas en identicas condiciones de cualquier bombo movil o vibratil corriente.

Machine translation: Static Ball lottery and gaming hype analogs, characterized essentially consist of a closed box, preferably parallelepiped, and transparent, container of balls, numbered light weight, being provided with the same, in addition, a lower base provided with a conventional fan centered, with a grid of passage of air, which is injected inside the box by promoting a whirlwind that maintains continuous movement to said balls, barajandolas under identical conditions of any mobile hype or vibratable plate current.

Classifications:**International (IPC 8-9):** G07C (Subclass/Invention)

**Family:**

Publication number	Publication date	Application number	Application date
ES207997 U	19760316	ES19740207997U	19741129
ES207997 Y	19760716	ES19740207997U	19741129

Priority:

ES19740207997U 19741129

Probable Assignee:

BOIX PASARET SANTIAGO

Assignee(s): (std):

BOIX PASARET SANTIAGO

Assignee(s):

BOIX PASARET

10) Family number: 6732430 (GB2245840A)

© PatBase

Title: Random number generator

Abstract: A random number generator 10 comprising a chamber, a plurality of index members 12 stored loosely for random mixing in the chamber, and indexing means 17 provided in the chamber and co-operable with the index members 12 to provide at least one random number. As shown, six ball numbers 12 are coloured red to indicate six lottery numbers printed at random adjacent four channels 17. Alternatively, the ball numbers 12 may be numbered and the channels into which they fall may be marked at one or more places with a colour or other distinctive indicator. The generator 10 may be in the form of a key ring or a paper weight.


Classifications:**International (IPC 8-9):** A63F7/04 G07C15/00 (Advanced/Invention);

A63F9/00 (Advanced/Non-invention);

A63F7/00 G07C15/00 (Core/Invention);

A63F9/00 (Core/Non-invention)

International (IPC 1-7): A44B15/00 A63F5/02 B43M9/00**CPC:** A63F7/048 A63F2009/0027 G07C15/003**European:** A63F7/04R G07C15/00B2 K63F9/00D4K

**Family:**

Publication number	Publication date	Application number	Application date
GB2245840 A1	19920115	GB19900011716	19900525
GB9011716 A0	19900718	GB19900011716	19900525

Priority:

GB19900011716 19900525

Probable Assignee: DICKFORD IND LIMITED
Assignee(s): (std): DICKFORD IND LIMITED ; DICKFORD IND LTD
Assignee(s): DICKFORD INDUSTRIES LIMITED
Inventor(s): (std): LO CHUN YEUNG
Inventor(s): CHUN YEUNG LO


11) Family number: 56975932 (CN203733188U)

© PatBase

Title: FULL-AUTOMATIC WATER FLOATING LOTTERY MACHINE

Abstract: The utility model relates to a novel lottery device, and particularly relates to a full-automatic water floating lottery machine. The full-automatic water floating lottery machine comprises a water storage tank, a water injection tank, and a number ball squeezing chamber, wherein the water injection tank is mounted on the upper side of the water storage tank, and is filled with a plurality of number balls; the number ball squeezing chamber is arranged on the water injection tank; a display window is arranged on the number ball squeezing chamber; a touch control time delay switch is mounted at the top of the display window; a water injection pump is mounted in the water storage tank; a water injection pipe is mounted on the water injection pump, and extends into the water injection tank; a time switch is mounted on the water storage tank, and is connected with the water injection pump; a water drainage pipe is mounted on one side of the water injection tank; a water drainage valve is mounted on the water drainage pipe, and is connected with the touch control time delay switch. The full-automatic water floating lottery machine has the benefits that whether the weight of the number balls in the lottery machine is consistent or not can be reflected intuitively; fairness and justice of the lottery are ensured.

Classifications:**International (IPC 8-9):** G07C15/00 (Advanced/Invention)



5

Family:

Publication number	Publication date	Application number	Application date
CN203733188 U	20140723	CN201420110014U	20140312

Priority:

CN201420110014U 20140312

Probable Assignee:

SU SHIFENG

Assignee(s): (std):

SU SHIFENG

Assignee(s):

SU FENG DIVISION

Inventor(s): (std):

SU SHIFENG