

1) Family number: 49544735 (EP1941811A1)

Title: FOLDING SHOPPING CART BAG

Abstract: Comprising a prism-shaped frame with a rectangular bottom (1), two larger sides (2) and two smaller sides (3), the free edges of which limit an upper opening. The invention also incorporates an inner frame (4) which has two inverted-"U"-shaped rods. Based on this premise, the bag is characterized in that it includes removable means of attachment associated to the inner frame (4), said removable means being located at the opening of the bag. The invention is also characterized in that it incorporates a folding and unfolding device which ensures the stability in each of two positions.

Classifications:


International (IPC 8-9): A45C13/02 A45C13/04 A45C3/04 A45C7/00

B62B1/12 B65B67/12 (Advanced/Invention);

A45C13/00 A45C7/00 B65B67/00 (Core/Invention)

CPC: A45C7/0077 A45C13/04 A45C3/04 B62B1/12

European: A45C13/04 A45C3/04 A45C7/00D3



Family:

Publication number	Publication date	Application number	Application date
AT467363 E	20100515	AT20070380401T	20071231
DE602007006407 D1	20100624	DE200760006407T	20071231
EP1941811 A1	20080709	EP20070380401	20071231
EP1941811 B1	20100512	EP20070380401	20071231
ES2335830 AA	20100405	ES20070000035	20070105
ES2335830 BA	20110218	ES20070000035	20070105
ES2335832 AA	20100405	ES200700000716	20070319
ES2335832 BA	20110218	ES200700000716	20070319
ES2343592 T3	20100804	ES20070380401T	20071231

Priority:

ES20070000035 20070105 ES20070000716 20070319

Probable Assignee: GERMANS SERVER SL

Assignee(s): (std): GERMANS SERVER S L ; GERMANS SERVER SL

Inventor(s): (std): SERVER PEREZ D JUAN ; SERVER PEREZ JUAN ; SERVER PEREZ JUAN D

Inventor(s): JUAN SERVER PEREZ

Agent(s): UNGRIA LOPEZ JAVIER

Designated states: AL AT BA BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL PL PT
RO RS SE SI SK TR

2) Family number: 4833776 (US5062717A)

Title: Shopping bag with handle

Abstract: A shopping bag for general purpose use in constructed from a sheet of fabric and formed by a series of steps into top and base portions integrally connected to side panels and back and front panels joined by a single seam which extends

the length of the bag. The folding operation creates a multiple ply border about the upper or open portion of the bag. Selvage on the fabric is directed to form a portion of the base such to extend around the perimeter of the base integrally connected with the side panels and the back and front panels. A pleated construction of the side panels allows the bag to fold compactly when not in use such as when being carried or transported. The mouth of the bag when accepting articles is generally rectangular in shape. The inner and outer creases of the bag are reinforced from top to bottom thus imparting to the side panels a rigidity which projects them essentially transversely to the back and front panels when the bag is trimmed for use. The base of the bag likewise is reinforced by a plurality of plies. A handle may be attached to the border at the upper end of the bag.

Classifications:


International (IPC 8-9): A45C3/00 A45C3/04 (Advanced/Invention); A45C3/00 (Core/Invention)

International (IPC 1-7): B65D33/02 B65D33/14

CPC: A45C3/00 A45C3/04

European: A45C3/00 A45C3/04

US: 383/104 383/107 383/125 383/20



Family:

Publication number	Publication date	Application number	Application date
GB9123016 A0	19911218	GB19910023016	19911030
US5062717 A	19911105	US19900606599	19901031

Priority:

US19900606599 19901031

Probable Assignee:

SHOCKLEY DRU

Assignee(s): (std):

SHOCKLEY DRU

Inventor(s): (std):

SHOCKLEY DRU

3) Family number: 53769375 (CN202919262U)

© PatBase

Title: PATCH POCKET SHOPPING BAG

Abstract: The utility model belongs to the technical field of bag fabrication, and relates to a patch pocket shopping bag. The bag is made of a leather material, And comprises a bag body, patch pockets and hand straps, wherein the bag body is of a flat bag structure which is open upward, opened by a zipper, rectangular at the front and rear faces, and provided with stripped pattern straps at the outer sides of the opening edges of the upper part; each patch pocket is a rectangular patch pocket which is open upward and provided with a cover face, and the upper and lower edges of the patch pocket are arc convex edges; each hand strap is an enclosed stripped strap; the four patch pockets are respectively adhered to left and right positions of the front and rear faces of the bag body; and the hand straps vertically enclose the bag body in a left-and-right double-strap manner, the upper parts of the hand straps are arranged at the left and right central positions of the front and rear faces and the outer sides of the bottom face of the bag body in the form of annular straps, and are fixed on the bag body through rivets. The patch pocket shopping bag has the characteristics of simplicity, beautiful appearance and practicality.

Classifications:

International (IPC 8-9): A45C3/04 (Advanced/Invention)



Family:

Publication number	Publication date	Application number	Application date
CN202919262 U	20130508	CN201220622184U	20121106

Priority:

Probable Assignee:

WANG FANG

Assignee(s): (std):

WANG FANG

Inventor(s): (std):

WANG FANG

4) Family number: 60049794 (US2015225164A)

© PatBase

Title: INSULATING DEVICE


Abstract: An insulating device can include an aperture having a waterproof closure which allows access to the chamber within the insulating device. The closure can help prevent any fluid leakage into and out of the insulating device if the insulating device is overturned or in any configuration other than upright. The closure also prevents any fluid from permeating into the chamber if the insulating device is exposed to precipitation, other fluid, or submersed under water. This construction results in an insulating chamber impervious to water and other liquids when the closure is sealed.

Classifications:

International (IPC 8-9): A41B13/04 A45C11/20 A45C11/22 A45C13/00 A45C13/10 A45C13/26 A45C13/30 A45C3/00 A45F3/04 A47J39/00 A47J41/00 B29C53/00 B29C59/02 B29C65/00 B29C65/56 B29C65/72 B32B3/00 B32B33/00 B32B37/00 B65B11/00 B65B7/00 B65D25/18 B65D25/20 B65D25/28 B65D45/16 B65D81/38 C08J5/00 (Advanced/Invention); B29C65/00 B29C65/02 B32B37/14 B32B37/18 B65D25/28 F25D3/08 (Advanced/Non-invention)

CPC: A45F3/04 F25D2331/8011 A45F2003/025 A45F2003/045 B65D25/2873 B65D81/3858 B29C66/43 B32B37/142 B32B37/185 B65D25/205 B65D81/389 A45F3/02 A45F3/46 F25D2303/081 F25D2331/804 B29C59/02 B29C65/562 B29C65/72 B29C66/4322 B29C66/4326 A45C11/22 A45C3/001 A45C13/008 A45C13/103 B65D81/3897 F25D3/08 F25D2331/801 A45C3/00 A45C11/20 A45C13/00 A45C13/10 A45C13/26 A45C13/30 Y10T29/49826 Y10T29/49828 B29C65/02 B65D25/18

US: 1/1 220/592.16 220/592.2 220/592.25 220/592.26 29/428 383/25

**Family:**

Publication number	Publication date	Application number	Application date
AU2017263566 AA	20181206	AU20170263566	20170512
AU2017263566 BB	20190620	AU20170263566	20170512
AU2017263566 CA	20190926	AU20170263566	20170512
AU2018389610 AA	20200423	AU20180389610	20181217
AU2018389610 AA	20190627	AU20180389610	20181217
AU2018389610 AA	20200423	AU20180389610	20181217
AU2018389610 AA	20190627	AU20180389610	20181217
AU2018389610 AB	20200702	AU20180389610	20181217
CA3024101 AA	20181113	CA20173024101	20170512
CA3080939 AA	20200428	CA20183080939	20181217
CN109068822 A	20181221	CN201780020473	20170203
CN109415154 A	20190301	CN201780042659	20170512
CN109415154 B	20200410	CN201780042659	20170512
MX2018013890 A1	20190515	MX20180013890	20170512
US2015225164 AA	20150813	US20140479607	20140908
US2015353263 AA	20151210	US20150831641	20150820
US2016236849 AA	20160818	US20160137838	20160425
US2016257479 AA	20160908	US20160154626	20160513
US2017036844 AA	20170209	US20160261407	20160909
US2017210542 AA	20170727	US20170451064	20170306
US2018044094 AA	20180215	US20170790926	20171023
US2018162626 AA	20180614	US20170845737	20171218
US2019039808 AA	20190207	US20180153011	20181005
US2019071238 AA	20190307	US20170074687	20170203
US2020010261 AA	20200109	US20190545008	20190820
US2020172319 AA	20200604	US20200787375	20200211
US9139352 BB	20150922	US20140479607	20140908
US9796517 BB	20171024	US20150831641	20150820
US9902548 BB	20180227	US20160137838	20160425
US10029842 BB	20180724	US20160154626	20160513
US10143282 BB	20181204	US20170451064	20170306
US10384855 BB	20190820	US20160261407	20160909
US10442599 BB	20191015	US20170790926	20171023
US10577167 BB	20200303	US20180153011	20181005
WO17136754 A1	20170810	WO2017US16552	20170203
WO17197230 A1	20171116	WO2017US32351	20170512
WO19126056 A1	20190627	WO2018US66040	20181217

Priority:

US20140937310P	20140207	US20140479607	20140908	US20150831641	20150820
US20160292024P	20160205	US20160299402P	20160224	US20160299421P	20160224
US20160137838	20160425	US20160154626	20160513	US20160261407	20160909
US20170074687	20170203	WO2017US16552	20170203	US20170451064	20170306
WO2017US32351	20170512	US20170790926	20171023	US20170845737	20171218
US20180153011	20181005	WO2018US66040	20181217	US20190545008	20190820
US20200787375	20200211				

Probable Assignee: YETI COOLERS LLC

Assignee(s): (std): YETI COOLERS LLC

Assignee(s): SULLIVAN DEREK G ; SEIDERS ROY JOSEPH ; ROGERS KYLE EDWARD ; MUNIE JEFFREY CHARLES ; LOUDENSLAGER JOHN ; KELLER CHRIS ; FRITZSCHE KARL ; DESROCHES DONALD EDWARD ; BOSWAY ANDREW M ; BAIRES ALEX ; BANK OF AMERICA NA ADMINISTRATIVE AGENT AS

Inventor(s): (std): BAIRES ALEX ; BOSWAY ANDREW M ; FLORES LAURA ; FRITZSCHE KARL ; KELLER CHRIS ; KELLER CHRISTOPHER M ; LARSON ERIK STEVEN ; SEIDERS ROY JOSEPH ; SULLIVAN DEREK G ; ROY JOSEPH SEIDERS ; ROGERS KYLE EDWARD ; MUNIE JEFFREY CHARLES ; LOUDENSLAGER JOHN ; LANGERAK BRIAN ; KARL FRITZSCHE ; DESROCHES DONALD EDWARD ; DEREK G SULLIVAN ; CHRIS KELLER ; ANDREW M BOSWAY

Agent(s): DAVIES COLLISON CAVE PTY LTD; IN LEGAL LTD; SMART AND BIGGAR; SMART AND BIGGAR LLP; BANNER AND WITTCOFF LTD; BANNER AND WITTCOFF LTD; VAN PELT BRADLEY J ET AL; VAN PELT BRADLEY J; LONERGAN RONAN

Designated states: AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DJ DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JO JP KE KG KH KM KN KP KR KW KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

5) Family number: 63731707 (US2017022640A)
© PatBase

Title: KNITTED BAG


Abstract: Described are bags having a sack-like body formed of knitwear. The knitwear includes a first layer and a second layer, wherein the first layer at least partly overlaps the second layer, and wherein the first layer and the second layer are knitted integrally in a one-piece knitting process.

Classifications:

International (IPC 8-9): A45C3/00 A45F3/02 A45F3/04 A45F5/00 D03D1/04 D03D3/02 D04B1/22 D04B21/20 D06N3/00 D06N3/14 (Advanced/Invention)

CPC: D03D1/04 D03D3/02 D04B1/225 D04B21/205 D06N3/0009 D06N3/14 A45F3/02 A45C3/001 D04B1/22 D04B21/20 A45C3/00 A45C2003/002 A45C2003/007 A45F3/04 D10B2501/061 D10B2505/10

US: 1/1 224/645



Family:

Publication number	Publication date	Application number	Application date
■ CN106037194 A	20161026	CN201610214856	20160408
■ DE102015206301 A1	20161013	DE201510206301	20150409
■ DE102015206301 B4	20161027	DE201510206301	20150409
■ EP3078771 A1	20161012	EP20160164463	20160408
■ JP2016198495 A2	20161201	JP20160076939	20160407
■ JP6548604 B2	20190724	JP20160076939	20160407
■ US2017022640 AA	20170126	US20160093106	20160407
■ US10145044 BB	20181204	US20160093106	20160407

Priority: DE201510206301 20150409 JP20160076939 20160407

Probable Assignee: ADIDAS AG

Assignee(s): (std): ADIDAS AG

Inventor(s): (std): ANNIKA ELLERWALD ; ELLERWALD ANIKA ; STEFAN SCHENK ; SCHENK STEFAN ; LOUIS SAMUEL BECK ; KORB CHRISTINE ; ELLERWALD ANNIKA ; CHRISTINE KORB ; BECK LOUIS SAMUEL ; ANIKA ELLERWALD

Agent(s): WEGNER HANS; OHMORI NORIO; KOBAYASHI HIROSHI; FURUHASHI NOBUSHIGE; KILPATRICK TOWNSEND AND STOCKTON LLP


Designated states: AL AT BA BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC ME MK MT NL NO PL PT RO RS SE SI SK SM TR

Title: HARD BOTTOM TOTE

Abstract: A hard bottom tote incorporates a substantially rigid, water proof and impact resistant base joined to a fabric body extending upward from the base. The fabric body incorporates stiffening members supporting the body in an upright and open position to facilitate loading the tote when empty. Stiffeners surround the mouth of the tote so that the mouth of the bag remains open. The disclosed tote has a tapered body configuration with a mouth of the tote larger than the base to facilitate nesting of multiple totes for storage when empty. A pair of handles extend above the mouth of the tote, supported by webbing sleeves incorporating stiffeners.

Classifications:

International (IPC 8-9): A45C1/02 A45C3/00 (Advanced/Invention)
CPC: A45C1/02 A45C3/001 A45C13/36
US: 150/107



Family:

Publication number	Publication date	Application number	Application date
US2015201722 AA	20150723	US20150598307	20150116
WO15109138 A1	20150723	WO2015US11679	20150116

Priority:

US20140928817P 20140117 US20150598307 20150116

Probable Assignee: VETO PRO PAC LLC

Assignee(s): (std): VETO PRO PAC LLC

Inventor(s): (std): BROUARD ROGER

Agent(s): MENARD THOMAS J


Designated states: AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

Title: A method of manufacturing containers from textile fibres and containers made by the said method

Abstract: 1,001,850. Fabric sacks. GUISEPPE DUBINI and C., S.p.A. Aug. 1, 1962 [Aug. 1, 1961], No. 29611/62. Heading B8K. [Also in Divisions A4 and B5] Containers or bags of textile fibres are formed from a two-layered fabric connected together at spaced transverse and longitudinal strips during the weaving, cuts being made along the middle of some or all of the strips to separate the bags. The fabric may be of width equal to twice the depth of a bag as in Fig. 1, and is connected along the warp at the middle SI and along the weft at St at intervals equal to the width of the bag, and the bags are formed by cutting along the connection strips at x and y. The edges of the bags may be reinforced at Sm, and the bags may be turned inside out to leave the cut connection strips inside the bag. The fabric may be of width equal to half that of Fig. 1, in which case the longitudinal warp connecting strip is half as wide and needs no cutting. The fabric may have half-width longitudinal edge connections Sm¹, Fig. 7, and the transverse connections are two bag depths apart, whereby the bottom of the bags are formed by cutting along the middle of the transverse connections at x and the bag openings formed by cutting transversely at x¹. Handles may be attached by press-buttons. By using synthetic fibres, the layers may be joined by thermal fusing at the same time as the cutting.

Classifications:

International (IPC 8-9): A45C3/04 B65D30/00 D03D3/00 (Advanced/Invention); A45C3/00 B65D30/00 D03D3/00 (Core/Invention)
International (IPC 1-7): A45C3/00 C08F20/10 D03D1/04
CPC: A45C3/04 B65D29/00 D03D3/00 D03D2700/03
European: A45C3/04 B65D29/00 D03D3/00 N03D700/03



Family:

Publication number	Publication date	Application number	Application date
AT239531 B	19650412	AT19620006131	19610730
FR1341532 A	19631102	FR19620905625	19620731
GB1001850 A	19650818	GB19620029611	19620801

Priority:

IT19610014276 19610801

Probable Assignee: MONTEDISON SPA

Assignee(s): (std): GIUSEPPE DUBINI AND C S P A ; GIUSEPPE DUBINI AND C SP A ; MONTEDISON SPA

Assignee(s): MONTECATINI SOCIETA GENERALE PER L INDUSTRIA MINER ; MONTECATINI SOCIETA GENERALE PER L INDUSTRIA MINERARIA E CHIMICA

Inventor(s): (std): DONATI MARIO ; FARINA MARIO ; NATTA GIULIO

Inventor(s): GIULIO NATTA ; MARIO DONATI ; MARIO FARINA

8) Family number: 22673431 (US2746582A)

© PatBase

Title: LUGGAGE BAGS

Abstract: (Claim 1) 1. I claim as my invention: A luggage bag comprising a Hat, rigid bottom panel, flexible side panels extending upwardly therefrom, said side panels having spaced upper edges providing an access aperture therebetween, a pair of matching handles for carrying said bag, said handles consisting of flexible strips extending loosely through openings in said side panels and continuing loosely downwardly through the interior of the bag, and means for attaching the ends of said handle strips to said bottom panel adjacent said side panels, said attaching means being the sole means securing said handles to said bag and the sole means through which the weight of the bag is transmitted to said handles.

Classifications:


International (IPC 8-9): A45C3/04 (Advanced/Invention);
A45C3/00 (Core/Invention)

International (IPC 1-7): A45C13/26

CPC: A45C3/04

European: A45C3/04

US: 190/115 383/119 383/121 383/18 383/20 383/97

**Family:**

Publication number	Publication date	Application number	Application date
US2746582 A	19560522	US19530370336	19530727

Priority:

US19530370336 19530727

Probable Assignee:

ATLANTIC PROD CORP

Assignee(s): (std):

ATLANTIC PROD CORP

Assignee(s):

ATLANTIC PRODUCTS CORP

Inventor(s): (std):

CART THEODORE S

9) Family number: 63999580 (JP3207275U)


© PatBase

Title: Carrying Bag (Machine translation)

Abstract: Source: JP3207275U **Machine translation:** The transporting object is relatively easy to be carrying a bag makes it possible to provide a transportation for the 10, the transport for the bag material having water repellency, water resistance, or transporting object of the bag body for placing and strip-shaped on the inner surface of the bag body along the longitudinal direction of the strip-like sewn substantially in parallel with at least two of the reinforcement belt 12a, the bag body in the longitudinal ends of the reinforcement belt 12a, the two connected to one end of the handle 13a, 13b, the bag body was sewing in one side edge the side cover portion 16, a sewing. 10 transportation for the bag, a relatively heavy objects by pulling on snow and can carry on the grass and the bag body on one side of the side edge of the cover portion 16 by such as snow and grass can so that it does not go into The other of the side edges of the bag body because it opens the transporting object, on the other hand, tends to put the side surface of the cover portion 16, since there is a can carry in a stable state. Figure 1

Classifications:**International (IPC 8-9):** A45C13/38 (Advanced/Invention)

PatBase - JP3207275_U

**Family:**

Publication number	Publication date	Application number	Application date
JP3207275 U	20161104	JP20160004076U	20160822

Priority:

JP20160004076U 20160822

Probable Assignee: EMOTIONS EQUIPMENT MADE CO LTD SATOH

Assignee(s): EMOTIONS EQUIPMENT MADE CO LTD SATOH

10) Family number: 60266973 (US2015246751A)

© PatBase

Title: REUSABLE BAG HOLDER AND SYSTEM AND METHOD OF USING THE SAME

Abstract: A reusable shopping bag holder and system and method of using a reusable shopping bag holder and system is disclosed herein. The system includes a primary bag and a plurality of flexible secondary bags. The primary bag includes a plurality of compartments formed by dividers or pockets. The compartments store the secondary bags such that the secondary bags can be removed from the primary bag as necessary to store and carry shopping items. The primary bag itself may also be used to carry shopping items.

Classifications:

International (IPC 8-9): A45C13/02 A45C3/04 A45C7/00 B62B3/14 B65D30/20 B65D30/22 B65D33/10 (Advanced/Invention)

CPC: B65D31/12 B65D33/105 B65D31/10 B62B3/1464 Y02W30/807 A45C3/04 A45C7/0086 A45C13/02 B62B2202/26 B62B3/146

US: 224/411 383/21 383/38

PatBase - US2015246751_AA



Family:

Publication number	Publication date	Application number	Application date
US2015246751 AA	20150903	US20150635916	20150302
US9604757 BB	20170328	US20150635916	20150302

Priority:

US20140946627P 20140228 US20150635916 20150302

Probable Assignee: MY SMART PRODUCTS LLC

Assignee(s): (std): MY SMART PRODUCTS LLC

Inventor(s): (std): SPIVACK LAWRENCE ; WILLIAMS LISA

Agent(s): SHERIDAN ROSS PC

11) Family number: 22278395 (US2473429A)

© PatBase

Title: BOTTLE CARRIER


Classifications:

International (IPC 8-9): B65D25/04 (Advanced/Invention); B65D25/04 (Core/Invention)

CPC: B65D25/04

European: B65D25/04

US: 206/162 294/159 383/39

**Family:**

Publication number	Publication date	Application number	Application date
US2473429 A	19490614	US19450600442	19450620

Priority:

US19450600442 19450620

Probable Assignee:

HINMAN HARRY L

Assignee(s): (std):


HINMAN HARRY L

Inventor(s): (std):

HINMAN HARRY L

12) Family number: 24163556 (USD397871S)

© PatBase

Title: Bag for bottles**Abstract:** (Claims)I claim the ornamental design for a bag for bottles, as shown and described .**Classifications:****US:** D3/303**Locarno class:** 03/01**Family:**

Publication number	Publication date	Application number	Application date
USD397871 S1	19980908	US19960064298F	19961227

Priority:

Inventor(s): DJAMAL BELLEHCHILLI ; BELLEHCHILLI DJAMAL**13) Family number: 41938864** (US2011103715A)

© PatBase


Title: BAGS OF LIFE

Abstract: A combination of shopping bags designed to be used instead of plastic carrier bags. The set start off as several slightly smaller subsidiary bags being carried in one main larger bag. The smaller bags collapse flat and fit within the larger bag. The front and back and bottom of all the bags are quite rigid, being lined with semi rigid/rigid material. The side panels are flexible and fold into the bag enabling the bag to easily collapse flat by pushing the bottom semi rigid/rigid panel up. The semi rigid/rigid section secured in the bottom of the bags flips up to allow them to fold flat. On filling, the bottom drops down to give the bag a boxy rigidity. When the bags are collapsed flat, they require no reshaping and they slide easily into the larger bag ready for reuse.

Classifications:**International (IPC 8-9):** A45C3/04 B65D21/02

B65D30/00 (Advanced/Invention);

A45C3/00 B65D21/02 (Core/Invention)

CPC: A45C3/04 A45C7/0077 A45C7/0086 A45C13/36 A45C2013/026 B65D21/0233**European:** A45C3/04 A45C7/00D3 A45C7/00D4 B65D21/02F K45C13/02S K45C13/36**US:** 383/37 383/37P**Family:**

Publication number	Publication date	Application number	Application date
GB200807360 A0	20080528	GB20080007360	20080423
GB200814119 A0	20080910	GB20080014119	20080801
GB2454288 A1	20090506	GB20080014119	20080801
GB2454288 B2	20090923	GB20080014119	20080801
US2011103715 AA	20110505	US20100778592	20100730

Priority:

GB20080014119 20080108 GB20080007360 20080423 GB20080014119 20080801
 US20090177367P 20090512 US20100778592 20100730

Probable Assignee: BAILEY MRS CAROL ELIZABETH**Assignee(s):** (std): BAILEY CAROL ; BAILEY CAROL E ; BAILEY CAROL ELIZABETH**Assignee(s):** BAILEY MRS CAROL ELIZABETH ; CAROL ELIZABETH BAILEY**Inventor(s):** (std): BAILEY CAROL ; BAILEY CAROL ELIZABETH**Inventor(s):** CAROL ELIZABETH BAILEY**14) Family number: 43746954** (US2009232420A)

© PatBase

Title: BAGGING SYSTEM

Abstract: A reusable packaging system includes a series of four bags, each designed to be reusable and capable of standing upright when in an open state. The bags are constructed so that they will fit in an open state within a shopping cart, and differ progressively in size so that they can be nested inside of each other for storage. The nested bags are then folded to form a compact, single package which can be easily transported by a user to a store for shopping.

Classifications:**International (IPC 8-9):** A45C3/04 A45C9/00 B62D39/00 B65D1/34

B65D30/16 B65D30/20 B65D30/22 B65D33/06 (Advanced/Invention);


A45C3/00 A45C9/00 B65D30/10 B65D30/22

B65D33/06 (Core/Invention)

CPC: A45C3/001 A45C3/04 A45C7/0077 A45C13/008**European:** A45C13/00W A45C3/04 A45C7/00D3 K45C3/00B**US:** 206/554 280/33.992 383/104 383/104S 383/108 383/110

383/110S 383/113 383/113S 383/120 383/120S 383/15 383/15P

383/37 383/37S 383/38 383/38S 383/42 383/42S 493/267 493/267S

**Family:**

Publication number	Publication date	Application number	Application date
■ US2009232420 AA	20090917	US20090372967	20090218
■ US7992879 BB	20110809	US20090372967	20090218
■ WO09114243 A1	20090917	WO2009US34365	20090218

Priority:

US20080036335P 20080313 US20090372967 20090218

Probable Assignee: WASTE SOLUTIONS LLC

Assignee(s): (std): BROWN KRISTEN ; EISENBERG MIKEL ; WASTE SOLUTIONS LLC

Assignee(s): THE WASTE SOLUTIONS LLC

Inventor(s): (std): BROWN KRISTEN ; EISENBERG MIKEL

Agent(s): DARBY AND DARBY PC; HANFT JAMES

Designated states: AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU
CY CZ DE DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL
IN IS IT JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW
MX MY MZ NA NE NG NI NL NO NZ OM PG PH PL PT RO RS RU SC SD SE SG SI SK SL SM SN ST SV SY
SZ TD TG TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW