

Diego Gonzalez

1) Family number: 28467998 (US2002048174A)

© PatBase

Title: LED DOUBLE LIGHT BAR AND WARNING LIGHT SIGNAL

**Abstract:** A light emitting diode (LED) warning signal light and double light bar includes a second light bar elevated with respect to a first light bar. Each of the first and second light bars includes a controller for generating a plurality of observable light signals. The controller may regulate the illumination of LED's to a desired pattern, sequence, and/or combination of simultaneous and/or individual light signals.

**Classifications:**


**International (IPC 8-9):** B60Q1/26 B60Q7/00 F21S4/00 F21S8/00 F21V21/30 F21V23/00 G08B5/22 G09F9/33 (Advanced/Invention); F21K99/00 F21V29/00 H05K1/18 (Advanced/Non-invention); B60Q1/26 B60Q7/00 F21S4/00 F21S8/00 G08B5/22 G09F9/33 (Core/Invention); F21K99/00 F21V29/00 (Core/Non-invention)

**International (IPC 1-7):** B60Q1/00 B60Q1/26 B60Q11/00 B60Q7/00 F2111/02 F21S4/00 F21V2/900 F21V21/00 F21V21/30 F21V29/00 F21V7/00 F21W11/02 G08B5/22

**CPC:** F21Y2107/30 F21Y2107/00 F21V29/767 F21K9/00 F21S4/22 F21V7/0083 F21Y2105/10 Y10S362/80 H05B45/00 H05B47/155 B60Q1/2696 F21V29/763 F21V33/0076 G09F9/33 F21S43/14 F21S43/19 F21S43/237 F21S43/26 F21S10/06 F21W2107/10 F21Y2115/10 F21W2107/00 F21S4/28 F21S4/20 B60Q7/00 F21V29/70 H05K1/182 B60Q1/2611

**European:** B60Q1/26D B60Q7/00 F21S4/00A F21S4/00L F21S4/00L2 F21S4/00L6 F21V23/00 F21V7/00P R21K9/00 R21K99/00 R21S10/06 R21S4/00L R21V29/00C2 R21V29/00N R21W111/04 R21Y101/02 R21Y105/00D R21Y111/00T5 T05K1/18C

**US:** 340/321 340/425.5 340/425.500S 340/468 340/469 340/471 340/472 340/574 340/574S 340/693.5 340/815.4 340/815.45 340/815.450P 340/907 340/908 362/227 362/231 362/232 362/24 362/240 362/240S 362/241 362/241P 362/247 362/247S 362/272 362/35 362/35P 362/362 362/373 362/487 362/487P 362/493 362/493P 362/493S 362/513 362/524 362/540 362/542 362/542P 362/543 362/545 362/545P 362/545S 362/8 362/800 362/800S



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US2002048174 AA    | 20020425         | US20010017348      | 20011214         |
| US2002071268 AA    | 20020613         | US20010951758      | 20010912         |
| US2002093820 AA    | 20020718         | US20020078745      | 20020218         |
| US2003021121 AA    | 20030130         | US20020253028      | 20020924         |
| US2003025608 AA    | 20030206         | US20020253149      | 20020924         |
| US2004032745 AA    | 20040219         | US20030397091      | 20030326         |
| US2005047167 AA    | 20050303         | US20030688515      | 20031017         |
| US2005057941 AA    | 20050317         | US20030625387      | 20030723         |
| US2005099317 AA    | 20050512         | US20040977535      | 20041028         |
| US2007024461 AA    | 20070201         | US20060543402      | 20061005         |
| US6367949 BA       | 20020409         | US19990410479      | 19990930         |
| US6461008 BA       | 20021008         | US20000627867      | 20000728         |
| US6476726 BA       | 20021105         | US20000628213      | 20000728         |
| US6547410 BA       | 20030415         | US20000627866      | 20000728         |
| US6623151 BB       | 20030923         | US20010017348      | 20011214         |
| US6707389 BB       | 20040316         | US20020253149      | 20020924         |
| US6814459 BB       | 20041109         | US20020253028      | 20020924         |
| US7033036 BB       | 20060425         | US20040977535      | 20041028         |
| US7468677 BB       | 20081223         | US20060543402      | 20061005         |
| WO0110674 A1       | 20010215         | WO2000US20569      | 20000728         |
| WO0110675 A1       | 20010215         | WO2000US20570      | 20000728         |
| WO0110676 A1       | 20010215         | WO2000US20627      | 20000728         |
| WO08042007 A1      | 20080410         | WO2007US03329      | 20070207         |

**Priority:**

|                |          |                |          |               |          |
|----------------|----------|----------------|----------|---------------|----------|
| US19990147240P | 19990804 | US19990147240P | 19990804 | US19990410479 | 19990930 |
| US20000627867  | 20000728 | US20000628213  | 20000728 | US20000627866 | 20000728 |
| US20010292470P | 20010521 | US20010951758  | 20010912 | US20010017348 | 20011214 |
| US20020078745  | 20020218 | US20020253028  | 20020924 | US20020253149 | 20020924 |
| US20030397091  | 20030326 | US20030625387  | 20030723 | US20030688515 | 20031017 |
| US20040977535  | 20041028 | US20060543402  | 20061005 |               |          |

**Probable Assignee:** SAFARILAND LLC

**Assignee(s):** (std): PEDERSON JOHN C ; 911 EMERGENCY PRODUCTS INC ; 911EP INC

**Assignee(s):** WILMINGTON TRUST NATIONAL ASSOCIATION ; VIRTUS GROUP LP ; VIDAS ARRETT AND STEINKRAUS PA SUITE ; VIDAS ARRETT AND STEINKRAUS ; SAFARILAND LLC ; 911 EP INC ; 911 EP INC 1400 MARSH LANDING PARKWAY SUITE ; 911EP INC 1400 MARSH LANDING PARKWAY SUITE ; E P SURVIVORS LLC ; EP SURVIVORS LLC ; VIDA ARRETT AND STEINKRAUS PA ; VIDAS ARRETT AND STEINKRAUS PA ; WACHOVIA BANK NATIONAL ASSOCIATION ADMINISTRATIVE AGENT AS ; PEDERSON GREG ; MARJAMAA ROMAN ; EP ACQUISITION CORP ; EP ACQUISITION CORP ; BANK OF AMERICA NA AGENT AS ; BANK OF AMERICA NA ; 911EPINC ; 911EP INC 1400 MARSH PARKWAY SUITE 112JACKSO NV ; WACHOVIA BANK NATIONAL ASSOCIATION AS ADMINISTRATI ; WACHOVIA BANK NATIONAL ASSOCIATION ADMINISTRATIVE ; SNOWY VILLAGE LLC ; SNOWY VILLAGE INC ; GUGGENHEIM CREDIT SERVICES LLC ; BANK OF AMERICA NA ADMINISTRATIVE AGENT AS

**Inventor(s):** (std): BRANAN EDWARD R ; PEDERSON GREG ; MARJAMAA ROMAN ; PEDERSON GREGORY A ; PEDERSON JOHN C

**Inventor(s):** PEDERSON JOHN ; BRANAN EDWARD ; JOHN C PEDERSON

**Agent(s):** VIDAS ARRETT AND STEINKRAUS PA ; VIDAS ARRETT AND STEINKRAUS ; VOIGT EDWIN E II

**Designated states:** AE AG AL AM AT AU AZ BA BB BE BF BG BJ BR BW BY BZ CA CF CG CH CI CM CN CO CR CU CY CZ DE DK DM DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IS IT JP KE KG KM KN KP KR KZ LA LC LK LR LS LT LU LV LY MA MC MD MG MK ML MN MR MW MX MY MZ NA NE NG NI NL NO NZ OM PG PH PL PT RO RS RU SC SD SE SG SI SK SL SM SN SV SY SZ TD TG TJ TM TN TR TT TZ UA UG UZ VC VN ZA ZM ZW

## 2) Family number: 64052745 (US2017066321A)

© PatBase

**Title:** VEHICLE FUEL FILLER ASSEMBLY

**Abstract:** A vehicle and a fuel filler assembly may be provided. The fuel filler assembly may include a housing, a panel assembly, and a sensor assembly. The panel assembly may be carried by the housing and may include a door and a hinge extending from the door. The hinge may have indicia disposed thereon and the sensor assembly may be configured to provide a signal indicative of a location of the indicia relative to the housing.


**Classifications:**

**International (IPC 8-9):** B60K15/05 B60Q9/00

B62D25/24 (Advanced/Invention)

**CPC:** B60K15/05 B60K2015/0546 B60K2015/053 B60Y2400/92 B60Q9/00

**US:** 1/1 296/97.22



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CN107009958 A      | 20170804         | CN201610815734     | 20160909         |
| DE102016115966 A1  | 20170309         | DE201610115966     | 20160826         |
| GB201615259 A0     | 20161026         | GB20160015259      | 20160908         |
| GB2542699 A1       | 20170329         | GB20160015259      | 20160908         |
| MX2016011650 A1    | 20170427         | MX20160011650      | 20160908         |
| US2017066321 AA    | 20170309         | US20150848373      | 20150909         |
| US9643487 BB       | 20170509         | US20150848373      | 20150909         |

**Priority:**

US20150848373 20150909

**Probable Assignee:** FORD GLOBAL TECHNOLOGIES LLC

**Assignee(s):** (std): FORD GLOBAL TECH LLC

**Assignee(s):** FORD GLOBAL TECHNOLOGIES LLC

**Inventor(s):** (std): CUDDIHY MARK A ; HUBERT SZAWARSKI ; MARK A CUDDIHY ; MICHAEL K RAO ; RAO MANOHARPRASAD K ; SZAWARSKI HUBERT

**Agent(s):** BROOKS KUSHMAN PC ; FRANK A

## 3) Family number: 80276834 (US10730432B)

© PatBase

**Title:** TRAFFIC EMERGENCY SIGNALLING DEVICE


**Abstract:** A traffic emergency signaling device is fashioned as a triangular overall structure having a plurality of lights disposed upon a back plane and covered with a protective outer housing hingedly attached to the back plane. A handle is provided at the top to aid in carrying the device and to secure the outer housing to the back plane. A pair of swivel stands are secured beneath the bottom of the device. A power supply is integral with the device.

**Classifications:**

**International (IPC 8-9):** B60Q7/00 G08G1/0955

G09F27/00 (Advanced/Invention)

**CPC:** B60Q7/00 G08G1/0955 G09F27/004



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US10730432 BA      | 20200804         | US20200743015      | 20200115         |

#### Priority:

US20200743015 20200115

**Probable Assignee:** JOHNSON JOSEPH D

**Assignee(s):** JOHNSON JOSEPH D

**Inventor(s):** JOHNSON JOSEPH D

**Agent(s):** CRAMER PATENT AND DESIGN PLLC; CRAMER AARON R

#### 4) Family number: 125542 (US3664701A)

© PatBase

**Title:** SAFETY BUMPER FOR DRIVERLESS VEHICLE

#### Abstract: ABSTRACT OF THE DISCLOSURE

A driverless self-propelled industrial vehicle is provided with a deflectable safety bumper and a vehicle stopping control which includes a photoelectric scanner on the vehicle and a reflector on the bumper to sense deflection thereof and automatically stop the vehicle when the bumper encounters an obstruction. B

#### Classifications:

**International (IPC 8-9):** B60R19/48 B62D1/28 (Advanced/Invention);

B60R19/02 B62D1/00 (Core/Invention)


**International (IPC 1-7):** B60K31/00 B60L3/04 B60Q9/00 B60R19/00

B60R19/02 B60R21/02 B60T7/12 B62D1/26 G05D

**CPC:** B60L3/0015 B60R19/483 B62D1/28

**European:** B60L3/00C1 B60R19/48D B62D1/28

**US:** 180/275 250/216 293/4 293/5



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| AU197135094 A1     | 19730503         | AU19710035094      | 19711028         |
| AU448768 B2        | 19740530         | AU19710035094      | 19711028         |
| BE775096 A         | 19720301         | BE19710775096      | 19711109         |
| BR7107535 A0       | 19730220         | BR19710007535      | 19711111         |
| DE2156337 A1       | 19720518         | DE19712156337      | 19711112         |
| FR2114480 A5       | 19720630         | FR19710040009      | 19711108         |
| GB1298540 A        | 19721206         | GB19710052324      | 19711111         |
| US3664701 A        | 19720523         | US19700088634      | 19701112         |
| ZA7106892 A        | 19720628         | ZA19710006892      | 19711014         |

#### Priority:


US19700088634 19701112

**Probable Assignee:** WEBB CO JERVIS B  
**Assignee(s):** (std): WEBB CO J ; WEBB CO J B ; WEBB CO JERVIS B  
**Assignee(s):** WEBB J CO ; JERVIS B WEBB CO ; JERVIS B WEBB COMPANY ; JERVIS B WEBB CY ; JERVIS B WEBB CY 9000 ALPINE AVENUE DETROIT ETAT DU MICHIGAN E U A ; JERVIS B WEBB CY 9000 ALPINE AVENUE DETROIT ETAT DU MICHIGAN EUA ; WEBB CO  
**Inventor(s):** (std): KONDUR L ; KONDUR LOUIS  
**Inventor(s):** LOUIS KONDUR ; L KONDUR

**5) Family number: 57252165 (CN203793222U)** © PatBase

**Title:** INTELLIGENT EARLY-WARNING REARVIEW MIRROR FOR VEHICLE

**Abstract:** The utility model relates to an intelligent early-warning rearview mirror for a vehicle. The intelligent early-warning rearview mirror comprises a mirror frame. A connecting support for connecting the mirror frame with the vehicle through a hinge is arranged on the left side of the mirror frame. A groove is formed in the mirror frame. An annular LED light bar for warning is fixedly connected to the inner side wall of the groove. A reflective mirror body is fixedly connected to the inner bottom face of the groove. A distance sensor is arranged at the outer side end of the mirror frame. A microprocessor and a control device which are electrically connected with the signal output end of the distance sensor are arranged inside the mirror frame. The signal output end of the microprocessor is electrically connected with the signal input end of the control device. The control device is electrically connected with the LED light bar and a vehicle horn. According to the intelligent early-warning rearview mirror for the vehicle, a large-area warning LED and the distance sensor are arranged, warning on dead zones of rearview mirrors on the two sides is greatly strengthened, and the driving safety is improved.  
**Classifications:**  
**International (IPC 8-9):** B60R1/12 (Advanced/Invention)



**Family:**


| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CN203793222 U      | 20140827         | CN201420224488U    | 20140505         |

**Priority:**  
CN201420224488U 20140505  
**Probable Assignee:** CHEN JUFANG  
**Assignee(s):** (std): CHEN JUFANG  
**Assignee(s):** CHEN CHU FONG  
**Inventor(s):** (std): CHEN JUFANG

**6) Family number: 72575360 (US10160381B)** © PatBase

**Title:** VEHICLE CARGO CANOPY WITH HAZARD WARNING SIGN

**Abstract:** A cover assembly including: first, second, and third substantially rectangular panel sections in a parallel relationship and the second panel being interposed between the first and third panels. The foldable cover assembly also includes the first, second, and third panels being pivotally connected such that the panels can fold in relation to one another so as to form the cover assembly into a triangular configuration or the panels can fold open to bring the panels to have a common plane. The foldable cover assembly also includes a fastening device for temporarily holding the cover assembly in the triangular configuration. The foldable cover assembly also includes where at least one of the panels having established thereon a hazard sign for signaling distress in situations involving motor vehicle traffic; and where the hazard sign can be directed towards the surrounding environment when the cover assembly is in the triangular configuration.  
**Classifications:**  
**International (IPC 8-9):** B60Q1/00 B60Q1/30 B60Q1/52 B60Q7/00 B60R5/04 E01F9/646 (Advanced/Invention)  
**CPC:** B60R5/048 B60R5/045 B60Q7/005 B60Q1/52 B60Q1/0035 B60Q1/30 E01F9/646



#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CN109383394 A      | 20190226         | CN201810852815     | 20180730         |
| DE102018119456 A1  | 20190214         | DE201810119456     | 20180809         |
| US10160381 BA      | 20181225         | US20170675201      | 20170811         |

#### Priority:

US20170675201 20170811

**Probable Assignee:** GM GLOBAL TECH OPERATIONS LLC

**Assignee(s):** (std): GM GLOBAL TECH OPERATIONS LLC

**Assignee(s):** GM GLOBAL TECHNOLOGY OPERATIONS LLC

**Inventor(s):** (std): GASCA FUENTES ELIDA YAZMIN ; HERNANDEZ COVARRUBIAS ALEJANDRO

#### 7) Family number: 80057723 (WO20148478A1)

© PatBase

**Title:** DEVICE FOR SUPPORTING AND SECURING SCOOTERS AND DERIVED VEHICLES

**Abstract:** The invention relates to a supporting and securing device (1) that is fixed to a scooter-like vehicle (12) or similar by means of a gripping mechanism (5) to secure and grip a user (13) of the vehicle (12). The device (1) comprises a mechanism (6) configured to roll up and lock a belt (7) that surrounds the user (13), securing and supporting him or her and surrounding a part of his or her back. The mechanism (6) automatically adjusts to the user's position and comprises a pressing assembly (2) that allows the length of the unwound belt (7) to be fixed, and a coupling element (8) that connects to a main case (11). The invention also relates to the vehicle (12) comprising the described device (1). The invention falls within the technical field of parts of vehicles (1), more specifically vehicle safety belts or harnesses or ease of use while driving.

#### Classifications:

**International (IPC 8-9):** B60R22/347 (Advanced/Invention)

**CPC:** A61J1/05 A61J1/1412 A61J1/1481 A61J2205/30 A61L2/0029 A61L2/0052 A61L2/0058 A61M1/3681 B60R22/347 B62K3/002

PatBase - WO20148478\_A1




**FIG. 2**

#### Family:

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES2774398 AA       | 20200720         | ES20190030031      | 20190118         |
| WO20148478 A1      | 20200723         | WO2020ES70035      | 20200117         |

#### Priority:

ES20190030031 20190118

**Probable Assignee:** DAVID MARTI ALEGRE

**Assignee(s):** (std): KAZAKOV KORSHUNOVA SERGEY ; MARTI ALEGRE DAVID ; MOMPO DELGADO DE MOLINA SANTIAGO

**Assignee(s):** SANTIAGO MOMPO DELGADO DE MOLINA ; SERGEY KAZAKOV KORSHUNOVA ; DAVID MARTI ALEGRE

**Inventor(s):** (std): MOMPO DELGADO DE MOLINA SANTIAGO ; MARTI ALEGRE DAVID ; KAZAKOV KORSHUNOVA SERGEY

**Inventor(s):** DAVID MARTI ALEGRE ; SANTIAGO MOMPO DELGADO DE MOLINA ; SERGEY KAZAKOV KORSHUNOVA

**Agent(s):** JAVIER UNGRIA LOPEZ; UNGRIA LOPEZ JAVIER

**Designated states:** AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DJ DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JO JP KE KG KH KM KN KP KR KW KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN WS ZA ZM ZW

**Title:** PORTABLE ROADSIDE BARRIER

**Abstract:** A roadside barrier includes a frame characterized by a plurality of legs and an assembly extending between the legs. The frame and the assembly have a first surface and a second surface. The frame is configurable to provide a barrier separating a vehicle or individual from vehicular traffic. The roadside barrier further includes one or more visible indicators disposed on at least the first surface of the assembly. The one or more visible indicators are arranged to form one or more indicia visible to vehicular traffic even in an absence of daylight. The one or more indicia include a light-reflective element, a light-emitting element, or a combination thereof.

**Classifications:**


**International (IPC 8-9):** E01F13/00 E01F13/02 E01F9/646 G09F13/16

G09F13/20 (Advanced/Invention);

E01F9/646 (Advanced/Non-invention)

**CPC:** E01F9/646 E01F13/02 G09F13/16 G09F13/20

**US:** 1/1 404/6



**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| US2018347128 AA    | 20181206         | US20180996059      | 20180601         |
| US10563367 BB      | 20200218         | US20180996059      | 20180601         |
| WO17096177 A1      | 20170608         | WO2016US64640      | 20161202         |

**Priority:**

US20150262350P 20151202

US20160344040P 20160601

WO2016US64640 20161202

US20180996059 20180601

**Probable Assignee:** REID MILAN

**Assignee(s):** (std): REID MILAN

**Inventor(s):** (std): REID MILAN

**Agent(s):** RATNERPRESTIA; DONNELLY REX A ET AL

**Designated states:** AE AG AL AM AO AT AU AZ BA BB BE BF BG BH BJ BN BR BW BY BZ CA CF CG CH CI CL CM CN CO CR CU CY CZ DE DJ DK DM DO DZ EC EE EG ES FI FR GA GB GD GE GH GM GN GQ GR GT GW HN HR HU ID IE IL IN IR IS IT JP KE KG KM KN KP KR KW KZ LA LC LK LR LS LT LU LV LY MA MC MD ME MG MK ML MN MR MT MW MX MY MZ NA NE NG NI NL NO NZ OM PA PE PG PH PL PT QA RO RS RU RW SA SC SD SE SG SI SK SL SM SN ST SV SY SZ TD TG TH TJ TM TN TR TT TZ UA UG US UZ VC VN ZA ZM ZW

**Title:** FAMS

**Abstract:** [Source: Claim 1] 1. I claim, an enterprise network "fig 160", comprising; of online and offline modes of operation "fig 100-159"; operating on a third, fourth or fifth generation open loop communications architecture using millimetre wave transmissions that may be literal millimetre waves or synthetic ones; in which the fifth generation architecture millimetre wave transmissions will originate from sub component #1 "fig 100" and #2 "fig 102"; wherein the command protocols is controlled by the Cyborg operating system (C-os) "fig 103" utilizing basic kernel protocols "fig 104"; the C-os may use two slightly different versions of headsets called (h)"fig 105" Cyborg head-set and (Hi:H) Hallelujah Ionic Head-set "fig 106"; head sets are interfaces, that will communicate to all necessary nodes using mainly sub component (#3)=(a) "fig 112": it may also communicate to sub-components (#4)=(b) "fig 111" and (#5)=(c) "fig 113"; then these two headsets can then serve as the central controllers and or interface for the current 48 sub components that are listed as 48 independent elements in a set ;plus C-os. processes, Blue alert; Hi H t.e.c.H bsp; " I" on.Ii; that is unified under the banner of the preamble independent claim "enterprise network" "fig 160" wherein the name of the unified set of 48 independent elements would be "enterprise network" of the current 48 sub component that are listed as 48 independent elements in a set that is unified under the banner of the preamble independent claim "enterprise network" wherein the name of the elements unified in the set of 48 independent elements would be "enterprise network"; the set of 48 independent elements from sub-component #1 to sub-component #48 is listed one by one and is stated as "current 48 sub-components" because it is open ended and more sub components can be added in the future and they will still be equivalent to the set "enterprise network"; this is the listed sub components one by one.

**Classifications:**

**International (IPC 8-9):** A23L2/00 A23L3/00 C12M1/34 G06F15/00 H04L12/22 H04L12/24 H04L9/06 H04W76/14 H04W8/16 (Advanced/Invention)

**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| CA3042356 AA       | 20191107         | CA20193042356      | 20190506         |

**Priority:**

US20180667626P 20180507

US20190844092P 20190506

**Probable Assignee:** MARSHALL JASON

**Assignee(s):** (std): MARSHALL JASON

**Title:** Placa de advertencia de trafico

**Abstract:** Traffic warning plate characterized by constituting a signal of elastic consistency formed by a plastic or metal support (1). (Machine-translation by Google Translate, not legally binding)

**Classifications:**

**International (IPC 8-9):** G09F13/16 (Advanced/Invention)

**Family:**

| Publication number | Publication date | Application number | Application date |
|--------------------|------------------|--------------------|------------------|
| ES1077934 UA       | 20121029         | ES20120000355U     | 20120323         |
| ES1077934 Y1       | 20130128         | ES20120000355U     | 20120323         |

**Priority:**

ES20120000355U 20120323

**Probable Assignee:** NORTES CANO LEONARDO

**Assignee(s):** (std): NORTES CANO LEONARDO

**Assignee(s):** LEONARDO NORTES CANO

**Inventor(s):** (std): NORTES CANO LEONARDO

**Inventor(s):** LEONARDO NORTES CANO