



New connection on: : 07-09-2020 : 21:37:36 - Last disconnection on: : 07-09-2020 : 21:37:03

V 4.0.0.44803(LP,U,linux) (Rev:43856 2017-04-27 09:03:29 +0200#(D201820)) (RPM D201820)

Welcome to EPOQUE Rebuild under the Production Environment

[EPODOC: SS 9] ..fi

Select a database: ..FI EPODOC

 Database: EPODOC

[EPODOC: SS 9] basket and transport and ((division or partition) 1w board)

Results in EPODOC 2

[SS 10] ..li



1/2 © EPODOC / EPO

PN - [CN208053837U](#) U 20181106

PR - CN201820454012U 20180402

AP - CN201820454012U 20180402

DT - I

PA - UNIVHAINAN

TI - Integrative **basket** is stored in coconut transportation

AB - The utility model relates to an integrative **basket** is stored in coconut transportation, including underframe, curb girder, can bayonet diaphragm, **division board**, **division board** mounting and fixed theknot, the underframe includes underframe pulley, underframe tongue, the curb girder is including short curb girder, long curb girder, the fixed knot including fixed base, fixed axle, the fixed fastener of detaining detained, can bayonet diaphragm and the **division board** install when using, dismantle when not using, but can bayonet diaphragm and **division board** according to actual need multilayer stacking, the underframe pulley uses when the **transport**, the **transport** of being convenient for of can using manpower sparingly, the fixed knot is used when a large amount of coconut of transportation, the integrative **basket** is stored in coconut transportation during operation, the fixed knot of below cooperates with the fixed knot of top, can reach fixed effect. The utility model discloses simple structure, convenient to use, it is with low costs, the shipment of being convenient for.

2/2 © EPODOC / EPO

PN - [CN207398106U](#) U 20180522
PR - CN201721482926U 20171109
AP - CN201721482926U 20171109
DT - I
CCA - [Y02P70/50](#)
CA - Y02P70/50 (EP)
PA - REALFORCE POWER CO LTD
TI - Full -automatic upward **basket** of flowers for unloading of photovoltaic cell
AB - The utility model provides a full -automatic upward **basket** of flowers for unloading of photovoltaic cell, includes that the silicon chip bears the frame and is located the baffle that the silicon chip bore a both ends, be provided with handheld through -hole on the baffle, install the **division board** in the baffle of handheld through -hole both sides end on the terminal surface, the division board is two sets of, the thickness of **division board** is greater than 2 centimetres, the utility model has the advantages of set up isolation barrier at handheld through -hole side, isolation barrier's thickness is greater than the thickness of **transport** personnel finger to can not appear increasing the artificial extrusion situation that causes in handheld space, thereby stop that the silicon chip is latent to be split, and because the existence of **division board**, the **transport** personnel can not touch the silicon chip to stop the silicon chip and pollute, covert reduction manufacturing cost.

[SS 10] **basket and ((division or partition) 1w board) and /ic (B65D)**

Results in EPODOC 26

[SS 11] ..li



1/26 © EPODOC / EPO

PN - [CN208647362U](#) U 20190326
PR - CN20182192046U 20180711
AP - CN20182192046U 20180711
DT - I
PA - ANHUI GONGMEI CLOTHING CO LTD
TI - Clothing production is with convenient turnover **basket** that divides nucleoid material
AB - The utility model discloses a clothing production is with convenient turnover **basket** that divides nucleoid material, including the **basket**, the **basket** includes bottom lateral wall, annular lateral wall and turns up and prolong, and the top of bottom lateral wall is connected with annular lateral wall, the perpendicular tangent plane of annular lateral wall is isosceles trapezoid, and be equipped with annular turning up on the top lateral wall of annular lateral wall and prolong, the inside movable mounting of **basket** has the **division board** of a plurality of perpendicular settings, is connected with supplementary coupling mechanism between **division board** and the **basket**, the

embedding has reticular first strengthening rib in the bottom lateral wall of **basket**, the annular strengthening rib of the competent setting of embedding in the annular lateral wall of **basket** and four corners strengthening rib of buckling, corner are buckled the strengthening rib and are lain in the four corners cornerof annular lateral wall. The utility model discloses can be in the framework to the storage of classifying of the cloth of difference or accessories, the proper motion adjustment can be carried out as required in the compartment crack, the intensity of **basket** is high, makes things convenient for **basket** stack transportation each other under different states.

2/26 © EPODOC / EPO

- PN - [CN208053837U](#) U 201811106
- PR - CN201820454012U 20180402
- AP - CN201820454012U 20180402
- DT - I
- PA - UNIV HAINAN
- TI - Integrative **basket** is stored in coconut transportation
- AB - The utility model relates to an integrative **basket** is stored in coconut transportation, including underframe, curb girder, can bayonet diaphragm, **division board**, **division board** mounting and fixed theknot, the underframe includes underframe pulley, underframe tongue, the curb girder is including short curb girder, long curb girder, the fixed knot including fixed base, fixed axle, the fixed fastener of detaining detained, can bayonet diaphragm and the **division board** install when using, dismantle when not using, but can bayonet diaphragm and **division board** according to actual need multilayer stacking, the underframe pulley uses when the transport, the transport of being convenient for of can using manpower sparingly, the fixed knot is used when a large amount of coconut of transportation, the integrative **basket** is stored in coconut transportation during operation, the fixed knot of below cooperates with the fixed knot of top, can reach fixed effect. The utility model discloses simple structure, convenient to use, it is with low costs, the shipment of being convenient for.

3/26 © EPODOC / EPO

- PN - [CN207943312U](#) U 20181009
- PR - CN201820384212U 20180321
- AP - CN201820384212U 20180321
- DT - I
- PA - SOOCHOW UNIV AFFILIATED CHILDRENS HOSPITAL
- TI - Medicine letter sorting **basket** that vein was used medicine and is concentrated central usefulness of allotment
- AB - The utility model relates to a medicine letter sorting **basket** that vein was used medicine and is concentrated central usefulness of allotment, including the **basket** body that has length direction and width direction, the **basket** body is including the edge that is located both sides first long fence and the long fence of second that the length direction of **basket** body extends, be located the just edge at both ends first short fence that the width direction of **basket** body extends and the short fence of second and be located the bottom plate of bottom, medicine letter sorting **basket** be the divisionboard that is used for separating accommodation space on locating the **basket** body still, the **division**

board edge the length direction of **basket** body or width direction set up, and can the pivoted setting through rotating the relative **basket** body of coupling mechanism, and the **division board** has the primary importance that is used for separating accommodation space and rotates the back bottom plate second place of drawing close relatively, it not only has a plurality of sub - accommodation space the letter sorting **basket**, and a time -out is put to multiple medicine, and the convenient medicine that in time finds improves and checks efficiency, and sub - accommodation space's size can be adjusted according to the demand in addition, without the time letter sorting **basket** be convenient for deposit.

4/26 © EPODOC / EPO

- PN - [CN207917516U](#) U 20180928
- PR - CN201820335983U 20180312
- AP - CN201820335983U 20180312
- DT - I
- PA - TIANJIN YUZHE TECH CO LTD
- TI - Novel prevent scratch plastic bag
- AB - The utility model provides a novel prevent scratch plastic bag, be equipped with open - ended plastic bag body including the upper end, the body is the cuboid structure, the inside bottom of body is equipped with the backup pad, the backup pad level is laid in the body bottom, the backup pad is the rectangle, four angles of backup pad are round angle structure, the **basket** is supported to this internal still being equipped with, support **basket** laminating body inner wall setting, support body inside through supporting the **basket**, support in the **basket** the still vertical **division board** that is equipped with, through the **division board** will support the **basket** and separate the cavity more than two. Novel prevent scratch plastic bag play the effect of preventing scratch through supporting the **basket**, when the skin of plastic bag during by scratch, support the **basket** in addition and carry out the check fender to support the **basket** and still be equipped with the **division board**, have the effect of the separation chamber body, can classify the article of difference and place, prevent influence of each other.

5/26 © EPODOC / EPO

- PN - [CN207524170U](#) U 20180622
- PR - CN201721387667U 20171025
- AP - CN201721387667U 20171025
- DT - I
- PA - FENGJINLIANG
- TI - Food **basket** and handle ware are accommodate in environmental protection
- AB - The utility model provides a food **basket** and handle ware are accommodate in environmental protection belongs to the daily necessities field, including the **basket** body and lid, **basket** body opening border is equipped with the outside edge of horizontal evagination, and the lateral wall on outside edge is equipped with the sand grip, and **basket** body bottom both sides are equipped with the spout with sand grip sliding fit pull respectively, the internal portion of **basket** be equipped with the baffle with the internal space separation of portion of **basket** for clathrate space, the internal portion's laminating inside wall of **basket** is equipped with the ascending condiment

placing bag of opening or the box is placed to condiment. The utility model discloses the internal portion of **basket** separates for many check space through the **division board** for deposit the vegetables or the stone material of different cultivars respectively, make and eat material and condiment and keep clean and health depositing the in -process, also very be convenient for take and change, handle ware simple structure can once only relax and carry or carry a plurality of food baskets, the daily user demand of fully provided.

6/26 © EPODOC / EPO

PN - [CN207107262U](#) U 20180316
 PR - CN201720924240U 20170727
 AP - CN201720924240U 20170727
 DT - I
 PA - CHENGDU LONGQUAN TONGHUI IND CO LTD
 TI - Finished product piston containing **basket**
 AB - The utility model discloses a finished product piston containing **basket**, including the **basket** body, the **basket** body in only paste the inner chamber and be provided with and hold the dish, be provided with a plurality of division boards in holding the dish, form the arc wall between two division boards, the arc wall in place the piece of depositing of looks adaptation with it, open on the upper portion of depositing the piece has the storage tank, storage tank and finished product piston looks adaptation are provided with the spring between the bottom of depositing the piece and the arc wall bottom, it has bellied draw runner to deposit to open on the left and right sides face of piece, upward division there is the spout with slide rail looks adaptation the **division board** side. The beneficial effects of the utility model are that: place the piston, be difficult for the tong.

7/26 © EPODOC / EPO

PN - [CN205668679U](#) U 20161102
 PR - CN201620600746U 20160617
 AP - CN201620600746U 20160617
 DT - I
 PA - HETONGYUN
 TI - Multi -functional **basket** of accomodating
 AB - The utility model discloses a multi -functional **basket** of accomodating, it relates to daily life articles for use field, it adopts the environmental protection plastics to work out by hand to accomodate the **basket** body, accomodate the both ends of one side top edge of **basket** body and wear to be equipped with the stores pylon respectively, evenly be provided with several card hole on the stores pylon, the one end of stores pylon be provided with with the fastener that blocks hole looks joint, the both ends of accomodating the **basket** body are provided with the handle respectively, and the both ends surface that the **basket** body was being accomodate through fix with rivet respectively in the both ends of handle, accomodate the vertical **division board** that is provided with of inside intermediate position of **basket** body, the **division board** will be accomodate the **basket** body and separate into independent first **basket** room and second **basket** room. Its structural design is reasonable, and the appearance is

pleasing to the eye, and novel structure is unique, and the installation is simple, convenient to use, and the function is diversified, not only can be used for the many places storing, has promoted the compliance moreover greatly, and environmental protection light more is applicable to office's wall, student bed head or ground such as bathroom at home.

8/26 © EPODOC / EPO

PN - [CN204776751U](#) U 20151118
 PR - CN201520292829U 20150508
 AP - CN201520292829U 20150508
 DT - I
 PA - UNIV ZHEJIANG OCEAN
 TI - Liquid nitrogen container hand -**basket**
 AB - The utility model relates to a liquid nitrogen container hand -**basket**, including shadoof and the pail of connection in the shadoof lower part, its characterized in that: the inside cavity of pail, the pail top is equipped with the bung that can open and shut, be equipped with the perforation on the bung, thereby the inside a plurality of division boards that are equipped with interval setting from top to bottom of pail become the multilayer subspace with pail internal partitioning, be equipped with the perforation on every **division board**, and it sets up to be equipped with a plurality of intervals on every **division board**, a manage and deposit the bucket for placing freeze and deposit the pipe, it has this straton space of intercommunication to open on the pail lateral wall that its complemented subspace is corresponding except that the superiors, the sublayer space door of ability switching, also be equipped with the perforation on the door of sublayer space. Compared with the prior art, the utility model has the advantages of: can deposit specially and frozen article through setting up one, can also conveniently put into the inside hand -**basket** of liquid nitrogen container simultaneously for it is very convenient to freeze article, and it is also very convenient to access.

9/26 © EPODOC / EPO

PN - [CN204197666U](#) U 20150311
 PR - CN201420619783U 20141024
 AP - CN201420619783U 20141024
 DT - I
 PA - RUYUAN YAO AUTONOMOUS COUNTY YIFENG AGRICULTURAL DEV CO LTD
 TI - Fruit **basket** having freshness retaining function and allowing fruits to be boxed directly
 AB - The utility model relates to a fruit **basket** having the freshness retaining function and allowing fruits to be boxed directly. The fruit **basket** having the freshness retaining function and allowing fruits to be boxed directly comprises a fruit **basket** body, wherein a plurality of lattice layers with lattices are placed in the fruit **basket** body, the lattices of every two vertically adjacent lattice layers correspond to one another in position and are communicated with one another, a baffle composed of an upper blocking piece, a lower blocking piece, a left blocking piece and a right blocking piece is arranged at the lower end of each lattice, a bottom plate which is fixedly connected with the bottommost lattice layer is arranged on the bottom of the bottommost lattice layer, two

supporting strips used for lifting all the lattice layers are fixed to the left side and the right side of the lattice layers respectively, an interlayer is arranged on the bottom of the fruit **basket** body, a **partition board** with air holes is arranged between the interlayer and the fruit **basket** body, and a movable cover with one end connected and fixed to the top of the fruit **basket** body in a shaft mode is arranged on the top of the fruit **basket** body. The fruit **basket** having the freshness retaining function and allowing fruits to be boxed directly has the advantages of being high in practicability, simple in structure, convenient to use, good in freshness retaining effect and not prone to damage.

10/26 © EPODOC / EPO

- PN - [CN204197664U](#) U 20150311
- PR - CN201420619698U 20141024
- AP - CN201420619698U 20141024
- DT - I
- PA - RUYUAN YAO AUTONOMOUS COUNTY YIFENG AGRICULTURAL DEV CO LTD
- TI - Fruit **basket** with freshness retaining function and walking function
- AB - The utility model relates to a fruit **basket** with the freshness retaining function and the walking function. The fruit **basket** with the freshness retaining function and the walking function comprises a fruit **basket** body, wherein an interlayer is arranged on the bottom of the fruit **basket** body, dry ice is placed in the interlayer, a **partition board** with air holes is arranged between the interlayer and the fruit **basket** body, a movable cover with one end connected and fixed to the top of the fruit **basket** body in a coupling mode is arranged on the top of the fruit **basket** body, a walking part is arranged at the lower end of the fruit **basket** body and the lower end of the interlayer, the fruit **basket** body and the interlayer are fixed to the walking part, the walking part comprises a supporting surface in contact with the fruit **basket** body, a left walking crawler belt and a right crawler belt are arranged at the lower end of the supporting surface, and an n-shaped handle is fixed to one end of the supporting surface. The fruit **basket** with the freshness retaining function and the walking function has the advantages of being high in practicability, simple in structure, convenient to use and good in freshness retaining effect.

11/26 © EPODOC / EPO

- PN - [CN203268480U](#) U 20131106
- PR - CN201320200205U 20130419
- AP - CN201320200205U 20130419
- DT - I
- PA - ZHANG XINNAN
- TI - Sorting tea-picking **basket**
- AB - The utility model relates to the technical field of tea leaf picking, in particular to a sorting tea-picking **basket**. The sorting tea-picking **basket** comprises a **basket** body for containing tea leaves and a handle and is characterized in that a **partition board** is arranged in the **basket** body, the **partition board** divides the **basket** body into two spaces, one space is used as a high-quality tea placing part, the other space is used as an inferior-quality tea placing part, the **partition board** and the **basket** body are formed integrally, the high-quality tea placing part and the inferior-quality tea placing part are

respectively provided with a receiving bag, and the handle is a soft rubber belt with an adjustable length. The sorting tea-picking **basket** has the advantages of being capable of conducting separation and screening on high-quality tea leaves and inferior-quality tea leaves and reducing follow-up screening processes.

12/26 © EPODOC / EPO

PN - [CN103112646](#) A 20130522

PR - CN20131080892 20130314

AP - CN20131080892 20130314

DT - I

CT - || STSE (A)
[CN201356323Y](#) Y 00000000 [A]

[A] 1-4

* 全文 *;

[JP2009262933](#) A 00000000 [Y]

[Y] 1-4

* 说明书第9-14段, 附图1、2 *;

[CN203111653U](#) U 00000000 [R]

[R] 1-4

* 权利要求1-4 *;

[CN102897428](#) A 00000000 [A]

[A] 1-4

* 全文 *;

[DE4438981](#) A1 00000000 [A]

[A] 1-4

* 全文 *;

[CN201580636U](#) U 00000000 [Y]

[Y] 1-4

* 说明书3页倒数第1段, 附图1 *;

[US3632013](#) A 00000000 [A]

[A] 1-4

* 全文 *;

[CN102303734](#) A 00000000 [A]

[A] 1-4

* 全文 *;

[US3889838](#) A 00000000 [A]

[A] 1-4

* 全文 *

PA - JIGANG GROUP CO LTD

TI - Sewage sample containing **basket**

AB - The invention discloses a sewage sample containing **basket** with storage area adjustable. The sewage sample containing **basket** can fix sample containers and segregate sewage samples. The sewage sample containing **basket** comprises a rectangular **basket** body and is characterized in that at least one pair of sliding grooves which are symmetrically arranged on two opposite sides of the **basket** body and a **partition board**. Two sides of the **partition board** are arranged in the sliding grooves through match of sliding blocks in a sliding mode. Locking devices are arranged

between the sliding blocks and the sliding grooves. The **partition board** can be used for adjusting the internal space of the **basket** so that sample bottles are pressed and fixed in the **basket** body and locked by buckles on two sides. Stability, convenience and safety of samples are ensured. The sewage sample containing **basket** is simple and single in structure and easy to manufacture.

13/26 © EPODOC / EPO

- PN - [CN202704252U](#) U 20130130
- PR - CN201220180517U 20120412
- AP - CN201220180517U 20120412
- DT - I
- PA - SUN WANER
- TI - Square red bayberry refreshment **basket**
- AB - A square red bayberry refreshment **basket** comprises an ice storage room, a hollow-out **partition board**, and column bases of the **partition board**. The ice storage room is arranged on the bottom of the red bayberry refreshment **basket**, ice bags holding ice cubes are laid in the ice storage room, the upper end of the ice storage room is provided with the hollow-out **partition board** preventing the ice bags from bouncing outside, and ice is not in direct contact with red bayberries to prevent the red bayberries from freezing off. Cold air of the ice cubes flows to a red bayberry placement area through cold air holes in the hollow-out **partition board** to enable the red bayberry placement area to be under a low temperature. The column bases are arranged on the lower portion of the hollow-out **partition board** and can fix the position of the hollow-out **partition board**. Foam plastic layers are arranged on four inner walls of a red bayberry **basket** plastic layer, a **basket** bottom and a **basket** cover to enable the inner side of the **basket** to be at a low temperature, wherein shapes and sizes of the foam plastic layers correspond to the shapes and the sizes of four inner walls of the red bayberry **basket** plastic layer, the **basket** bottom and the **basket** cover, and meanwhile foam has functions of vibration reduction and red bayberry protection.

14/26 © EPODOC / EPO

- PN - [CN202574773U](#) U 20121205
- PR - CN201220161233U 20120417
- AP - CN201220161233U 20120417
- DT - I
- PA - JIANGSU HAIKAI ELECTRIC CO LTD
- TI - Shopping **basket**
- AB - The utility model discloses a shopping **basket**, comprising a **basket** body. The **basket** body is a cavity with an opening at the upper end; the **basket** body is separated into a left chamber and a right chamber by a **partition board** which is vertical with the bottom face of the **basket** body; the left cavity chamber is a cavity defined by grids; the right cavity is defined by an alloy board; a screen parallel to the bottom face of the **basket** body is arranged in the right chamber; and the bottom end of the screen is detachably connected with a water storing box. With the adoption of the shopping **basket** provided by the utility model, a user can place an aquatic product in the right chamber, so that sewage flows to the water storing box, and dismounts the water storing box and pours

away the water. Therefore, the shopping **basket** is convenient to use.

15/26 © EPODOC / EPO

PN - [CN202557903U](#) U 20121128
PR - CN201220256587U 20120516
AP - CN201220256587U 20120516
DT - I
PA - XIANGXIU LI
TI - **Basket**
AB - The utility model relates to the field of articles for daily life, in particular to a **basket** which comprises a **basket** body and two handles. The two handles are arranged at an opening of the **basket** body and are rotationally connected with the **basket** body, four insertion grooves which extend from the opening of the **basket** body to the bottom of the **basket** body are respectively arranged on corresponding side walls of the inner surface of the **basket** body, and a **partition board** is inserted in each two corresponding insertion grooves. The **basket** is simple in structure and convenient to use.

16/26 © EPODOC / EPO

PN - [JP2012183275](#) A 20120927
PNFP - JP5620318B B2 20141105
PR - JP20110063182 20110303
AP - JP20110063182 20110303
DT - I
FI - A45C7/00&G; B65D33/02; B65D33/08; B65D33/12
FT - 3B045/AA53; 3B045/CB05; 3B045/CE09; 3E064/AA13; 3E064/AB03; 3E064/AD26; 3E064/BA09; 3E064/BA30; 3E064/EA10; 3E064/EA16; 3E064/HF02; 3E064/HG03; 3E064/HG07; 3E064/HJ01; 3E064/HJ05; 3E064/HK03; 3E064/HM01; 3E064/HU02
PA - (A)
UDAGAWA MITSUGI
TI - (A)
FOLDABLE HAND**BASKET**
AB - (A)
PROBLEM TO BE SOLVED: To provide a shopping **basket** in a supermarket from the viewpoint of ecology activities in recent years.SOLUTION: A box-like **basket** can which keeps front/back and left/right side boards 1 and 2 connected together by hinges around the body, a bottom face 3 made of a cloth, and an inner **partition board** 4 movable by swing in contact with the interior surface of the bottom, can be folded into a thin, compact form and unfolded quickly as well, eliminates a need of an empty **basket** on which a bag is set, holds goods neatly, and is so stable that the **basket** may not topple in a shopper's own car. Providing this foldable hand **basket** contributes to a reduction in use of vinyl shopping bags.

17/26 © EPODOC / EPO

PN - [CN202337422U](#) U 20120718

PR - CN201120485294U 20111129
 AP - CN201120485294U 20111129
 DT - I
 PA - UNIV SHANDONG SCIENCE & TECH
 TI - Novel bath **basket**
 AB - The utility model discloses a novel bath **basket**. A **partition board** (1) is installed in the bath **basket**. As the **partition board** (1) is additionally arranged in the bath **basket**, clothes and cleaning products can be separated from each other so as to keep the clothes clean and find the needed products quickly when people take a bath, and the novel bath **basket** is convenient for the life of the people. In addition, the novel bath **basket** is also very suitable to be used as a shopping **basket**; when shopping, people can clearly classify food, washing tools, the clothes and the like so that the objects are clean and hygienic.

18/26 © EPODOC / EPO

PN - [CN202208448U](#) U 20120502
 PR - CN201120336122U 20110908
 AP - CN201120336122U 20110908
 DT - I
 PA - PING YU
 TI - Adjustable medicine taking **basket** for pharmacy
 AB - An adjustable medicine taking **basket** for a pharmacy belongs to the field of medical supplies and solves the problems that the conventional medicine taking **basket** increases the work intensity of doctors and reduces work efficiency. The adjustable medicine taking **basket** for the pharmacy comprises a medicine **basket** (1) and further comprises a **partition board** (3), wherein two horizontal strip-shaped through holes (2) are formed on the front wall as well as the rear wall of the medicine **basket** (1); the four strip-shaped through holes (2) have the same length; the two strip-shaped through holes (2) on the same **basket** wall are distributed up and down with justified alignment; the **partition board** (3) is positioned in the medicine **basket** (1); two positioning columns are fixed to each of two vertical side edges of the **partition board** (3); and the four positioning columns (4) are inserted into the four strip-shaped through holes (2) respectively. The adjustable medicine taking **basket** for the pharmacy can relieve the work intensity of the doctors and improve the work efficiency.

19/26 © EPODOC / EPO

PN - [CN201923413U](#) U 20110810
 PR - CN201020689374U 20101221
 AP - CN201020689374U 20101221
 DT - I
 PA - CHENHAO ZHOU
 TI - Vegetable **basket**
 AB - A vegetable **basket** comprises a **basket** body. A handle is fixedly connected to the top edge of the **basket** body, a cross-shaped **partition board** is arranged in the **basket** body,

the inside of the **basket** body is divided into four equal cavities via the cross-shaped **partition board**, and bottom edges and side edges of the two cavities are fixedly connected with water-proof bodies. The vegetable **basket** has the advantages of simple structure, convenience in use, reasonable structure and the like, has new functions, and brings more convenience for people during usage.

20/26 © EPODOC / EPO

- PN - [CN201777467U](#) U 20110330
- PR - CN201020273524U 20100728
- AP - CN201020273524U 20100728
- DT - I
- PA - UNIV KUNMING SCIENCE & TECH
- TI - Folding mineral water bottle subpackaging **basket**
- AB - The utility model relates to a folding subpackaging **basket**, in particular to a mineral water bottle subpackaging **basket**, belonging to the field of articles for daily life. A lifting handle is fixed at the upper end of a rotating shaft of the subpackaging **basket**, more than four division boards are articulated at the lower part of the rotating shaft, a surrounding cloth cover and a bottom cloth cover are respectively fixed at the side end and bottom end of each **division board**, the length of the surrounding cloth cover is equal to the circumference obtained by surrounding the outer side of each **division board** around the rotating shaft for one circle, and the bottom cloth cover is in the shape of a circle formed by surrounding the outer side of each **division board** around the rotating shaft for one circle. The utility model has the advantages of compact structure, small volume, light weight, and the like, is convenient and flexible in use and convenient in storage and ensures the uncivilized phenomena of littering, drinking the water of other people by mistake, influencing the environment and the like in the collective activity are avoided.

21/26 © EPODOC / EPO

- PN - [CN101648617](#) A 20100217
- PR - CN20081048883 20080815
- AP - CN20081048883 20080815
- DT - I
- PA - JUNBO WAN
- TI - **Basket with partition board**
- AB - The invention provides a **basket** with a **partition board**. The middle of the inside of the **basket** is provided with the **partition board** through a hinge shaft, wherein the inner side of the **basket** is provided with a drape corresponding to the **partition board**. When the **basket** is used in green grocery shopping, the **partition board** can separate soft and fragile goods from other goods to prevent the goods from breakage due to mutual press. The **basket** has the characteristics of simple structure, convenient use and effective goods protection.

22/26 © EPODOC / EPO

- PN - [CN201395294Y](#) Y 20100203

PR - CN20092080867U 20090515
 AP - CN20092080867U 20090515
 DT - I
 PA - HONG XU
 TI - Shopping **basket**
 AB - The utility model discloses a shopping **basket** consisting of a **basket** body (1), a lifting handle (2) and a pulling handle (4), wherein, four roller wheels (3) capable of rotating are arranged at the bottom part of the **basket** body (1), the roller wheels (3) serve as a labor-saving and convenient means of hauling the shopping **basket** on the ground, the lifting handle (2) assists in lifting the shopping **basket** upstairs and downstairs, a slot (H) is formed in the inner chamber of the **basket** body (1), a **partition board** (5) is further arranged therein, and the **partition board** (5) can be inserted in the slot (H) in the inner chamber of the **basket** body (1) and play a role in flexibly and randomly separating the inner space of the **basket**, thereby effectively avoiding contact between objects which are supposed to be separated from each other.

23/26 © EPODOC / EPO

PN - [CN2380530Y](#) Y 20000531
 PR - CN19992004737U 19990223
 AP - CN19992004737U 19990223
 DT - I
 PA - ZHANG NUAN [CN]
 TI - Injection-moulded packing **basket** for ceramic wall-floor tiles
 AB - The utility model relates to a packing **basket** for ceramic wall-floor tiles, which is provided with a **basket** frame, the periphery and the bottom part of the **basket** frame are provided with reinforcing ribs. Vertical corresponding surface or transverse corresponding surface of the packing **basket** can be provided with at least one **partition board**, ceramic wall-floor tiles are packed by an upper packing **basket** and a lower packing **basket** and are tied firmly by plastic bands. The utility model has the advantages of simple structure, reliable packaging, repeated use, and easy reclamation and regeneration. The utility model is favorable for energy conservation enterprise and green environmental protection enterprise.

24/26 © EPODOC / EPO

PN - [CN2122840U](#) U 19921125
 PR - CN19922012685U 19920421
 AP - CN19922012685U 19920421
 DT - I
 PA - WANG ZHONGWEN [CN]
 TI - CONVENIENT MULTI-PURPOSE **BASKET**
 AB - The utility model belongs to a **basket** frame. The utility model is characterized in that a groove is arranged on a reinforcing rod on the **basket** frame, and a **partition board** is inserted into the **basket** along the groove; two end boards can be rotated to be opened or closed along a hinge shaft, which is convenient for assembling the **partition board**

and placing articles on different layers; holes are arranged on the **partition board**, which is convenient for placing articles, such as eggs; a bottom case of the **basket** can be used for containing water and storing live fish. The utility model has the advantages of simplicity and easy use, can contain articles in different classes in order to avoid mutual dirty of articles, and is a convenient multi-purpose **basket** suitable for uses of families and institutions.

25/26 © EPODOC / EPO

PN - [CN2091277U](#) U 19911225
 PR - CN19912012535U 19910412
 AP - CN19912012535U 19910412
 DT - I
 PA - CAI QIXIAN [CN]
 TI - VEGETABLE **BASKET** WITH DIVISION
 AB - The utility model relates to a vegetable **basket** with division which contains a vegetable **basket**, a container and a **division board**. The daily bought vegetable and food can be put classified by the utility model by making use of the movable **division board** and the container in the vegetable **basket**. The utility model is flexible, convenient and easy to be manufactured.

26/26 © EPODOC / EPO

PN - [CN2452900Y](#) Y 20011010
 PR - CN20002060498U 20001128
 AP - CN20002060498U 20001128
 DT - I
 PA - ZHU YUXUE [CN]
 TI - Structure improved **basket** for placing articles
 AB - The utility model relates to a structure improved **basket** for placing articles. The utility model is formed by assembly of a **basket** frame, a base, a bottom board, and a **partition board**. The wall surface at the circumference of the **basket** frame, the base, and the **partition board** are provided with vent holes. Two outboard sides at the bottom of the **basket** frame are respectively provided with a convex body, and the lower part of the inner wall surface is symmetrically provided with a flange. The base is provided with a hollow containing groove, the periphery has a convex edge, and the inner wall surface of the convex edge is provided with a fixing concave groove, corresponding to the convex body. The base is assembled at the lower part of the hollow **basket** frame, and the convex body is embedded in the fixing concave groove, so that the base is positioned at the lower part of the **basket** frame. The bottom board is horizontally placed on the flange at the lower part of the inner wall surface of the **basket** frame. The **partition board** is vertically inserted in the **basket** frame used for dividing the space in a **basket** for placing articles. Disassembly and assembly are simple, and cleaning is convenient.