

DOCUMENT MADE AVAILABLE UNDER THE PATENT COOPERATION TREATY (PCT)

International application number:	PCT/IB2019/057186
International filing date:	27 August 2019 (27.08.2019)
Document type:	Certified copy of priority document
Document details:	Country/Office: IN
	Number: 201831032119
	Filing date: 28 August 2018 (28.08.2018)
Date of receipt at the International Bureau:	26 September 2019 (26.09.2019)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a),(b) or (b-bis)



INTELLECTUAL
PROPERTY INDIA

पेटेंट/डिजाइन/व्यापार
चिह्न/भौगोलिक उपदर्शन



सत्यमेव जयते

भारत सरकार

GOVERNMENT OF INDIA

वाणिज्य एवं उद्योग मंत्रालय

MINISTRY OF COMMERCE & INDUSTRY

पेटेंट कार्यालय

THE PATENT OFFICE

जिस किसी से संबन्धित हो
TO WHOMSOEVER IT MAY CONCERN

मैं, अधोहस्ताक्षरी जो पेटेंट अधिनियम, 1970 की धारा 73(3) के तहत महानियंत्रक एकस्व, अभिकल्प एवं व्यापार चिह्न की ओर से प्रमाणपत्र हस्ताक्षर व जारी करने के लिए प्राधिकृत अधिकारी हूँ, एतद्वारा यह प्रमाणित करता(ती) हूँ कि निम्नलिखित पेटेंट आवेदन के संबंध में फाइल दस्तावेज़(जों) की सही प्रतिलिपि इसके साथ संलग्न है:

I, the undersigned, being an officer duly authorized to sign and issue the certificate on behalf of the Controller General of Patents, Designs and Trademarks in accordance with the provisions of Section 73(3) of the Patents Act, 1970, hereby certify that annexed hereto is a True Copy of the document(s) as filed in connection with the following Patent Application:

क) आवेदन संख्या/a) Application Number: **201831032119**

ख) फाइल करने की तारीख/ b) Date of Filing **28th August, 2018**

ग) अनुरोधित दस्तावेज़(जों) का नाम:

C) Name of the document(s) requested: **Provisional Specification with Form 2 and Form 1.**

यह प्रमाणपत्र पेटेंट अधिनियम, 1970 की धारा 147(1) के अधीन मुझमें निहित शक्तियों के तहत जारी किया गया है। This certificate is issued under the powers vested in me U/S 147(1) of The Patents Act, 1970.

दिनांक/Dated this.....11th.... day of ...September...2019

नियंत्रक पेटेंट व डिजाइन/ Controller of Patents and Designs
(प्राधिकृत हस्ताक्षरी/ Authorised Signatory)



FORM 2

THE PATENTS ACT, 1970

(39 of 1970)

&

The Patents Rules, 2003

PROVISIONAL SPECIFICATION

(See section 10; rule 13)

5

10

1. Title of the invention - NOVEL INSECTICIDAL
COMBINATIONS

15

2. Applicant(s)

20

(a) NAME : UPL LIMITED

(b) NATIONALITY : An Indian Company

25

(c) ADDRESS : Agrochemical Plant, Durgachak Haldia – 721
602, Midnapore Dist. West Bengal, India

30

3. PREAMBLE TO THE DESCRIPTION

35

The following specification describes the invention

Technical field:

The present invention relates to combinations comprising a diamide insecticide. The combination is highly suitable for controlling unwanted animal pests, such as insects, acaricides and/or nematodes.

Background of the invention:

Loss of yield due to damage by invertebrate pests is a major problem that most agriculturists face. Modern insecticides and biological control agents are employed to minimize this damage. However, with the growing resistance to insecticides, it is necessary to use newer active ingredients in combination so as to counteract resistance in insect pests.

Diamides insecticides are relatively new group of insecticides which includes flubendiamide, a highly potent lepidoptericide and chlorantraniliprole and its analogue cyantraniliprole. Evolution of diamides can be studied in article published Pest Manag Sci. 2013 Jan;69(1):7-14.

Chlorantraniliprole and cyantraniliprole are anthranilic diamide insecticidal compounds which exhibit larvicidal activity as an orally ingested toxicant by targeting and disrupting the Ca^{2+} balance and ryanodine receptor.

Pyrethroids are known to be broad spectrum insecticides. However, with over use resistance to many pyrethroids are now reported specially in crops such as cotton and other crops. There is a need for combinations with pyrethroids to increase the spectrum of control as well as the decrease the resistance.

EP2060181B1 (Annan) teaches combinations of anthranilamide insecticides in combination with Pyrethroids. These combinations however were found to be less effective specially againsts resistant and hardy pests.

There is therefore a need in the art for combinations of anthranilamide insecticidal compounds with insecticides that help improve spectrum of control. With crop tolerances

decreasing, lower use rates being imposed and increasing resistance, there is a need for a combination of actives that allows for broader disease control spectrum that combines curative and preventive actives and has a lower dosage.

- 5 Therefore, embodiments of the present invention may ameliorate one or more of the above-mentioned problems:

Therefore, embodiments of the present invention may provide combinations of insecticides that possess an enhanced efficacy over the individual active compound used
10 in isolation.

Another object of the present invention is to provide an insecticide combination that causes an enhanced greening of the crops to which it is administered.

- 15 Another object of the present invention is to provide a combination that causes late senescence to the crop to which it is applied thereby resulting into an increasing yield of the crop.

Yet another object of the present invention is to provide a combination that results into
20 reduced pest pressure in the crops to which it is applied.

Another object of the present invention is to provide a combination that achieves increased yield in the crops to which it is applied.

- 25 Another object of the present invention is to provide an insecticidal combination that causes an enhanced insecticidal activity.

Another object of the present invention is to provide a combination which enhances the protection to plants from attack or infestation by insects, acarids or nematodes.
30

Another object of the present invention is to provide a synergist for the anthranilamide insecticides.

Some or all these and other objects of the invention are can be achieved by way of the invention described hereinafter.

Summary of the invention:

5

Thus, an aspect of the present invention can provide a combination comprising:

- 10 (a) a diamide insecticide or a pyridylpyrazole insecticide selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and tetraniliprole;
- 15 (b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate, brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, dimethrin, empenthrin, α -fanshiluquebingjuzhi, chloroprallethrin, fenfluthrin, fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, 20 japothrins, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin, momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, proparthrin, pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, tralocythrin, transfluthrin, or valerate; and
- 25 (c) at least one mitochondrial complex III electron transport inhibitor selected from:
- (i) hydramethylnon;
- (ii) acequinocyl;
- 30 (iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi, fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and
- (iv) bifenazate.

Yet another aspect of the present invention can provide a composition comprising:

- (a) a diamide insecticide or a pyridylpyrazole insecticide selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and tetraniliprole;
- 5 (b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate, brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, 10 dimethrin, empenthrin, α -fenshiluquebingjuzhi, chloroprallethrin, fenfluthrin, fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, japoethrin, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin, 15 momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, proparthrin, pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, tralocytin, transfluthrin, or valerate; and
- 20 (c) at least one mitochondrial complex III electron transport inhibitor selected from:
- (i) hydramethylnon;
- (ii) acequinocyl;
- (iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi, 25 fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and
- (iv) bifenazate.

Detailed Description:

- 30 The term 'disease control' as used herein denotes control and prevention of a disease. Controlling effects include all deviation from natural development, for example: killing, retardation, decrease of the pests. The term 'plants' refers to all physical parts of a plant, including seeds, seedlings, saplings, roots, tubers, stems, stalks, foliage and fruits. The term "locus" of a plant as used herein is intended to embrace the place on which the

plants are growing, where the plant propagation materials of the plants are sown or where the plant propagation materials of the plants will be placed into the soil. The term "plant propagation material" is understood to denote generative parts of a plant, such as seeds, vegetative material such as cuttings or tubers, roots, fruits, tubers, bulbs, rhizomes and parts of plants, germinated plants and young plants which are to be transplanted after germination or after emergence from the soil. These young plants may be protected before transplantation by a total or partial treatment by immersion.

Surprisingly, the insecticidal and/or acaricidal and/or antimicrobial activity or and/or the plant-invigorating activity and/or the yield-enhancing activity of the active compound combinations according to the invention was found to be significantly higher than the sum of the activities of the individual active compounds.

It has surprisingly been found that the addition of at least one mitochondrial complex III electron transport inhibitor to the combination of a pyrethroid insecticide with either a diamide insecticide or a phenylpyrazole insecticide leads to a surprising, unexpected and synergistic enhancement in the efficacy of the combination of a pyrethroid insecticide with either a diamide insecticide or a phenylpyrazole insecticide.

Thus, in an aspect, the present invention provides a combination comprising:

(a) a diamide insecticide or a pyridylpyrazole insecticide selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and tetraniliprole;

(b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate, brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, dimethrin, empenthrin, α -fanshuluquebingjuzhi, chloroprallethrin, fenfluthrin, fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, japoethrins, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin,

- momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, proparthrin, pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, tralocyrthrin, transfluthrin, or valerate; and
- 5 (c) at least one mitochondrial complex III electron transport inhibitor selected from:
- (i) hydramethylnon;
- (ii) acequinocyl;
- 10 (iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi, fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and
- (iv) bifenazate.

In an embodiment, it was surprising that the addition of bifenazate to the combination of

15 diamide insecticides with at least another pyrethroid selected from bifenthrin or kappa bifenthrin resulted in a surprising enhancement of the efficacy.

These surprising advantages of the combinations of the invention were not observed when the mitochondrial complex III electron transport inhibitor were not present in the combination. Therefore, these unexpected advantages of the combination of the present

20 invention could be attributed to the inclusion of the mitochondrial complex III electron transport inhibitors to a combination comprising a pyrethroid insecticide with either a diamide insecticide or a phenylpyrazole insecticide.

In an aspect, the combinations of the present invention may be admixed with at least one agrochemically acceptable excipient to prepare a composition according to the

25 present invention.

Thus, in another aspect, the present invention can provide a composition comprising:

- (a) a diamide insecticide or a pyridylpyrazole insecticide selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and tetraniliprole;
- 30 (b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate,

- brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, dimethrin, empenthrin, α -fenshiluquebingjuzhi, chloroprallethrin, fenfluthrin, fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, japoethrin, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin, momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, proparthrin, pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, tralocyrin, transfluthrin, or valerate; and
- (c) at least one mitochondrial complex III electron transport inhibitor selected from:
- (i) hydramethylnon;
 - (ii) acequinocyl;
 - (iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi, fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and
 - (iv) bifenazate.

The combinations and/or compositions according to the present invention may be used to control insect pests at a locus.

- Therefore, in an aspect, the present invention provides a method of controlling insect pests at a locus, said method comprising applying to the locus a combination or a composition comprising:

- (a) a diamide insecticide or a pyridylpyrazole insecticide selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and tetraniliprole;
- (b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate, brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin,

- cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, dimethrin, empenthrin, α -fenshiliuquebingjuzhi, chloroprallethrin, fenfluthrin, fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, japoethrin, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin, momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, proparthrin, pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, traloccythrin, transfluthrin, or valerate; and
- (c) at least one mitochondrial complex III electron transport inhibitor selected from:
- (i) hydramethylnon;
 - (ii) acequinocyl;
 - (iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi, fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and
 - (iv) bifenazate.

Each of the aspects described above may have one or more embodiments.

Each of the embodiments described hereinafter may apply to one or all of the aspects described hereinabove. These embodiments are intended to be read as being preferred features of one or all of the aspects described hereinabove. Each of the embodiments described hereinafter applies to each of the aspects described hereinabove individually.

In an embodiment, the diamide insecticide or the pyridylpyrazole insecticide may be selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor or tetraniliprole.

In an embodiment, the diamide insecticide is chlorantraniliprole.

In an embodiment, the diamide insecticide is cyantraniliprole.

In an embodiment, the diamide insecticide is flubendiamide.

5 In an embodiment, the pyrethroid insecticide may be selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate, brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclothrin, cyclprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, dimethrin, empenthrin, α -fanshiluquebingjuzhi, chloroprallethrin, fenfluthrin, fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, japotheins, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin, momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, propathrin, 15 pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, traloccythrin, transfluthrin, or valerate.

20 In an embodiment, the pyrethroid insecticide is bifenthrin or kappa-bifenthrin.

In an embodiment, the pyrethroid insecticide is cyhalothrin, gamma-cyhalothrin, or lambda-cyhalothrin.

25 In an embodiment, the pyrethroid insecticide is cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, or zeta-cypermethrin.

In an embodiment, the pyrethroid insecticide is permethrin.

30 In an embodiment, the mitochondrial complex III electron transport inhibitor is hydramethylnon.

In an embodiment, the mitochondrial complex III electron transport inhibitor is acequinocyl.

In an embodiment, the mitochondrial complex III electron transport inhibitor is bifujunzhi.

In an embodiment, the mitochondrial complex III electron transport inhibitor is fluacrypyrim.

5

In an embodiment, the mitochondrial complex III electron transport inhibitor is flufenoxystrobin.

10

In an embodiment, the mitochondrial complex III electron transport inhibitor is pyriminostrobin.

In an embodiment, the mitochondrial complex III electron transport inhibitor is bifenazate.

15

The amount of a composition according to the invention to be applied, will depend on various factors, such as the subject of the treatment, such as, for example plants, soil or seeds; the type of treatment, such as, for example spraying, dusting or seed dressing; the purpose of the treatment, such as, for example prophylactic or therapeutic or the application time or the pest pressure or intensity. This amount of the combinations of the present invention to be applied can be readily deduced by a skilled agronomist.

20

In an embodiment, the combinations of the present invention include the following preferred combinations.

25

In an embodiment, each individual row appearing in the table below represents the combinations in an embodiment of the present invention.

30

In the following table, the term bifenthrin means bifenthrin or its isomer kappa-bifenthrin; cyhalothrin means cyhalothrin or any of its isomers gamma-cyhalothrin, or lambda-cyhalothrin; cypermethrin means cypermethrin or any of its isomers alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, or zeta-cypermethrin.

S No.	Diamide Pyridylpyrazole insecticide	or Pyrethroid insecticide	Mitochondrial complex III electron transport inhibitor
1	Chlorantraniliprole	Bifenthrin	Hydramethylnon
2	Chlorantraniliprole	Bifenthrin	Acequinocyl
3	Chlorantraniliprole	Bifenthrin	Bifujunzhi
4	Chlorantraniliprole	Bifenthrin	Fluacrypyrim
5	Chlorantraniliprole	Bifenthrin	Flufenoxystrobin
6	Chlorantraniliprole	Bifenthrin	Pyriminostrobin
7	Chlorantraniliprole	Bifenthrin	Bifenazate
8	Chlorantraniliprole	Cyhalothrin	Hydramethylnon
9	Chlorantraniliprole	Cyhalothrin	Acequinocyl
10	Chlorantraniliprole	Cyhalothrin	Bifujunzhi
11	Chlorantraniliprole	Cyhalothrin	Fluacrypyrim
12	Chlorantraniliprole	Cyhalothrin	Flufenoxystrobin
13	Chlorantraniliprole	Cyhalothrin	Pyriminostrobin
14	Chlorantraniliprole	Cyhalothrin	Bifenazate
15	Chlorantraniliprole	Cypermethrin	Hydramethylnon
16	Chlorantraniliprole	Cypermethrin	Acequinocyl
17	Chlorantraniliprole	Cypermethrin	Bifujunzhi
18	Chlorantraniliprole	Cypermethrin	Fluacrypyrim
19	Chlorantraniliprole	Cypermethrin	Flufenoxystrobin
20	Chlorantraniliprole	Cypermethrin	Pyriminostrobin
21	Chlorantraniliprole	Cypermethrin	Bifenazate
22	Chlorantraniliprole	Permethrin	Hydramethylnon
23	Chlorantraniliprole	Permethrin	Acequinocyl
24	Chlorantraniliprole	Permethrin	Bifujunzhi
25	Chlorantraniliprole	Permethrin	Fluacrypyrim
26	Chlorantraniliprole	Permethrin	Flufenoxystrobin
27	Chlorantraniliprole	Permethrin	Pyriminostrobin
28	Chlorantraniliprole	Permethrin	Bifenazate
29	Cyantraniliprole	Bifenthrin	Hydramethylnon
30	Cyantraniliprole	Bifenthrin	Acequinocyl

31	Cyantraniliprole	Bifenthrin	Bifujunzhi
32	Cyantraniliprole	Bifenthrin	Fluacrypyrim
33	Cyantraniliprole	Bifenthrin	Flufenoxystrobin
34	Cyantraniliprole	Bifenthrin	Pyriminostrobin
35	Cyantraniliprole	Bifenthrin	Bifenazate
36	Cyantraniliprole	Cyhalothrin	Hydramethylnon
37	Cyantraniliprole	Cyhalothrin	Acequinocyl
38	Cyantraniliprole	Cyhalothrin	Bifujunzhi
39	Cyantraniliprole	Cyhalothrin	Fluacrypyrim
40	Cyantraniliprole	Cyhalothrin	Flufenoxystrobin
41	Cyantraniliprole	Cyhalothrin	Pyriminostrobin
42	Cyantraniliprole	Cyhalothrin	Bifenazate
43	Cyantraniliprole	Cypermethrin	Hydramethylnon
44	Cyantraniliprole	Cypermethrin	Acequinocyl
45	Cyantraniliprole	Cypermethrin	Bifujunzhi
46	Cyantraniliprole	Cypermethrin	Fluacrypyrim
47	Cyantraniliprole	Cypermethrin	Flufenoxystrobin
48	Cyantraniliprole	Cypermethrin	Pyriminostrobin
49	Cyantraniliprole	Cypermethrin	Bifenazate
50	Cyantraniliprole	Permethrin	Hydramethylnon
51	Cyantraniliprole	Permethrin	Acequinocyl
52	Cyantraniliprole	Permethrin	Bifujunzhi
53	Cyantraniliprole	Permethrin	Fluacrypyrim
54	Cyantraniliprole	Permethrin	Flufenoxystrobin
55	Cyantraniliprole	Permethrin	Pyriminostrobin
56	Cyantraniliprole	Permethrin	Bifenazate
57	Flubendiamide	Bifenthrin	Hydramethylnon
58	Flubendiamide	Bifenthrin	Acequinocyl
59	Flubendiamide	Bifenthrin	Bifujunzhi
60	Flubendiamide	Bifenthrin	Fluacrypyrim
61	Flubendiamide	Bifenthrin	Flufenoxystrobin
62	Flubendiamide	Bifenthrin	Pyriminostrobin
63	Flubendiamide	Bifenthrin	Bifenazate

64	Flubendiamide	Cyhalothrin	Hydramethylnon
65	Flubendiamide	Cyhalothrin	Acequinocyl
66	Flubendiamide	Cyhalothrin	Bifujunzhi
67	Flubendiamide	Cyhalothrin	Fluacrypyrim
68	Flubendiamide	Cyhalothrin	Flufenoxystrobin
69	Flubendiamide	Cyhalothrin	Pyriminostrobin
70	Flubendiamide	Cyhalothrin	Bifenazate
71	Flubendiamide	Cypermethrin	Hydramethylnon
72	Flubendiamide	Cypermethrin	Acequinocyl
73	Flubendiamide	Cypermethrin	Bifujunzhi
74	Flubendiamide	Cypermethrin	Fluacrypyrim
75	Flubendiamide	Cypermethrin	Flufenoxystrobin
76	Flubendiamide	Cypermethrin	Pyriminostrobin
77	Flubendiamide	Cypermethrin	Bifenazate
78	Flubendiamide	Permethrin	Hydramethylnon
79	Flubendiamide	Permethrin	Acequinocyl
80	Flubendiamide	Permethrin	Bifujunzhi
81	Flubendiamide	Permethrin	Fluacrypyrim
82	Flubendiamide	Permethrin	Flufenoxystrobin
83	Flubendiamide	Permethrin	Pyriminostrobin
84	Flubendiamide	Permethrin	Bifenazate

In an embodiment, the present invention may provide a combination comprising the three insecticides as listed in each individual row from row 1 to row 84 in the table above.

- 5 Thus in an embodiment, the present invention may provide combinations or compositions comprising:
- (a) at least one diamide insecticide selected from broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor or tetraniliprole;
 - 10 (b) at least one pyrethroid selected from bifenthrin or kappa bifenthrin; and
 - (c) bifenazate.

In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

5 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

10 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

15 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is bifenazate.

20 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

25 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

30 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is bifenazate.

In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- 5 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 10 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 15 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is bifentazate.

- 20 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 25 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 30 In an embodiment, the diamide or pyridylpyrazole insecticide is chlorantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is bifentazate.

In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- 5 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 10 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 15 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is bifenazate.

- 20 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 25 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 30 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is bifenazate.

In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- 5 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 10 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 15 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is bifenazate.

- 20 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 25 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 30 In an embodiment, the diamide or pyridylpyrazole insecticide is cyantraniliprole, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is bifenazate.

In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- 5 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 10 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 15 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is bifenthrin, and the mitochondrial complex III transport inhibitor is bifenazate.

- 20 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 25 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 30 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cyhalothrin, and the mitochondrial complex III transport inhibitor is bifenazate.

In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- 5 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 10 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 15 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is cypermethrin, and the mitochondrial complex III transport inhibitor is bifenazate.

- 20 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is fluacrypyrim.

- In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is flufenoxystrobin.

- 25 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is pyriminostrobin.

- 30 In an embodiment, the diamide or pyridylpyrazole insecticide is flubendiamide, the pyrethroid insecticide is permethrin, and the mitochondrial complex III transport inhibitor is bifenazate.

In an embodiment, the total amount of diamide insecticidal compound in the composition may typically be in the range of 0.1 to 99% by weight, preferably 0.2 to 90% by weight.

The total amount of pyrethroid in the composition may be in the range of 0.1 to 99% by weight. The total amount of bifentazate in the composition may be in the range of 0.1 to 99% by weight.

5 In an embodiment, the constituent fungicides of the combination of the present invention may be admixed in ratio of (1-80): (1-80): (1-80) of the, anthranilamide insecticidal compound, pyrethroid compound and bifentazate respectively.

10 In an embodiment, the combinations or compositions or methods of the present invention comprise at least a fourth agrochemical active ingredient.

In an embodiment, the additional agrochemical active ingredient is a fungicide.

15 In an embodiment, the fungicide is a strobilurin fungicide. In this embodiment, the addition of a strobilurin fungicide has been found to be specifically beneficial and potentiating.

20 In an embodiment, the strobilurin fungicide is selected from fluoxastrobin, mandestrobin, pyribencarb, azoxystrobin, bifentazate, coumoxystrobin, enoxastrobin, flufenoxystrobin, jiaxiangjunzhi, picoxystrobin, pyraoxystrobin, pyraclostrobin, pyrametostrobin, triclopyricarb, dimoxystrobin, fenaminstrobin, metominostrobin, oryastrobin, kresoxim-methyl, and trifloxystrobin.

25 In an embodiment, the strobilurin fungicide is azoxystrobin.

In an embodiment, the strobilurin fungicide is bifentazate.

In an embodiment, the strobilurin fungicide is flufenoxystrobin.

30 In an embodiment, the strobilurin fungicide is jiaxiangjunzhi.

In an embodiment, the strobilurin fungicide is picoxystrobin.

In an embodiment, the strobilurin fungicide is kresoxim-methyl.

In an embodiment, the strobilurin fungicide is trifloxystrobin.

In an embodiment, the combinations of the present invention may be applied to the locus
5 either simultaneously or sequentially, such that the diamide insecticide or the
pyridylpyrazole insecticide, the pyrethroid insecticide and the mitochondrial complex III
electron transport inhibitor may be applied in a tank mix or as a pre-mixed composition.

Thus, in this aspect, the present invention provides a tank-mix comprising:

- 10 (a) a diamide insecticide or a pyridylpyrazole insecticide selected from
broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole,
cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and
tetraniliprole;
- 15 (b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin,
barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate,
brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin,
cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-
cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-
cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin,
20 dimethrin, empenthrin, d-fanshiluquebingjuzhi, chloroprallethrin, fenfluthrin,
fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate,
fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin,
japothrins, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin,
momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin,
25 biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin,
proparthrin, pyresmethrin, renofluthrin, meperfluthrin,
resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin,
terallethrin, tetramethylfluthrin, tralocythrin, transfluthrin, or valerate; and
- 30 (c) at least one mitochondrial complex III electron transport inhibitor selected
from:
- (i) hydramethylnon;
 - (ii) acequinocyl;
 - (iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi,
fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and

- (iv) bifenazate.

The method of control of the present invention may be carried out by spraying the suggested tank mixes, or the individual insecticides may be formulated as a kit-of-parts
5 containing various components that may be mixed as instructed prior to spraying.

In an embodiment, the present invention provides a kit-of-parts comprising a plurality of components, wherein said plurality of components comprises:

- (a) a diamide insecticide or a pyridylpyrazole insecticide selected from
10 broflanilide, chlorantraniliprole, cyantraniliprole, cyclaniliprole, cyhalodiamide, flubendiamide, tetrachlorantraniliprole, tyclopyrazoflor and tetraniliprole;
- (b) a pyrethroid selected from acrinathrin, allethrin, bioallethrin, esdepallethrin, barthrin, bifenthrin, kappa bifenthrin, bioethanomethrin, brofenvalerate,
15 brofluthrin, bromethrin, butethrin, chlorempenthrin, cyclethrin, cyclprothrin, cyfluthrin, beta-cyfluthrin, cyhalothrin, gamma-cyhalothrin, lambda-cyhalothrin, cypermethrin, alpha-cypermethrin, beta-cypermethrin, theta-cypermethrin, zeta-cypermethrin, cyphenothrin, deltamethrin, dimefluthrin, dimethrin, empenthrin, α -fanshiluquebingjuzhi, chloroprallethrin, fenfluthrin,
20 fenpirithrin, fenpropathrin, fenvalerate, esfenvalerate, flucythrinate, fluvalinate, tau-fluvalinate, furamethrin, furethrin, heptafluthrin, imiprothrin, japoethrin, kadethrin, methothrin, metofluthrin, epsilon-metofluthrin, momfluorothrin, epsilon-momfluorothrin, pentmethrin, permethrin, biopermethrin, transpermethrin, phenothrin, prallethrin, profluthrin, proparthrin, pyresmethrin, renofluthrin, meperfluthrin, resmethrin, bioresmethrin, cismethrin, tefluthrin, kappa-tefluthrin, terallethrin, tetramethylfluthrin, tralocythrin, transfluthrin, or valerate; and
- (c) at least one mitochondrial complex III electron transport inhibitor selected from:
25
- (i) hydramethylnon;
(ii) acequinocyl;
(iii) a methoxyacrylate strobilurin insecticide selected from bifujunzhi, fluacrypyrim, flufenoxystrobin, and pyriminostrobin; and
30 (iv) bifenazate.

In an embodiment, the kit-of-parts comprises an instructions manual, said instructions manual comprising instructions directing a user to admix the components before being used.

5

In an embodiment, the components of the present invention may be packaged such that the components may be packaged separately and then tank mixed before the spraying.

10 In another embodiment, the components of the present invention may be packaged such that the active components may be packaged separately, whereas other additives are packaged separately, such that the two may be tank mixed at the time of spraying.

15 In an embodiment, the constituents of the composition of the present invention may be tank mixed and sprayed at the locus of the pest infestation, or may be alternatively be mixed with surfactants and then sprayed.

In an embodiment, the constituents of the composition of the present invention may be used for foliar application, ground or applications to plant propagation materials.

20 In an embodiment, the compositions of the present invention may typically be produce by mixing the actives in the composition with an inert carrier, and adding surfactants and other adjuvants and carriers as needed and formulated into solid, or liquid formulations, including but not limited to wettable powders, granules, dusts, Soluble (liquid) concentrates, suspension concentrates, oil in water emulsion, water in oil emulsion, emulsifiable concentrates, capsule suspensions, ZC formulations, oil dispersions or
25 other known formulation types. The composition may also be used for treatment of a plant propagation material such as seeds etc.

30 Examples of the solid carrier used in formulation include fine powders or granules such as minerals such as kaolin clay, attapulgite clay, bentonite, montmorillonite, acid white clay, pyrophyllite, talc, diatomaceous earth and calcite; natural organic materials such as corn rachis powder and walnut husk powder; synthetic organic materials such as urea; salts such as calcium carbonate and ammonium sulfate; synthetic inorganic materials such as synthetic hydrated silicon oxide; and as a liquid carrier, aromatic hydrocarbons

such as xylene, alkylbenzene and methylnaphthalene; alcohols such as 2-propanol, ethyleneglycol, propylene glycol, and ethylene glycol monoethyl ether; ketones such as acetone, cyclohexanone and isophorone; vegetable oil such as soybean oil and cotton seed oil; petroleum aliphatic hydrocarbons, esters, dimethylsulfoxide, acetonitrile and water.

Examples of the surfactant include anionic surfactants such as alkyl sulfate ester salts, alkylaryl sulfonate salts, dialkyl sulfosuccinate salts, polyoxyethylene alkylaryl ether phosphate ester salts, lignosulfonate salts and naphthalene sulfonate formaldehyde polycondensates; and nonionic surfactants such as polyoxyethylene alkyl aryl ethers, polyoxyethylene alkylpolyoxypropylene block copolymers and sorbitan fatty acid esters and cationic surfactants such as alkyltrimethylammonium salts.

Examples of the other formulation auxiliary agents include water-soluble polymers such as polyvinyl alcohol and polyvinylpyrrolidone, polysaccharides such as Arabic gum, alginic acid and the salt thereof, CMC (carboxymethyl-cellulose), Xanthan gum, inorganic materials such as aluminum magnesium silicate and alumina sol, preservatives, coloring agents and stabilization agents such as PAP (acid phosphate isopropyl) and BHT.

In an embodiment the insect pests controlled by the combinations of the present invention may belong to the class Insecta, Arachnida and Nematoda. Exemplary pests may include: from the order Lepidoptera, pests such as *Acleris* spp., *Adoxophyes* spp., *Aegeria* spp., *Agrotis* spp., *Alabama argillaceae*, *Amylois* spp., *Anticarsia gemmatilis*, *Archips* spp., *Argyrotaenia* spp., *Autographa* spp., *Busseola fusca*, *Cadra cautella*, *Carposina nipponensis*, *Chilo* spp., *Choristoneura* spp., *Clysia ambiguella*, *Cnaphalocrocis* spp., *Cnephasia* spp., *Cochylis* spp., *Coleophora* spp., *Crocidolomia* spp., *Cryptophlebia leucotreta*, *Crysodeixis includens*, *Cydia* spp., *Diatraea* spp., *Diparopsis castanea*, *Earias* spp., *Elasmopalpus* spp., *Ephestia* spp., *Eucosma* spp., *Eupoecilia ambiguella*, *Euproctis* spp., *Euxoa* spp., *Grapholita* spp., *Hedya nubiferana*, *Heliothis* spp., *Hellula undalis*, *Hyphantria cunea*, *Keiferia lycopersicella*, *Leucoptera scitella*, *Lithocollethis* spp., *Lobesia botrana*, *Lymantria* spp., *Lyonetia* spp., *Malacosoma* spp., *Mamestra brassicae*, *Manduca sexta*, *Operophtera* spp., *Ostrinia nubilalis*, *Pammene* spp., *Pandemis* spp., *Panolis flammea*, *Pectinophora gossypiella*,

Phthorimaea operculella, Pieris rapae, Pieris spp., Plutella xylostella, Prays spp., Scirpophaga spp., Sesamia spp., Sparganothis spp., Spodoptera spp., Synanthedon spp., Thaumetopoea spp., Tortrix spp., Trichoplusia ni and Yponomeuta spp.; from the order Coleoptera, pest such as Agriotes spp., Anthonomus spp., Atomaria linearis, 5 Ceutorhynchus spp., Chaetocnema tibialis, Cosmopolites spp., Curculio spp., Dermestes spp., Diabrotica spp., Epilachna spp., Eremnus spp., Gonocephalum spp., Heteronychus spp., Leptinotarsa decemlineata, Lissorhoptrus spp., Melolontha spp., Oryzaephilus spp., Otiorhynchus spp., Phlyctinus spp., Phyllotreta spp., Popillia spp., Protostrophus spp., Psylliodes spp., Rhizopertha spp., Scarabeidae, Sitophilus spp., 10 Sitotroga spp., Tenebrio spp., Tribolium spp. and Trogoderma spp.; from the order Orthoptera, pests such as Blatta spp., Blattella spp., Gryllotalpa spp., Leucophaea maderae, Locusta spp., Periplaneta spp. and Schistocerca spp.; from the order Isoptera, pests such as Reticulitermes spp.; from the order Psocoptera pest such as, Liposcelis spp.; from the order Anoplura, pests such as Haematopinus spp., Linognathus 15 spp., Pediculus spp., Pemphigus spp. and Phylloxera spp.; from the order Mallophaga pests such as Damalinae spp. and Trichodectes spp.; from the order Thysanoptera, pests such as Frankliniella spp., Hercinothrips spp., Taeniothrips spp., Thrips palmi, Thrips tabaci and Scirtothrips aurantii; from the order Heteroptera, pests such as Dichelops melacanthus, Distantiella theobroma, Dysdercus spp., Euchistus spp., Eurygaster spp., 20 Leptocorisa spp., Nezara spp., Piesma spp., Rhodnius spp., Sahlbergella singularis, Scotinophara spp. and Triatoma spp.; from the order Homoptera, insect pests such as Aleurothrixus floccosus, Aleyrodes brassicae, Aonidiella spp., Aphididae, Aphis spp., Aspidiotus spp., Bemisia tabaci, Ceroplastes spp., Chrysomphalus aonidium, Chrysomphalus dictyospermi, Coccus hesperidum, Empoasca spp., Eriosoma 25 larigerum, Erythroneura spp., Gascardia spp., Laodelphax spp., Lecanium corni, Lepidosaphes spp., Macrosiphus spp., Myzus spp., Nephrotettix spp., Nilaparvata spp., Paratioria spp., Pemphigus spp., Planococcus spp., Pseudaulacaspis spp., Pseudococcus spp., Psylla spp., Pulvinaria aethiopica, Quadraspidiotus spp., Rhopalosiphum spp., Saissetia spp., Scaphoideus spp., Schizaphis spp., Sitobion spp., 30 Trialeurodes vaporariorum, Trioza erytrae and Unaspis citri; from the order Hymenoptera, insect pests such as Acromyrmex, Athalia rosae, Atta spp., Cephus spp., Diprion spp., Diprionidae, Gilpinia polytoma, Hoplocampa spp., Lasius spp., Monomorium pharaonis, Neodiprion spp., Solenopsis spp. and Vespa spp.; from the order Diptera, insect pests such as Antherigona soccata, Bibio hortulanus, Ceratitis spp.,

Chrysomyia spp., Culex spp., Cuterebra spp., Dacus spp., Delia spp., Drosophila melanogaster, Liriomyza spp., Melanagromyza spp., Orseolia spp., Oscinella frit, Pegomyia hyoscyami, Phorbia spp., Rhagoletis pomonella, Sciara spp.; from the order Acarina, pests such as Acarus siro, Aceria sheldoni, Aculus schlechtendali, Amblyomma spp., Argas spp., Brevipalpus spp., Bryobia praetiosa, Calipitimerus spp., Chorioptes spp., Dermanyssus gallinae, Eotetranychus carpini, Eriophyes spp., Hyalomma spp., Olygonychus pratensis, Ornithodoros spp., Panonychus spp., Phyllocoptruta spp. (such as Phyllocoptruta oleivora), Polyphagotarsonemus latus, Psoroptes spp., Rhipicephalus spp., Rhizoglyphus spp., Sarcoptes spp., Tarsonemus spp. and Tetranychus spp.; and from the class Nematoda, the species of Meloidogyne spp. (for example, Meloidogyne incognita and Meloidogyne javanica), Heterodera spp. (for example, Heterodera glycines, Heterodera schachtii, Heterodora avenae and Heterodora trifolii), Globodera spp. (for example, Globodera rostochiensis), Radopholus spp. (for example, Radopholus similis), Rotylenchulus spp., Pratylenchus spp. (for example, Pratylenchus neglectans and Pratylenchus penetrans), Aphelenchoides spp., Helicotylenchus spp., Hoplolaimus spp., Paratrichodorus spp., Longidorus spp., Nacobbus spp., Subanguina spp., Belonlaimus spp., Criconemella spp., Criconemoides spp., Ditylenchus spp., Dolichodorus spp., Hemicriconemoides spp., Hemicyclophora spp., Hirschmaniella spp., Hypsoperine spp., Macroposthonia spp., Melinus spp., Punctodera spp., Quinisulcius spp., Scutellonema spp., Xiphinema spp., and Tylenchorhynchus spp.

The compositions of the present invention can be used in agricultural lands such as fields, paddy fields, lawns and orchards or in non-agricultural lands. The present invention may be used to control pests in agricultural lands for cultivating the plants without any phytotoxicity to the plant.

Examples of the crops on which the present compositions may be used include but are not limited to corn, rice, wheat, barley, rye, oat, sorghum, cotton, soybean, peanut, buckwheat, beet, rapeseed, sunflower, sugar cane, tobacco, etc.; vegetables: solanaceous vegetables such as eggplant, tomato, pimento, pepper, potato, etc., cucurbit vegetables such as cucumber, pumpkin, zucchini, water melon, melon, squash, etc., cruciferous vegetables such as radish, white turnip, horseradish, kohlrabi, Chinese cabbage, cabbage, leaf mustard, broccoli, cauliflower, etc., asteraceous vegetables such as burdock, crown daisy, artichoke, lettuce, etc, liliaceous vegetables such as green

onion, onion, garlic, and asparagus, ammiaceous vegetables such as carrot, parsley, celery, parsnip, etc., chenopodiaceous vegetables such as spinach, Swiss chard, etc., lamiaceous vegetables such as *Perilla frutescens*, mint, basil, etc, strawberry, sweet potato, *Dioscorea japonica*, colocasia, etc., flowers, foliage plants, turf grasses, fruits:

5 pome fruits such apple, pear, quince, etc, stone fleshy fruits such as peach, plum, nectarine, *Prunus mume*, cherry fruit, apricot, prune, etc., citrus fruits such as orange, lemon, lime, grapefruit, etc., nuts such as chestnuts, walnuts, hazelnuts, almond, pistachio, cashew nuts, macadamia nuts, etc. berries such as blueberry, cranberry, blackberry, raspberry, etc., grape, kaki fruit, olive, plum, banana, coffee, date palm,

10 coconuts, etc. , trees other than fruit trees; tea, mulberry, flowering plant, trees such as ash, birch, dogwood, *Eucalyptus*, *Ginkgo biloba*, lilac, maple, *Quercus*, poplar, Judas tree, *Liquidambar formosana*, plane tree, zelkova, Japanese arborvitae, fir wood, hemlock, juniper, *Pinus*, *Picea*, and *Taxus cuspidate*, etc.

15 In an aspect the present invention may provide a method of improving the yield of a crop, said method comprising, applying to the locus of the crop a combination comprising:

- (a) at least one diamide insecticide;
- (b) at least pyrethroid selected from bifenthrin or kappa bifenthrin; and
- (c) bifenazate.

20

The combinations of the present invention may be sold as a pre-mix composition or a kit of parts such that individual actives may be mixed before spraying. Alternatively, the kit of parts may contain the bifenazate and a pyrethroid selected from either bifenthrin or kappa bifenthrin and the diamide insecticide may be admixed with an adjuvant such that

25 the two components may be tank mixed before spraying.

25

The composition of the present invention may be applied simultaneously as a tank mix or a formulation or may be applied sequentially. The application may be made to the soil before emergence of the plants, either pre-planting or post-planting. The application may

30 be made as a foliar spray at different timings during crop development.

As demonstrated, the addition of bifenazate to a combination of diamide insecticidal compound which are combined with pyrethroids, greatly improved the disease control as well as improved yield and demonstrated a synergistic effect.

While the foregoing written description of the invention enables one of ordinary skill to make and use what is considered presently to be the best mode thereof, those of ordinary skill will understand and appreciate the existence of variations, combinations, and equivalents of the specific embodiment, method, and examples herein. The invention should therefore not be limited by the above described embodiment, method, and examples, but by all embodiments and methods within the scope and spirit of the invention.

Dated this the 28th day of August 2018



Dr. Sanchita Ganguli
Of S. MAJUMDAR & CO.
Applicant's Agent

FORM 1 THE PATENTS ACT, 1970 (39 of 1970) and The Patents Rules, 2003 APPLICATION FOR GRANT OF PATENT [See section 7, 54 & 135 and sub-rule (1) of rule 20]	(FOR OFFICE USE ONLY)
---	------------------------------

	Application No :	
	Filing Date :	
	Amount of Fee Paid :	
	CBR No :	
	Signature :	
1. APPLICANT'S REFERENCE / IDENTIFICATION NO. (AS ALLOTTED BY OFFICE)		
2. TYPE OF APPLICATION [Please tick (✓) at the appropriate category]		
Ordinary (✓)		Convention ()
PCT-NP ()		
Divisional ()	Patent of Addition ()	Divisional ()
	Patent of Addition ()	Divisional ()
		Patent of Addition ()

3A. APPLICANT(S)

Name in Full	Nationality	Country of Residence	Address of the Applicant	
UPL LTD	An Indian Company	India	House No.	Agrochemical Plant
			Street	Durgachak Haldia
			City	Midnapore
			State	West Bengal
			Country	India
			Pin code	721 602

3B. CATEGORY OF APPLICANT [Please tick (✓) at the appropriate category]

Natural Person ()	Other than Natural Person		
	Small Entity ()	Startup ()	Others (✓)

4. INVENTOR(S) [Please tick (✓) at the appropriate category]

Are all the inventor(s) same as the applicant(s) named above ?	YES ()	NO (✓)
--	----------------	---------------

If "No", furnish the details of the inventor(s)

Name in Full	Nationality	Country of Residence	Address of the Inventor	
SHROFF, Jaidev Rajnikant	A British Citizen	Dubai - U.A.E.	House No.	206, Swiss Tower, Cluster Y
			Street	Jumeirah Lake Towers, P.O. Box: 33421
			City	
			State	
			Country	Dubai - U.A.E.
			Pin code	
SHROFF, Vikram Rajnikant	A British Citizen	Dubai - U.A.E.	House No.	206, Swiss Tower, Cluster Y
			Street	Jumeirah Lake Towers, P.O. Box: 33421
			City	
			State	
			Country	Dubai - U.A.E.

5. TITLE OF THE INVENTION: NOVEL INSECTICIDAL COMBINATIONS

6. AUTHORISED REGISTERED PATENT AGENT(S)	IN/PA No.	625
	Name	Dr. Sanchita Ganguli
	Mobile No.	9331827882
7. ADDRESS FOR SERVICE OF APPLICANT IN INDIA	Name	S. MAJUMDAR & CO.
	Postal Address	5 Harish Mukherjee Road, Kolkata – 700 025, West Bengal, India
	Telephone No.	(033) 2455 7484 / 85 / 86
	Mobile No.	9331827882
	Fax No.	(033) 2455 7487 / 88
	E-mail ID	cal@patentindia.com

8. IN CASE OF APPLICATION CLAIMING PRIORITY OF APPLICATION FILED IN CONVENTION COUNTRY, PARTICULARS OF CONVENTION APPLICATION

COUNTRY	APPLICATION NUMBER	FILING DATE	NAME OF THE APPLICANT	TITLE OF THE INVENTION	IPR (as classified in the convention country)

9. IN CASE OF PCT NATIONAL PHASE APPLICATION, PARTICULARS OF INTERNATIONAL APPLICATION FILED UNDER PATENT COOPERATION TREATY (PCT)

International application number	International filing date as allotted by the receiving office

10. IN CASE OF DIVISIONAL APPLICATION FILED UNDER SECTION 16, PARTICULARS OF ORIGINAL (FIRST) APPLICATION

Original (first) application number	Date of filing of Original (first) application

11. IN CASE OF PATENT OF ADDITION FILED UNDER SECTION 54, PARTICULARS OF MAIN APPLICATION OR PATENT

Main application / patent Number	Date of filing of main application

12. DECLARATIONS

(i) Declaration by the inventor(s)

(In case the applicant is an assignee : the inventor(s) may sign herein below or the applicant may upload the assignment or enclose the assignment with this application for patent or send the assignment by post/electronic transmission duly authenticated within the prescribed period).

We, the above named inventor(s) are the true & first inventor(s) for this invention and declare that the applicant(s) herein are our assignee or legal representative.

- (a) Date _____
(b) Signature(s) of the inventor(s):
(c) Name of the inventor: **SHROFF, Jaidev Rajnikant**

- (a) Date _____
(b) Signature(s) of the inventor(s):
(c) Name of the inventor: **SHROFF, Vikram Rajnikant**

(ii) Declaration by the applicant(s) in the convention country

(In case the applicant in India is different than the applicant in the convention country: the applicant in the convention country may sign herein below or applicant in India may upload the assignment from the applicant in the convention country or enclose the said assignment with this application for patent or send the assignment by post/electronic transmission duly authenticated within the prescribed period)

I/We, the applicant(s) in the convention country declare that the applicant(s) herein is/are my/our assignee or legal representative

- (a) Date _____
(b) Signature(s)
(c) Name(s) of the Signatory :

(iii) Declaration by the applicant(s):

I/We, the applicant(s) hereby declare(s) that :

- ☐ We are in possession of the above-mentioned invention
- ☐ The provisional specification relating to the invention is filed with this application.
- ☒ The invention as disclosed in the specification uses the biological material from India and the necessary permission from the competent authority shall be submitted by us before the grant of patent to us.
- ☐ There is no lawful ground of objection(s) to the grant of the Patent to us.

- ☒ We are the true & first inventor(s).
- ☐ We are the assignee or legal representative of true & first inventor(s).
- ☒ The application or each of the applications, particulars of which are given in Paragraph-8, was the first application in convention country/countries in respect of my/our invention.
- ☒ I/We claim the priority from the above mentioned application(s) filed in convention country/ countries and state that no application for protection in respect of the invention had been made in a convention country before that date by me/us or by any person from which I/we derive the title.
- ☒ My/Our application in India is based on international application under Patent Cooperation Treaty (PCT) as mentioned in Paragraph-9.
- ☒ The application is divided out of my/our application particulars of which is given in Para-10 and pray that this application may be treated as deemed to have been filed on (DD/MM/YYYY) under Section 16 of the Act.
- ☒ The said invention is an improvement in or modification of the invention particulars of which are given in Paragraph-11.

13. FOLLOWING ARE THE ATTACHMENTS WITH THE APPLICATION

(a) Form 2

Item	Details	Fee	Remarks
Provisional specification)#	No. of pages (29)		
No. of claims	No. of claims and no. of pages		
Abstract	No. of pages		
No. of Drawing(s)	No. of drawings () and No. of pages ()		

In case of a complete specification, if the applicant desires to adopt the drawings filed with his provisional specification as the drawings or part of the drawings for the complete specification under rule 13(4), the number of such pages filed with the provisional specification are required to be mentioned here.

(b)

(a) Form -2 with provisional specification (2 copies). No. of pages **29**

(b) Statement and undertaking on Form 3

(c) General Power of Attorney in our favour.

(d) Fee for excess pages exceeding 30 = NIL

(e) Fee for application

= Rs. 8,000.00

Fee Rs. 8000/-

We hereby declare that to the best of our knowledge, information and belief the fact and matters stated herein are correct and we request that a patent may be granted to us for the said invention.

Dated this 28th day of August 2018

Sanchita Ganguli

Dr. Sanchita Ganguli

To
The Controller of Patents
The Patent Office,
At Kolkata

of S. MAJUMDAR & CO.
Applicants' Agent

Note:-

- * Repeat boxes in case of more than one entry.
- * To be signed by the applicant(s) or by authorized registered patent agent otherwise where mentioned.
- * Tick (✓)/cross (x) whichever is applicable/not applicable in declaration in paragraph – 12.
- * Name of the inventor and applicant should be given in full, family name in the beginning.
- * Strike out the portion which is/are not applicable.
- * For fee: See First Schedule