

ANEXO 1

REFERENCIAS BIBLIOGRÁFICAS

AOAC - Official Methods of Analysis (2016) 20th Ed., AOAC INTERNATIONAL, Rockville, MD, USA (http://www.eoma.aoac.org/app_f.pdf).

Arowolo MA, He J. 2018. Use of probiotics and botanical extracts to improve ruminant production in the tropics: A review. *Animal nutrition*. 4(3): 241-249.

Broudiscou LP, Papon Y, Broudiscou AF. 2002. Effects of dry plant extracts on feed degradation and the production of rumen microbial biomass in a dual outflow fermenter. *Anim. Feed Sci. Technol*. 101(1-4):183-189.

Cole, J. R., Wang, Q., Fish, J. A., Chai, B., McGarrell, D. M., Sun, Y., ... & Tiedje, J. M. (2014). Ribosomal Database Project: data and tools for high throughput rRNA analysis. *Nucleic acids research*, 42(D1), D633-D642.

Costa M, Alves SP, Cabo Â, Guerreiro O, Stilwell G, Dentinho MT, Bessa, RJ. 2017. Modulation of in vitro rumen biohydrogenation by *Cistus ladanifer* tannins compared with other tannin sources. *Sci. Food Agric*. 97(2): 629-635.

Conferencia Regional FAO/OMS sobre Inocuidad de los Alimentos para las Américas y el Caribe. FAO, 2005. Disponible en: <http://www.fao.org/3/a-af848s.pdf>

Do N Rangel AH, Leonel FDP, Alves Simplício A, de Mendonça Júnior AF. 2008. Utilização de ionóforos na produção de ruminantes. *Rev. Bio. Ciênc. terr*. 8:(1).

FAO. 2015. Informe de situación sobre la resistencia a los antimicrobianos, Disponible en: <http://www.fao.org/3/a-mm736s.pdf>.

FAO. 2017. Más países se movilizan para combatir la resistencia a los antimicrobianos en la alimentación y la agricultura, Disponible en: <http://www.fao.org/news/story/es/item/1066678/icode/>.

FAO. 2019. Un nuevo informe pide medidas urgentes para prevenir la resistencia a los antimicrobianos. Disponible en: <http://www.fao.org/news/story/es/item/1192068/icode/>.

García Hernández, García Curbelo Y 2015. Uso de aditivos en la alimentación animal: 50 años de experiencia en el Instituto de Ciencia Animal. Rev. Cuba. Cienc. Agri. 49:(2).

Henry B, Charmley E, Eckard R, Gaughan JB, Hegarty R.2012. Livestock production in a changing climate: adaptation and mitigation research in Australia. Crop and Pasture Science. 63(3): 191-202.

Herlemann, D. P., Labrenz, M., Jürgens, K., Bertilsson, S., Waniek, J. J., & Andersson, A. F. (2011). Transitions in bacterial communities along the 2000 km salinity gradient of the Baltic Sea. *The ISME journal*, 5(10), 1571-1579.

Jouany JP, Morgavi DP 2007. Use of 'natural'products as alternatives to antibiotic feed additives in ruminant production. *Animal*.1(10), 1443-1466.

Krause DO, Denman SE, Mackie RI, Morrison MRAL, Attwood GT McSweeney CS. 2003. Opportunities to improve fiber degradation in the rumen: microbiology, ecology, and genomics. *FEMS microbiology reviews*. 27(5):663-693.

Kamel C. 2001. Natural plant extracts: Classical remedies bring modern animal production solutions. *Cahier. Option. Méditerran.* 54: 31-38.

McGrath J, Duval SM, Tamassia LF, Kindermann M, Stemmler RT, de Gouvea VN, Celi P. 2018. Nutritional strategies in ruminants: A lifetime approach. *Res. Vet. Sci*. 116:28-39.

Maas JA, Wilson GF, McCutcheon SN, Lync GA, Burnham DL, France J. 2001.The effect of season and monensin sodium on the digestive characteristics of autumn and spring pasture fed to sheep. *J. Anim. Sci*. 79(4): 1052-1058.

McAllister TA, Martinez T, Bae HD, Muir AD, Yanke LJ, Jones GA.2005. Characterization of condensed tannins purified from legume forages: chromophore production, protein precipitation, and inhibitory effects on cellulose digestion. *J. Chem. Ecol*. 319: 2049-2068.

Murillo E, Méndez JJ. 2011. Guía metodológica para la detección rápida de algunos núcleos secundarios y caracterización de una droga cruda. Universidad del Tolima, Facultad de Ciencias, Departamento de Química, GIPRONUT.

Makkar HPS 2003. Quantification of tannins in tree and shrub foliage: A laboratory Manual. Dondrecht. The Netherlands: Kluwer academic publishers.

National Research Council, Committee on the Nutrient Requirements of Small Ruminants, Board on Agriculture, Natural Resources, Division on Earth, & Life Studies. (2007). *Nutrient requirements of small ruminants: sheep, goats, cervids, and new world camelids*.

Patra AK, Saxena J. 2009. The effect and mode of action of saponins on the microbial populations and fermentation in the rumen and ruminant production. *Nutr Res Rev.*22(2): 204-219.

Richardson LF, Raun AP, Potter EL, Cooley CO, Rathmacher RP. 1978. Effect of monensin on rumen fermentation in vitro and in vivo. *J. Anim. Sci.* 43(3): 657-664.

Schloss, P. D., Westcott, S. L., Ryabin, T., Hall, J. R., Hartmann, M., Hollister, E. B., ... & Sahl, J. W. (2009). Introducing mothur: open-source, platform-independent, community-supported software for describing and comparing microbial communities. *Appl. Environ. Microbiol.*, 75(23), 7537-7541.

Van Soest PV, Robertson JB, Lewis BA. 1991. Methods for Dietary Fiber, Neutral Detergent Fiber, and Nonstarch Polysaccharides in Relation to Animal Nutrition. *J Dairy Sci.* 74(10):3583-3597.

Zhishen J, Mengecheng, T, Jianming W. 1999. The determination of flavonoid contents on mulberry and their scavenging effects on superoxide radical. *Food Chem.* 64:555–559.

Zeng Z, Zhang S, Wang H, Piao, X. 2015. Essential oil and aromatic plants as feed additives in non-ruminant nutrition: a review. *J. Anim. Sci. Biotechnol.* 6(1): 7