

Muestra	Recipiente	Conc. celular	Vol. de llenado (mL)	Formulación	% de destrucción con E:T=10:1	Viabilidad (%)
NK-CAR-DP1	vial AT de 50 mL	6 M/mL	35	Plasmalyte al 40% +HSA al 10% +CS10 al 50%	93,01	97,3
NK-CAR-DP2	vial AT de 2 mL	80 M/mL	1		92,77	97,2
NK-CAR-DP3	vial AT de 2 mL	6 M/mL	1		89,76	96,6
NK-CAR-DP4	vial AT de 50 mL	6 M/mL	35	Plasmalyte al 40% +HSA al 10% +CS10 al 50% +trehalosa a 30 mM	92,17	97,7
NK-CAR-DP5	vial AT de 2 mL	80 M/mL	1		92,77	97,6
NK-CAR-DP6	vial AT de 2 mL	6 M/mL	1		91,69	98,3

FIG. 8B

Marcador notificable	NK-CAR-3-1	NK-CAR-3-2	NK-CAR-3-3	NK-CAR-3-4	NK-CAR-3-5	NK-CAR-3-6
Población viva (7AAD-)	62,86	64,71	62,68	64,82	63,82	60,90
CD56-CD48+CD32+	0,00	0,00	0,00	0,00	0,00	0,00
CD56+CD3-	99,35	99,54	99,55	99,57	99,59	99,56
CD3+	0,09	0,07	0,11	0,12	0,12	0,12
F(ab) ₂ +(NK-CAR)+	72,45	72,82	72,28	72,98	72,55	73,19

FIG. 8C