




Fig. 1




Fig. 1 (Continuación)




Fig. 1 (Continuación)




Fig. 1 (Continuación)




Fig. 1 (Continuación)




Fig. 1 (Continuación)




Fig. 1 (Continuación)




Fig. 1 (Continuación)

#	Ensayo en fase sólida		Ensayo basado en proximidad	
	$\alpha_V \beta_I$	$\alpha_V \beta_h$	$\alpha_V \beta_I$	$\alpha_V \beta_h$
1	<50	50-<250	250-<1000	<50
2	<50	<50	250-<1000	<50
3	<50	<50	≥ 1000	<50
4	<50	50-<250	<50	<50
5	<50	50-<250	250-<1000	<50
6	<50	<50	250-<1000	<50
7	<50	<50	250-<1000	<50
8	<50	<50	50-<250	<50
9	<50	<50	≥ 1000	<50
10	<50	<50	≥ 1000	<50
11	<50	250-<1000	50-<250	<50
12	<50	<50	≥ 1000	<50
13	<50	<50	≥ 1000	<50
14	<50	<50	50-<250	<50
15	<50	<50	250-<1000	<50
16	<50	50-<250	250-<1000	<50
17	<50	<50	≥ 1000	<50
18	<50	≥ 1000	≥ 1000	<50
19	<50	250-<1000	≥ 1000	<50
20	<50	<50	≥ 1000	<50
21	<50	250-<1000	≥ 1000	<50
22	<50	50-<250	≥ 1000	<50
23	<50	50-<250	250-<1000	<50
24	<50	250-<1000	≥ 1000	<50
25	<50	250-<1000	≥ 1000	<50
26	<50	250-<1000	≥ 1000	<50
27	<50	<50	250-<1000	<50
28	<50	250-<1000	≥ 1000	<50
29	<50	250-<1000	250-<1000	<50
30	<50	250-<1000	250-<1000	<50
31	<50	<50	250-<1000	<50
32	<50	<50	50-<250	<50
33	250-<1000	<50	≥ 1000	<50
34	<50	50-<250	250-<1000	<50
35	<50	<50	250-<1000	<50
36	<50	50-<250	≥ 1000	<50

Fig. 2

#	Ensayo en fase sólida		Ensayo basado en proximidad	
	$\alpha_v \beta_1$	$\alpha_v \beta_6$	$\alpha_v \beta_1$	$\alpha_v \beta_6$
37	<50	<50	50-<250	<50
38	<50	250-<1000	≥ 1000	<50
39	<50	<50	≥ 1000	<50
40	<50	<50	≥ 1000	<50
41	<50	<50	50-<250	<50
42	<50	<50	<50	<50
43	<50	<50	50-<250	<50
44	<50	<50	250-<1000	<50
45	<50	<50	50-<250	<50
46	<50	50-<250	≥ 1000	<50
47	<50	50-<250	250-<1000	<50
48	<50	<50	<50	<50
49	50-<250	≥ 1000	50-<250	<50
50	<50	≥ 1000	250-<1000	50-<250
51	250-<1000	≥ 1000	≥ 1000	50-<250
52	<50	50-<250	50-<250	50-<250
53	<50	50-<250	<50	50-<250
54	<50	<50	≥ 1000	50-<250
55	<50	<50	250-<1000	50-<250
56	<50	<50	250-<1000	50-<250
57	<50	<50	250-<1000	50-<250
58	<50	<50	250-<1000	50-<250
59	<50	<50	250-<1000	50-<250
60	<50	50-<250	≥ 1000	50-<250
61	<50	<50	<50	50-<250
62	<50	<50	≥ 1000	50-<250
63	<50	50-<250	≥ 1000	50-<250
64	50-<250	250-<1000	≥ 1000	50-<250
65	<50	≥ 1000	≥ 1000	50-<250
66	<50	≥ 1000	≥ 1000	50-<250
67	250-<1000	250-<1000	≥ 1000	50-<250
68	250-<1000	250-<1000	≥ 1000	50-<250
69	50-<250	50-<250	250-<1000	50-<250
70	≥ 1000	≥ 1000	≥ 1000	50-<250
71	≥ 1000	≥ 1000	≥ 1000	50-<250
72	≥ 1000	≥ 1000	≥ 1000	50-<250

Fig. 2 (Continuación)

#	Ensayo en fase sólida		Ensayo basado en proximidad	
	$\alpha_V \beta_I$	$\alpha_V \beta_E$	$\alpha_V \beta_I$	$\alpha_V \beta_E$
73	≥ 1000	≥ 1000	≥ 1000	50-<250
74	≥ 1000	≥ 1000	≥ 1000	50-<250
75	≥ 1000	≥ 1000	≥ 1000	50-<250
76	≥ 1000	≥ 1000	≥ 1000	50-<250
77	-	-	-	-
78	<50	<50	<50	50-<250
79	<50	250-<1000	<50	50-<250
80	<50	250-<1000	250-<1000	50-<250
81	<50	≥ 1000	50-<250	50-<250
82	<50	<50	250-<1000	50-<250
83	<50	<50	250-<1000	50-<250
84	<50	<50	50-<250	50-<250
85	<50	<50	50-<250	50-<250
86	<50	<50	250-<1000	50-<250
87	<50	<50	50-<250	50-<250
88	<50	<50	250-<1000	50-<250
89	<50	<50	≥ 1000	50-<250
90	<50	<50	250-<1000	50-<250
91	<50	<50	250-<1000	50-<250
92	≥ 1000	≥ 1000	≥ 1000	50-<250
93	<50	<50	≥ 1000	50-<250
94	<50	<50	≥ 1000	50-<250
95	<50	<50	≥ 1000	50-<250
96	<50	<50	<50	50-<250
97	<50	<50	<50	50-<250
98	<50	<50	50-<250	50-<250
99	<50	<50	<50	50-<250
100	<50	<50	<50	50-<250
101	<50	<50	50-<250	50-<250
102	<50	<50	<50	50-<250
103	<50	<50	250-<1000	50-<250
104	<50	<50	50-<250	50-<250
105	<50	<50	<50	50-<250
106	<50	<50	250-<1000	50-<250
107	<50	<50	<50	50-<250
108	<50	<50	50-<250	50-<250

Fig. 2 (Continuación)

#	Ensayo en fase sólida		Ensayo basado en proximidad	
	$\alpha_V\beta_1$	$\alpha_V\beta_6$	$\alpha_V\beta_1$	$\alpha_V\beta_6$
109	<50	<50	50-<250	50-<250
110	<50	<50	<50	50-<250
111	<50	<50	50-<250	50-<250
112	<50	<50	250-<1000	50-<250
113	<50	<50	≥ 1000	50-<250
114	<50	<50	<50	50-<250
115	<50	250-<1000	50-<250	50-<250
116	<50	<50	50-<250	50-<250
117	<50	<50	<50	50-<250
118	<50	<50	250-<1000	50-<250
119	<50	<50	250-<1000	50-<250
120	<50	<50	≥ 1000	50-<250
121	<50	<50	250-<1000	50-<250
122	<50	<50	≥ 1000	50-<250
123	<50	<50	≥ 1000	50-<250
124	<50	-	<50	<50

Fig. 2 (Continuación)