

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<ST26SequenceListing dtdVersion="V1_3" fileName="BCS216090_SD419event.xml" softwareName="WIPO Sequence" softwareVersion="2.3.0"
productionDate="2024-05-01">
  <ApplicantFileReference>MONS510USP1</ApplicantFileReference>
  <EarliestPriorityApplicationIdentification>
    <IPOfficeCode>US</IPOfficeCode>
    <ApplicationNumberText>63/274,865</ApplicationNumberText>
    <FilingDate>2021-11-02</FilingDate>
  </EarliestPriorityApplicationIdentification>
  <ApplicantName languageCode="en">Monsanto Technology LLC</ApplicantName>
  <InventionTitle languageCode="es">EVENTO DE MAÍZ TRANSGÉNICO ZM_BCS216090 Y MÉTODOS PARA SU DETECCIÓN Y SUS USOS</InventionTitle>
  <SequenceTotalQuantity>18</SequenceTotalQuantity>
  <SequenceData sequenceIDNumber="1">
    <INSDSeq>
      <INSDSeq_length>30</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>misc_feature</INSDFeature_key>
          <INSDFeature_location>1..30</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q1">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>A 30 nucleotide sequence representing the 5' junction region of corn genomic DNA and the integrated transgenic
expression cassette.</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>acgctggatccgaaggacgtgtctacattc</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="2">
    <INSDSeq>
      <INSDSeq_length>30</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>misc_feature</INSDFeature_key>
          <INSDFeature_location>1..30</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q3">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>A 30 nucleotide sequence representing the 3' junction regions of the integrated transgenic expression cassette and
the corn genomic DNA.</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>ccgcacaacaacgcgacgactaacccgca</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="3">
    <INSDSeq>
      <INSDSeq_length>60</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>misc_feature</INSDFeature_key>
          <INSDFeature_location>1..60</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q5">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>A 60 nucleotide sequence representing the 5' junction region of corn genomic DNA and the integrated transgenic
expression cassette.</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..60</INSDFeature_location>
      </INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
</ST26SequenceListing>
```

```
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier_id="q6">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>taatcgggccatcgacgctggatccgaaggacgtgtctacattcacgtccaaatggggg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="4">
  <INSDSeq>
    <INSDSeq_length>60</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..60</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q7">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 60 nucleotide sequence representing the 3' junction region of the integrated transgenic expression cassette and the corn genomic DNA.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..60</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q8">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gagggttgatttgcggccgcacacaaacgcgacgactaacccgcaaatggcgcggtcgc</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="5">
  <INSDSeq>
    <INSDSeq_length>100</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..100</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q9">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 100 nucleotide sequence representing the 3' junction region of the integrated transgenic expression cassette and the corn genomic DNA.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..100</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q10">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>cgaaccgataaccctcttctaattcgggccatcgacgctggatccgaaggacgtgtctacattcacgtccaaatgggggcttagatgagaaacttcacg</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="6">
  <INSDSeq>
    <INSDSeq_length>100</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..100</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q11">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 100 nucleotide sequence representing the 3' junction region of the integrated transgenic expression cassette and the corn genomic DNA.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..100</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q12">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>ccacctctttaaatagagtgggttgatttgcggccgcacacaaacgcgacgactaacccgcaaatggcgcggctcgccagagtaagtctagggtgg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="7">
  <INSDSeq>
    <INSDSeq_length>1180</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..1180</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q13">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 1,180 nucleotide sequence representing 1,000 nucleotides of 5'flanking corn genomic DNA and 180 nucleotides of
              inserted T-DNA.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gattaacaagaacattattgggttaaaaaagagtgatcaagggcacaaactttccttcaacgagctcctgctcagtattttccatctgctgggtaccaggttccttggtcacttgctcgtctactcg
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="8">
  <INSDSeq>
    <INSDSeq_length>1107</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..1107</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q15">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 1,107 nucleotide sequence representing 107 nucleotides of inserted T-DNA and 1,000 nucleotides of 3' flanking
              corn genomicDNA after the inserted T-DNA.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>cctgcaggtgtttaactagggtatacagggtaataggtctcacgcggaatcctaccacctctttaaatagagtgggttgatttgcggccgcacacaaacgcgacgactaacccgcaaat
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="9">
  <INSDSeq>
    <INSDSeq_length>2733</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..2733</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q17">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 2,733 nucleotide sequence corresponding to the transgenic inserted T-DNA of corn event ZM_BCS216090.
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..2733</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q18">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gacgtgtctacattcacgtccaaatgggggcttagatgagaaacttcacgatttggcgcgactaactaagcactagcgtacgggacccagatatcgaattcaagcttataacttcgtataatgta
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="10">
  <INSDSeq>
    <INSDSeq_length>4733</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..4733</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q19">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 5,731 nucleotide sequence corresponding to the contignucleotide sequence of the 5' genomic flanking DNA, the
            insertedT-DNA, and the 3' flanking corn genomic DNA corresponding to event ZM_BCS216090.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gattaacaagaacattattggttaaaaaagagtgatcaagggcacacatttccttcaacgagctcctgctcagtattttccatctgctgggtaccaggttccttggtcacttgctcgtctactcg
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="11">
  <INSDSeq>
    <INSDSeq_length>19</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..19</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q21">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 19 nucleotide sequence corresponding to the thermalamplification primer, SQ51606 used to identify corn
            eventZM_BCS216090 DNA in a sample.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atcgacgctggatccgaag</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="12">
  <INSDSeq>
    <INSDSeq_length>21</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..21</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q23">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 21 nucleotide sequence corresponding to a thermal amplificationprimer, SQ51629 used to identify corn event
            ZM_BCS216090 DNA in a sample.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature>
  <INSDFeature_key>source</INSDFeature_key>
  <INSDFeature_location>1..21</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier>
      <INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other DNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q24">
      <INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>ttagttagtcgcgccaatcg</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="13">
  <INSDSeq>
    <INSDSeq_length>19</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..19</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q25">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 19 mic;eptode seqiemce cprres[pmdomg tp a [rpbe referred tp asPB50583 used to identify corn event ZM_BCS216090
            DNA in a sample.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..19</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q26">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>aagtttctcatctaagccc</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="14">
  <INSDSeq>
    <INSDSeq_length>24</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..24</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q27">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 24 nucleotide sequence corresponding to a thermal amplificationprimer referred to as SQ20222 used as an internal
            control for theevent and zygosity assay for corn event ZM_BCS216090.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..24</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q28">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gccctatgacttaccgagagttca</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="15">
  <INSDSeq>
    <INSDSeq_length>28</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..28</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q29">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 28 nucleotide sequence corresponding to a thermal amplificationprimer referred to as SQ20221 used as an internal
            control for theevent and zygosity assay for corn event ZM_BCS216090.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>source</INSDFeature_key>
  <INSDFeature_location>1..28</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier>
      <INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>other DNA</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q30">
      <INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>gttgctatgtactaacagaactgcatgt</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="16">
  <INSDSeq>
    <INSDSeq_length>17</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..17</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q31">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 17 nucleotide sequence corresponding to a probe referred to asPB50298 used as an internal control for the event
              and zygosity assay for corn event ZM_BCS216090.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..17</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q32">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>tgtttgtgtggctccat</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="17">
  <INSDSeq>
    <INSDSeq_length>1000</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..1000</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q33">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 1,000 nucleotide sequence of the 5' flanking corn genomic DNA up to the inserted T-DNA in event ZM-BCS216090.
              </INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1000</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>genomic DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q34">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Zea mays</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>gattaacaagaacattattgggttaaaaagagtgatcaagggcacaaactttccttcaacgagctcctgctcagtattttccatctgctgggtaccaggttccttggtcacttgctcgtctactcg
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="18">
  <INSDSeq>
    <INSDSeq_length>1000</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..1000</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q35">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A 1,000 nucleotide sequence of the 3' flanking corn genomic DNA immediately after the inserted T-DNA in event ZM-
              BCS216090.</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDFeature_qual>  
</INSDFeature>  
<INSDFeature>  
  <INSDFeature_key>source</INSDFeature_key>  
  <INSDFeature_location>1..1000</INSDFeature_location>  
  <INSDFeature_qual>  
    <INSDQualifier>  
      <INSDQualifier_name>mol_type</INSDQualifier_name>  
      <INSDQualifier_value>genomic DNA</INSDQualifier_value>  
    </INSDQualifier>  
    <INSDQualifier id="q36">  
      <INSDQualifier_name>organism</INSDQualifier_name>  
      <INSDQualifier_value>Zea mays</INSDQualifier_value>  
    </INSDQualifier>  
  </INSDFeature_qual>  
</INSDFeature>  
</INSDSeq_feature-table>  
<INSDSeq_sequence>gacgactaaccgcaaatggcgcggtctgccagagtaatgctagggtggtgcatcaatggataaaaacctgccgcacgcaggcacaacgctaagggaaccaatggcgaggaagaacatagggt  
</INSDSeq>  
</SequenceData>  
</ST26SequenceListing>
```