

```

    <?xml version="1.0" encoding="utf-8"?>
    <!DOCTYPE ST26SequenceListing PUBLIC "-//WIPO//DTD Sequence Listing
1.3//EN" "ST26SequenceListing_V1_3.dtd">
    <ST26SequenceListing originalFreeTextLanguageCode="en" dtdVersion="V1_3"
5   fileName="740019_SA9-335PC.xml"          softwareName="WIPO          Sequence"
softwareVersion="2.3.0" productionDate="2023-05-25">
    <ApplicationIdentification>
        <IPOfficeCode>W0</IPOfficeCode>
        <ApplicationNumberText></ApplicationNumberText>
10    <FilingDate></FilingDate>
    </ApplicationIdentification>
    <ApplicantFileReference>740019: SA9-335PC</ApplicantFileReference>
    <EarliestPriorityApplicationIdentification>
        <IPOfficeCode>EP</IPOfficeCode>
15    <ApplicationNumberText>22305784.5</ApplicationNumberText>
        <FilingDate>27-05-2022</FilingDate>
    </EarliestPriorityApplicationIdentification>
    <ApplicantName languageCode="en">SANOFI</ApplicantName>
    <InventionTitle languageCode="en">ANTICUERPOS ANTI-BCMA</InventionTitle>
20    <SequenceTotalQuantity>27</SequenceTotalQuantity>
    <SequenceData sequenceIDNumber="1">
        <INSDSeq>
            <INSDSeq_length>10</INSDSeq_length>
            <INSDSeq_moltype>AA</INSDSeq_moltype>
25    <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>REGION</INSDFeature_key>
30    <INSDFeature_location>1..10</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier id="q1">
                            <INSDQualifier_name>note</INSDQualifier_name>
35    <INSDQualifier_value>HCDR1    de    VH
anti-BCMA</INSDQualifier_value>
                        </INSDQualifier>
                    </INSDFeature_qual>
                </INSDFeature>

```

```

    <INSDFeature>
      <INSDFeature_key>source</INSDFeature_key>

    <INSDFeature_location>1..10</INSDFeature_location>
5      <INSDFeature_qual>
        <INSDQualifier>

    <INSDQualifier_name>mol_type</INSDQualifier_name>

10    <INSDQualifier_value>proteína</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q64">

    <INSDQualifier_name>organism</INSDQualifier_name>
15      <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
20  </INSDSeq_feature-table>
    <INSDSeq_sequence>GFTFSNFGMH</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="2">
25  <INSDSeq>
    <INSDSeq_length>9</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
30    <INSDFeature>
      <INSDFeature_key>REGION</INSDFeature_key>
      <INSDFeature_location>1..9</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q3">
35
    <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>HCDR2 de VH
anti-BCMA</INSDQualifier_value>
    </INSDQualifier>

```

```

        </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
5        <INSDFeature_location>1..9</INSDFeature_location>
        <INSDFeature_qual>
            <INSDQualifier>

10        <INSDQualifier_name>mol_type</INSDQualifier_name>

        <INSDQualifier_value>proteína</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q65">

15        <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
20    </INSDSeq_feature-table>
    <INSDSeq_sequence>VIWSDETNR</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
25 <SequenceData sequenceIDNumber="3">
    <INSDSeq>
        <INSDSeq_length>16</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
30    <INSDSeq_feature-table>
        <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>

            <INSDFeature_location>1..16</INSDFeature_location>
35            <INSDFeature_qual>
                <INSDQualifier id="q5">

                <INSDQualifier_name>note</INSDQualifier_name>

```

</INSDQualifier>

5 </INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

```
10                                <INSDFeature_qual>
```

<INSDQualifier>

15 <INSDQualifier_value>proteína</INSDQualifier_value>

<INSDQualifier id="q66">

[illegible]

</INSDQualifier>

25 </INSDSeq_feature-table>

</INSDSeq>

<SequenceData sequenceIDNumber="4">

30 <INSDSeq>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_feature-table>

35 <INSDFeature>

<INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_qual>

```
<INSDQualifier id="q7">
```

```
<INSDQualifier_name>note</INSDQualifier_name>
```

```
<INSDQualifier_value>LCDR1 de VL_v2
```

```
5 anti-BCMA, de VL_v6 anti-BCMA y de VL_v7 anti-BCMA</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
</INSDFeature_qual>
```

```
</INSDFeature>
```

```
<INSDFeature>
```

```
10 <INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..15</INSDFeature_location>
```

```
<INSDFeature_qual>
```

```
<INSDQualifier>
```

```
15
```

```
<INSDQualifier_name>mol_type</INSDQualifier_name>
```

```
<INSDQualifier_value>proteína</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
20 <INSDQualifier id="q67">
```

```
<INSDQualifier_name>organism</INSDQualifier_name>
```

```
<INSDQualifier_value>constructo
```

```
sintético</INSDQualifier_value>
```

```
25 </INSDQualifier>
```

```
</INSDFeature_qual>
```

```
</INSDFeature>
```

```
</INSDSeq_feature-table>
```

```
<INSDSeq_sequence>CASSTGTVTPSNYAN</INSDSeq_sequence>
```

```
30 </INSDSeq>
```

```
</SequenceData>
```

```
<SequenceData sequenceIDNumber="5">
```

```
<INSDSeq>
```

```
<INSDSeq_length>15</INSDSeq_length>
```

```
35
```

```
<INSDSeq_moltype>AA</INSDSeq_moltype>
```

```
<INSDSeq_division>PAT</INSDSeq_division>
```

```
<INSDSeq_feature-table>
```

```
<INSDFeature>
```

```
<INSDFeature_key>REGION</INSDFeature_key>
```

```

5      <INSDFeature_location>1..15</INSDFeature_location>
          <INSDFeature_qual>
              <INSDQualifier id="q9">
5          <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>LCDR1      de
VL_original anti-BCMA y de VL_v1 anti-BCMA</INSDQualifier_value>
              </INSDQualifier>
10          </INSDFeature_qual>
          </INSDFeature>
          <INSDFeature>
              <INSDFeature_key>source</INSDFeature_key>

15      <INSDFeature_location>1..15</INSDFeature_location>
          <INSDFeature_qual>
              <INSDQualifier>

20          <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>proteína</INSDQualifier_value>
              </INSDQualifier>
              <INSDQualifier id="q68">

25          <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
              </INSDQualifier>
              </INSDFeature_qual>
30          </INSDFeature>
          </INSDSeq_feature-table>
          <INSDSeq_sequence>CRSSTGTVTPSNYAN</INSDSeq_sequence>
          </INSDSeq>
        </SequenceData>
35      <SequenceData sequenceIDNumber="6">
          <INSDSeq>
              <INSDSeq_length>15</INSDSeq_length>
              <INSDSeq_moltype>AA</INSDSeq_moltype>
              <INSDSeq_division>PAT</INSDSeq_division>

```

```

    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>REGION</INSDFeature_key>

5      <INSDFeature_location>1..15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q11">

            <INSDQualifier_name>note</INSDQualifier_name>
10            <INSDQualifier_value>LCDR1 de VL_v3
anti-BCMA</INSDQualifier_value>

              </INSDQualifier>
            </INSDFeature_qual>
          </INSDFeature>
15          <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>

            <INSDFeature_location>1..15</INSDFeature_location>
              <INSDFeature_qual>
20                <INSDQualifier>

                  <INSDQualifier_name>mol_type</INSDQualifier_name>

                  <INSDQualifier_value>proteína</INSDQualifier_value>
25                  </INSDQualifier>
                    <INSDQualifier id="q69">

                      <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>constructo
30 sintético</INSDQualifier_value>

                          </INSDQualifier>
                        </INSDFeature_qual>
                      </INSDFeature>
                    </INSDSeq_feature-table>
35          <INSDSeq_sequence>CASSTGAVTPSNYAN</INSDSeq_sequence>
            </INSDSeq>
          </SequenceData>
        <SequenceData sequenceIDNumber="7">
          <INSDSeq>

```

```

      <INSDSeq_length>15</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
5          <INSDFeature>
              <INSDFeature_key>REGION</INSDFeature_key>

              <INSDFeature_location>1..15</INSDFeature_location>
              <INSDFeature_qual>
10                  <INSDQualifier id="q13">

                      <INSDQualifier_name>note</INSDQualifier_name>
                      <INSDQualifier_value>LCDR1 de VL_v4
anti-BCMA</INSDQualifier_value>
15                  </INSDQualifier>
              </INSDFeature_qual>
          </INSDFeature>
          <INSDFeature>
              <INSDFeature_key>source</INSDFeature_key>
20
              <INSDFeature_location>1..15</INSDFeature_location>
              <INSDFeature_qual>
                  <INSDQualifier>

25                  <INSDQualifier_name>mol_type</INSDQualifier_name>

                      <INSDQualifier_value>proteína</INSDQualifier_value>
                      </INSDQualifier>
                      <INSDQualifier id="q70">

30                      <INSDQualifier_name>organism</INSDQualifier_name>
                      <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
                      </INSDQualifier>
35                  </INSDFeature_qual>
              </INSDFeature>
          </INSDSeq_feature-table>
          <INSDSeq_sequence>CASSTGAVTPGYAN</INSDSeq_sequence>
      </INSDSeq>

```

```

</SequenceData>
<SequenceData sequenceIDNumber="8">
  <INSDSeq>
    <INSDSeq_length>15</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>REGION</INSDFeature_key>
        <INSDFeature_location>1..15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q15">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>LCDR1 de VL_v5
anti-BCMA</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>proteína</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q71">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>

```

```

        </INSDSeq_feature-table>
        <INSDSeq_sequence>CASSTGAVTSGYYAN</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
5    <SequenceData sequenceIDNumber="9">
    <INSDSeq>
        <INSDSeq_length>7</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
10    <INSDSeq_feature-table>
        <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>
            <INSDFeature_location>1..7</INSDFeature_location>
            <INSDFeature_qual>
15    <INSDQualifier id="q17">

            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>LCDR2          de
VL_original anti-BCMA, de VL_v1 anti-BCMA, de VL_v2 anti-BCMA, de VL_v6 anti-
20 BCMA y de VL_v7 anti-BCMA</INSDQualifier_value>
            </INSDQualifier>
        </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
25    <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..7</INSDFeature_location>
        <INSDFeature_qual>
            <INSDQualifier>

30    <INSDQualifier_name>mol_type</INSDQualifier_name>

        <INSDQualifier_value>proteína</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q72">

35    <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
            </INSDQualifier>

```

```

        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>DNNSRPP</INSDSeq_sequence>
5    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="10">
    <INSDSeq>
      <INSDSeq_length>7</INSDSeq_length>
10    <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>REGION</INSDFeature_key>
15    <INSDFeature_location>1..7</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q19">

              <INSDQualifier_name>note</INSDQualifier_name>
20    <INSDQualifier_value>LCDR2 de VL_v3
anti-BCMA</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
25    <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..7</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
30    <INSDQualifier_name>mol_type</INSDQualifier_name>

            <INSDQualifier_value>proteína</INSDQualifier_value>
            </INSDQualifier>
35    <INSDQualifier id="q73">

            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>constructo
sintético</INSDQualifier_value>

```

```

        </INSDQualifier>
        </INSDFeature_qual>
        </INSDFeature>
        </INSDSeq_feature-table>
5        <INSDSeq_sequence>DNNIKPP</INSDSeq_sequence>
        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="11">
        <INSDSeq>
10        <INSDSeq_length>7</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
15            <INSDFeature_key>REGION</INSDFeature_key>
            <INSDFeature_location>1..7</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier id="q21">
20        <INSDQualifier_name>note</INSDQualifier_name>
                <INSDQualifier_value>LCDR2 de VL_v4
anti-BCMA</INSDQualifier_value>
            </INSDQualifier>
            </INSDFeature_qual>
            </INSDFeature>
25        <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>
            <INSDFeature_location>1..7</INSDFeature_location>
            <INSDFeature_qual>
30            <INSDQualifier>

            <INSDQualifier_name>mol_type</INSDQualifier_name>

            <INSDQualifier_value>proteína</INSDQualifier_value>
35            </INSDQualifier>
            <INSDQualifier id="q74">

            <INSDQualifier_name>organism</INSDQualifier_name>

```

[illegible]

```

    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
5          </INSDQualifier>
          </INSDFeature_qual>
          </INSDFeature>
          </INSDSeq_feature-table>
          <INSDSeq_sequence>DNNIKPS</INSDSeq_sequence>
10        </INSDSeq>
      </SequenceData>
      <SequenceData sequenceIDNumber="13">
        <INSDSeq>
          <INSDSeq_length>9</INSDSeq_length>
          <INSDSeq_moltype>AA</INSDSeq_moltype>
15        <INSDSeq_division>PAT</INSDSeq_division>
          <INSDSeq_feature-table>
            <INSDFeature>
              <INSDFeature_key>REGION</INSDFeature_key>
20            <INSDFeature_location>1..9</INSDFeature_location>
              <INSDFeature_qual>
                <INSDQualifier id="q25">

          <INSDQualifier_name>note</INSDQualifier_name>
25          <INSDQualifier_value>LCDR3      de
VL_original anti-BCMA, de VL_v1 anti-BCMA, de VL_v2 anti-BCMA, de VL_v6 anti-
BCMA y de VL_v7 anti-BCMA</INSDQualifier_value>
          </INSDQualifier>
          </INSDFeature_qual>
30        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..9</INSDFeature_location>
          <INSDFeature_qual>
35          <INSDQualifier>

          <INSDQualifier_name>mol_type</INSDQualifier_name>

          <INSDQualifier_value>proteína</INSDQualifier_value>

```

</INSDQualifier>

<INSDQualifier id="q76">

<INSDQualifier_name>organism</INSDQualifier_name>

5 <INSDQualifier_value>constructo
sintético</INSDQualifier_value>

</INSDQualifier>

</INSDFeature_qual>

</INSDFeature>

10 </INSDSeq_feature-table>

<INSDSeq_sequence>ALWFGNQWV</INSDSeq_sequence>

</INSDSeq>

</SequenceData>

<SequenceData sequenceIDNumber="14">

15 <INSDSeq>

<INSDSeq_length>9</INSDSeq_length>

<INSDSeq_moltype>AA</INSDSeq_moltype>

<INSDSeq_division>PAT</INSDSeq_division>

<INSDSeq_feature-table>

20 <INSDFeature>

<INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..9</INSDFeature_location>

<INSDFeature_qual>

<INSDQualifier id="q27">

25

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>LCDR3 de VL_V3

anti-BCMA</INSDQualifier_value>

</INSDQualifier>

30 </INSDFeature_qual>

</INSDFeature>

<INSDFeature>

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..9</INSDFeature_location>

35 <INSDFeature_qual>

<INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

```

    <INSDQualifier_value>proteína</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q77">
5
    <INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
      </INSDQualifier>
10    </INSDFeature_qual>
      </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>ALWYGGQWV</INSDSeq_sequence>
    </INSDSeq>
15 </SequenceData>
    <SequenceData sequenceIDNumber="15">
      <INSDSeq>
        <INSDSeq_length>9</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
20    <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
          <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>
            <INSDFeature_location>1..9</INSDFeature_location>
25    <INSDFeature_qual>
              <INSDQualifier id="q29">

    <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>LCDR3 de VL_v4
30 anti-BCMA y de VL_v5 anti-BCMA</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
35    <INSDFeature_key>source</INSDFeature_key>
      <INSDFeature_location>1..9</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

```

```

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>proteína</INSDQualifier_value>
5      </INSDQualifier>
      <INSDQualifier id="q78">

<INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>constructo
10  sintético</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
      </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>ALYYGGQWV</INSDSeq_sequence>
15  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="16">
  <INSDSeq>
20    <INSDSeq_length>125</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
25    <INSDFeature_key>REGION</INSDFeature_key>

    <INSDFeature_location>1..125</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q31">
30
    <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>VH      anti-
BCMA</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
35  </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>source</INSDFeature_key>

```

```

    <INSDFeature_location>1..125</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>
5      <INSDQualifier_name>mol_type</INSDQualifier_name>

      <INSDQualifier_value>proteína</INSDQualifier_value>
        </INSDQualifier>
10      <INSDQualifier id="q79">

      <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
15      </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>

20    <INSDSeq_sequence>QVQLVESGGGVVQPGRSLRLSCAASGFTFSNFGMHWVRQAPGRGLEWVAVIWS
ETNRYADSVKGRFTVSRDNVKSTVYLQMNSLI SEDTAVYYCARDQYCSSDSCFTWFDPWGQGT LTVSS</INSDS
eq_sequence>
      </INSDSeq>
    </SequenceData>
25    <SequenceData sequenceIDNumber="17">
      <INSDSeq>
        <INSDSeq_length>109</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
30      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>REGION</INSDFeature_key>

          <INSDFeature_location>1..109</INSDFeature_location>
35          <INSDFeature_qual>
            <INSDQualifier id="q33">

            <INSDQualifier_name>note</INSDQualifier_name>

```

```

                                <INSDQualifier_value>VL_original
anti-BCMA</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
5                                </INSDFeature>
                                <INSDFeature>
                                    <INSDFeature_key>source</INSDFeature_key>

                                <INSDFeature_location>1..109</INSDFeature_location>
10                                <INSDFeature_qual>
                                    <INSDQualifier>

                                <INSDQualifier_name>mol_type</INSDQualifier_name>

15                                <INSDQualifier_value>proteína</INSDQualifier_value>
                                    </INSDQualifier>
                                    <INSDQualifier id="q80">

                                <INSDQualifier_name>organism</INSDQualifier_name>
20                                <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
                                    </INSDQualifier>
                                    </INSDFeature_qual>
                                    </INSDFeature>
25                                </INSDSeq_feature-table>

                                <INSDSeq_sequence>QVVVTQESALTTSPGETVTLTCRSSTGTVTPSNYANWVQEKPDHFFTGLIGDNN
SRPPGVPARFSASLIGDKAALTITGAQTEDEAMYFCALWFGNQWVFGGGTKVTVL</INSDSeq_sequence>
                                    </INSDSeq>
30                                </SequenceData>
                                <SequenceData sequenceIDNumber="18">
                                    <INSDSeq>
                                        <INSDSeq_length>109</INSDSeq_length>
                                        <INSDSeq_moltype>AA</INSDSeq_moltype>
35                                <INSDSeq_division>PAT</INSDSeq_division>
                                        <INSDSeq_feature-table>
                                            <INSDFeature>
                                                <INSDFeature_key>REGION</INSDFeature_key>

```

```

    <INSDFeature_location>1..109</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q35">
5
          <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>VL_v1      anti-
BCMA</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
10      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

15    <INSDFeature_location>1..109</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

20    <INSDQualifier_name>mol_type</INSDQualifier_name>
      <INSDQualifier_value>proteína</INSDQualifier_value>
        </INSDQualifier>
        <INSDQualifier id="q81">

25    <INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
30    </INSDFeature>
  </INSDSeq_feature-table>

  <INSDSeq_sequence>QTVVTQEPSLTVSPGGTVLTCRSSTGTVTPSNYANWVQKPDHFFTGLIGDNN
SRPPGVPARFSASLIGDKAALTLSGVQPEDEAEYYCALWFGNQWVFGGGTKLTVL</INSDSeq_sequence>
35    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="19">
    <INSDSeq>
      <INSDSeq_length>109</INSDSeq_length>

```

```

    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
5        <INSDFeature_key>REGION</INSDFeature_key>

        <INSDFeature_location>1..109</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q37">
10
              <INSDQualifier_name>note</INSDQualifier_name>
                <INSDQualifier_value>VL_v2      anti-
BCMA</INSDQualifier_value>
              </INSDQualifier>
15            </INSDFeature_qual>
          </INSDFeature>
          <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>

20        <INSDFeature_location>1..109</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

25        <INSDQualifier_name>mol_type</INSDQualifier_name>
          <INSDQualifier_value>proteína</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q82">

30        <INSDQualifier_name>organism</INSDQualifier_name>
          <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
35        </INSDFeature>
      </INSDSeq_feature-table>

    <INSDSeq_sequence>QTVVTQEPSLTVSPGGTVTLTCASSTGTVTPSNYANWVQKPGQAPRGLIGDNN
SRPPGTPARFSASLLGGKAALTLSGVQPEDEAEYYCALWFGNQWVFGGGTKLTVL</INSDSeq_sequence>

```



```

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>proteína</INSDQualifier_value>
5      </INSDQualifier>
      <INSDQualifier id="q85">

<INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>constructo
10  sintético</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
      </INSDFeature>
      </INSDSeq_feature-table>
15

<INSDSeq_sequence>QTVVTQEPSLTVSPGGTVLTCASSTGAVTSGYYANWVQKPGQAPRALIGDNN
IKPSWTPARFSGSLLGGKAALTLSGVQPEDEAEYYCALYYGGQWVFGGGTKLTVL</INSDSeq_sequence>
      </INSDSeq>
</SequenceData>
20 <SequenceData sequenceIDNumber="23">
      <INSDSeq>
      <INSDSeq_length>109</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
25 <INSDSeq_feature-table>
      <INSDFeature>
      <INSDFeature_key>REGION</INSDFeature_key>

      <INSDFeature_location>1..109</INSDFeature_location>
30 <INSDFeature_qual>
      <INSDQualifier id="q45">

<INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>VL_v6      anti-
35 BCMA</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>

```

```

<INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..109</INSDFeature_location>
<INSDFeature_qual>
5   <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>proteína</INSDQualifier_value>
10   </INSDQualifier>
      <INSDQualifier id="q86">

<INSDQualifier_name>organism</INSDQualifier_name>
      <INSDQualifier_value>constructo
15   sintético</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
      </INSDFeature>
      </INSDSeq_feature-table>
20

<INSDSeq_sequence>QTVVTQEPSLTVSPGGTVLTCASSTGTVTPSNYANWVQKPGQFPRGLIGDNN
SRPPGTPARFSASLLGGKAALTLSGVQPEDEAEYYCALWFGNQWVFGGGTKLTVL</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
25 <SequenceData sequenceIDNumber="24">
      <INSDSeq>
          <INSDSeq_length>109</INSDSeq_length>
          <INSDSeq_moltype>AA</INSDSeq_moltype>
          <INSDSeq_division>PAT</INSDSeq_division>
30   <INSDSeq_feature-table>
          <INSDFeature>
              <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..109</INSDFeature_location>
35   <INSDFeature_qual>
          <INSDQualifier id="q47">

<INSDQualifier_name>note</INSDQualifier_name>

```

```

BCMA</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
5      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

        <INSDFeature_location>1..109</INSDFeature_location>
10      <INSDFeature_qual>
        <INSDQualifier>

        <INSDQualifier_name>mol_type</INSDQualifier_name>

15      <INSDQualifier_value>proteína</INSDQualifier_value>
        </INSDQualifier>
        <INSDQualifier id="q87">

        <INSDQualifier_name>organism</INSDQualifier_name>
20      <INSDQualifier_value>constructo
sintético</INSDQualifier_value>
        </INSDQualifier>
        </INSDFeature_qual>
        </INSDFeature>
25      </INSDSeq_feature-table>

      <INSDSeq_sequence>QTVVTQEPSLTVSPGGTVLTCASSTGTVTPSNYANWVQQKPGQAFRGLIGDNN
SRPPGTPARFSASLLGGKAALTLSGVQPEDEAEYYCALWFGNQWVFGGGTKLTVL</INSDSeq_sequence>
      </INSDSeq>
30    </SequenceData>
      <SequenceData sequenceIDNumber="25">
        <INSDSeq>
          <INSDSeq_length>15</INSDSeq_length>
          <INSDSeq_moltype>AA</INSDSeq_moltype>
35      <INSDSeq_division>PAT</INSDSeq_division>
          <INSDSeq_feature-table>
            <INSDFeature>
              <INSDFeature_key>REGION</INSDFeature_key>

```

```

<INSDFeature_location>1..15</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q49">
5
          <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>CDR-L1 de anti-
BCMA</INSDQualifier_value>
              </INSDQualifier>
10            </INSDFeature_qual>
          </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>VARIANT</INSDFeature_key>
          <INSDFeature_location>2</INSDFeature_location>
15          <INSDFeature_qual>
            <INSDQualifier id="q50">

              <INSDQualifier_name>note</INSDQualifier_name>
                <INSDQualifier_value>X en la posición
20 2 es R o A</INSDQualifier_value>
                  </INSDQualifier>
                </INSDFeature_qual>
              </INSDFeature>
            <INSDFeature>
25              <INSDFeature_key>VARIANT</INSDFeature_key>
              <INSDFeature_location>7</INSDFeature_location>
              <INSDFeature_qual>
                <INSDQualifier id="q51">

30              <INSDQualifier_name>note</INSDQualifier_name>
                <INSDQualifier_value>X en la posición
7 es T o A</INSDQualifier_value>
                  </INSDQualifier>
                </INSDFeature_qual>
35              </INSDFeature>
            <INSDFeature>
              <INSDFeature_key>VARIANT</INSDFeature_key>
              <INSDFeature_location>11</INSDFeature_location>
              <INSDFeature_qual>

```

```
<INSDQualifier id="q52">
```

```
<INSDQualifier_name>note</INSDQualifier_name>
```

```
<INSDQualifier_value>X en la posición
```

```
5 11 es S o G</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
</INSDFeature_qual>
```

```
</INSDFeature>
```

```
<INSDFeature>
```

```
10
```

```
<INSDFeature_key>VARIANT</INSDFeature_key>
```

```
<INSDFeature_location>12</INSDFeature_location>
```

```
<INSDFeature_qual>
```

```
<INSDQualifier id="q53">
```

```
15
```

```
<INSDQualifier_name>note</INSDQualifier_name>
```

```
<INSDQualifier_value>X en la posición
```

```
12 es N o Y</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
</INSDFeature_qual>
```

```
20
```

```
</INSDFeature>
```

```
<INSDFeature>
```

```
<INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..15</INSDFeature_location>
```

```
25
```

```
<INSDFeature_qual>
```

```
<INSDQualifier>
```

```
<INSDQualifier_name>mol_type</INSDQualifier_name>
```

```
30
```

```
<INSDQualifier_value>proteína</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
<INSDQualifier id="q88">
```

```
<INSDQualifier_name>organism</INSDQualifier_name>
```

```
35
```

```
<INSDQualifier_value>constructo
```

```
sintético</INSDQualifier_value>
```

```
</INSDQualifier>
```

```
</INSDFeature_qual>
```

```
</INSDFeature>
```

```

1         </INSDSeq_feature-table>
2         <INSDSeq_sequence>CXSSTGXVTPXXYAN</INSDSeq_sequence>
3     </INSDSeq>
4 </SequenceData>
5 <SequenceData sequenceIDNumber="26">
6     <INSDSeq>
7         <INSDSeq_length>7</INSDSeq_length>
8         <INSDSeq_moltype>AA</INSDSeq_moltype>
9         <INSDSeq_division>PAT</INSDSeq_division>
10        <INSDSeq_feature-table>
11            <INSDFeature>
12                <INSDFeature_key>REGION</INSDFeature_key>
13                <INSDFeature_location>1..7</INSDFeature_location>
14                <INSDFeature_qual>
15                    <INSDQualifier id="q55">
16
17                    <INSDQualifier_name>note</INSDQualifier_name>
18                    <INSDQualifier_value>CDR-L2 de anti-
19                    BCMA</INSDQualifier_value>
20                </INSDQualifier>
21            </INSDFeature_qual>
22        </INSDFeature>
23        <INSDFeature>
24            <INSDFeature_key>VARIANT</INSDFeature_key>
25            <INSDFeature_location>4</INSDFeature_location>
26            <INSDFeature_qual>
27                <INSDQualifier id="q56">
28
29                <INSDQualifier_name>note</INSDQualifier_name>
30                <INSDQualifier_value>X en la posición
31                4 es S, I o N</INSDQualifier_value>
32            </INSDQualifier>
33        </INSDFeature_qual>
34    </INSDFeature>
35    <INSDFeature>
36        <INSDFeature_key>VARIANT</INSDFeature_key>
37        <INSDFeature_location>5</INSDFeature_location>
38        <INSDFeature_qual>
39            <INSDQualifier id="q57">

```

```

    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>X en la posición
5 es R o K</INSDQualifier_value>
5    </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>source</INSDFeature_key>
10    <INSDFeature_location>1..7</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier>

    <INSDQualifier_name>mol_type</INSDQualifier_name>
15    <INSDQualifier_value>proteína</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q89">

    <INSDQualifier_name>organism</INSDQualifier_name>
20    <INSDQualifier_value>constructo
    sintético</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
25    </INSDSeq_feature-table>
    <INSDSeq_sequence>DNNXXPP</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
30 <SequenceData sequenceIDNumber="27">
  <INSDSeq>
    <INSDSeq_length>9</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
35    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>REGION</INSDFeature_key>
        <INSDFeature_location>1..9</INSDFeature_location>
        <INSDFeature_qual>

```

```
<INSDQualifier id="q59">
```

```
  <INSDQualifier_name>note</INSDQualifier_name>
```

```
    <INSDQualifier_value>CDR-L3 de anti-
```

```
5  BCMA</INSDQualifier_value>
```

```
      </INSDQualifier>
```

```
    </INSDFeature_qual>
```

```
  </INSDFeature>
```

```
  <INSDFeature>
```

```
10    <INSDFeature_key>VARIANT</INSDFeature_key>
```

```
    <INSDFeature_location>3</INSDFeature_location>
```

```
    <INSDFeature_qual>
```

```
      <INSDQualifier id="q60">
```

```
15    <INSDQualifier_name>note</INSDQualifier_name>
```

```
      <INSDQualifier_value>X en la posición
```

```
3 es W o Y</INSDQualifier_value>
```

```
        </INSDQualifier>
```

```
    </INSDFeature_qual>
```

```
20  </INSDFeature>
```

```
  <INSDFeature>
```

```
    <INSDFeature_key>VARIANT</INSDFeature_key>
```

```
    <INSDFeature_location>4</INSDFeature_location>
```

```
    <INSDFeature_qual>
```

```
25    <INSDQualifier id="q61">
```

```
      <INSDQualifier_name>note</INSDQualifier_name>
```

```
        <INSDQualifier_value>X en la posición
```

```
4 es F o Y</INSDQualifier_value>
```

```
30    </INSDQualifier>
```

```
    </INSDFeature_qual>
```

```
  </INSDFeature>
```

```
  <INSDFeature>
```

```
    <INSDFeature_key>VARIANT</INSDFeature_key>
```

```
35    <INSDFeature_location>6</INSDFeature_location>
```

```
    <INSDFeature_qual>
```

```
      <INSDQualifier id="q62">
```

```
        <INSDQualifier_name>note</INSDQualifier_name>
```

```

6 es N o G</INSDQualifier_value>
                                <INSDQualifier_value>X en la posición
                                </INSDQualifier>
                                </INSDFeature_qual>
5                                </INSDFeature>
                                <INSDFeature>
                                <INSDFeature_key>source</INSDFeature_key>
                                <INSDFeature_location>1..9</INSDFeature_location>
                                <INSDFeature_qual>
10                                <INSDQualifier>

                                <INSDQualifier_name>mol_type</INSDQualifier_name>

                                <INSDQualifier_value>proteína</INSDQualifier_value>
15                                </INSDQualifier>
                                <INSDQualifier id="q90">

                                <INSDQualifier_name>organism</INSDQualifier_name>
                                <INSDQualifier_value>constructo
20 sintético</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
25                                <INSDSeq_sequence>ALXXGXQWV</INSDSeq_sequence>
                                </INSDSeq>
                                </SequenceData>
                                </ST26SequenceListing>

```

30

35