

Panel de ensayo de prevención mediada por anticuerpos

Virus	04_A06		VRC01	
	IC ₅₀ (µg/ml)	IC ₈₀ (µg/ml)	IC ₅₀ (µg/ml)	IC ₈₀ (µg/ml)
H703_1789_230_RE_e3A3s	0,120	0,270	1,054	4,150
H703_1407_090s_4G4	0,050	0,170	1,463	3,988
H703_1848_190_RE_e6D1s	0,090	0,310	1,391	3,936
V703_0597_190_RE_pb1b002_s	0,160	0,460	1,062	3,836
H703_1889_100Es	0,130	0,360	1,076	3,790
H703_1026_120Es_A5	0,520	0,870	1,036	3,754
H704_0513_150_eN02C	0,297	0,907	1,422	3,675
H704_0911_150sN	0,346	0,930	1,253	3,641
H703_1945_090s_2A3	0,070	0,290	0,947	3,637
V703_1407_090_RE_pb1b003_s	0,120	>10	1,139	3,627
H704_2788_060eN_12	0,178	0,686	1,436	3,600
H704_2788_060eN_04	0,163	0,576	1,324	3,457
H704_0513_150_eN01T	0,460	1,358	1,522	3,384
H703_2018_240_RE_e6A1s	0,140	0,540	1,028	3,310
H704_0746_760_RE_p003s	0,206	0,724	1,310	3,284
V703_2372_170_RE_con_s	0,060	0,200	0,944	3,276
H703_1687_100Es	0,030	0,170	0,847	3,184
H704_0746_760_RE_p001s	0,105	0,635	1,150	3,115
V703_3000_090_RE_pb1b002_s	0,057	0,200	0,853	3,042
V703_2141_160_RE_sga3D6_s	0,820	1,660	1,196	2,887
H703_2117_110_RE_e2A10s	0,040	0,140	0,881	2,855
H703_2149_060_RE_eB10s	0,040	0,190	1,249	2,844
H703_2304_150_RE_cs	0,010	0,040	0,681	2,723
V703_0597_190_RE_pb1b003_s	0,140	0,340	0,661	2,712
H703_0860_150Es	0,027	0,100	0,797	2,635
H704_0513_150_RE_pb1b003_s	0,259	0,907	1,092	2,585
H703_2539_070_RE_e6F6s	0,270	>10	0,719	2,515
H703_2631_150_RE_e2F8s	0,140	0,470	0,686	2,473
H704_0644_060sN_prelimSeq	0,074	0,221	1,018	2,459
H704_0746_760_RE_p002s	0,139	0,520	0,952	2,418
H704_2544_140eN01	0,088	0,280	0,949	2,411
H703_0597_190_RE_e5A1s	0,140	0,380	0,650	2,395
H703_2788_030Es_B1	0,040	>10	0,529	2,257
H703_0993_110_RE_cs	0,020	0,060	0,739	2,209
H703_1945_090s_2F1	0,040	0,220	0,451	2,105
H703_1783_170Es	0,180	0,370	0,706	2,062
V704_0128_220_RE_pb1b002_s	0,025	0,096	0,057	2,011
H704_0128_220_RE_pb001_s	0,017	0,057	0,057	2,011
H703_1945_090s_3D5	0,040	0,200	0,452	1,950
H704_3000_240_RE_pbsga001_s	0,009	0,063	0,523	1,790
H703_0309_100s	0,110	0,290	0,483	1,781
H703_0636_200Es	0,030	0,120	0,429	1,630
V703_1383_240_RE_pb1b002_s	0,010	0,040	0,462	1,603
V703_0309_100_RE_pb1b002_s	0,100	0,240	0,416	1,537
H703_1758_260_RE_cs	0,050	0,180	0,414	1,430
H704_1706_050sN	0,203	0,751	0,514	1,343
V703_0712_250_RE_pb1b002_s	0,100	0,240	0,317	1,320

Figura 8 (continuación)