

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<ST26SequenceListing originalFreeTextLanguageCode="en" nonEnglishFreeTextLanguageCode="es" dtdVersion="V1_3"
fileName="230175W001_SEQLISTING_St26.xml" softwareName="WIPO Sequence" softwareVersion="2.3.0" productionDate="2024-06-03">
  <ApplicantFileReference>230175W001</ApplicantFileReference>
  <EarliestPriorityApplicationIdentification>
    <IPOOfficeCode>US</IPOOfficeCode>
    <ApplicationNumberText>63/512,422</ApplicationNumberText>
    <FilingDate>2023-07-07</FilingDate>
  </EarliestPriorityApplicationIdentification>
  <ApplicantName languageCode="en">BASF Agricultural Solutions Seed US LLC</ApplicantName>
  <InventorName languageCode="en">Julia DAUM</InventorName>
  <InventionTitle languageCode="en">USE OF NOVEL GENES FOR THE CONTROL OF NEMATODE PESTS</InventionTitle>
  <InventionTitle languageCode="es">USO DE GENES NOVEDOSOS PARA EL CONTROL DE PLAGAS DE NEMATODOS</InventionTitle>
  <SequenceTotalQuantity>91</SequenceTotalQuantity>
  <SequenceData sequenceIDNumber="1">
    <INSDSeq>
      <INSDSeq_length>1288</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..1288</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q1">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="2">
    <INSDSeq>
      <INSDSeq_length>3864</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..3864</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q2">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="3">
    <INSDSeq>
      <INSDSeq_length>1247</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..1247</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q3">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="4">
    <INSDSeq>
      <INSDSeq_length>3741</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..3741</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q4">
              <INSDQualifier_name>organism</INSDQualifier_name>

```

```
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgacacaaaatcattcattctctgataatacatcctcatcgacgggtgtatctactttagaatcatctttaattccttacaatgtgtacgcgacagatcagtttaactctaataaaaattggga
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="5">
<INSDSeq>
<INSDSeq_length>693</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..693</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q5">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MTQNHSFSDNTSSSTGVSTLESSLIPYNVYATDQFNSKNKNWEDALKLLEKFYSGDLTQDAIDIFLGDSGFDYLSLVNVIFSIAGSFIPYVGALVPIINLLFGSESKPDVFEQMRARIEALIHKE
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="6">
<INSDSeq>
<INSDSeq_length>2082</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..2082</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q6">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgacacaaaatcattcattctctgataatacatcctcatcgacgggtgtatctactttagaatcatctttaattccttacaatgtgtacgcgacagatcagtttaactctaataaaaattggga
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="7">
<INSDSeq>
<INSDSeq_length>1239</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1239</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q7">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MNDMTNLSKLYSPVPYNVLATPNVLATNKQPLADTDALNKFYNDLQIGKVSFTIDALWSLMTTGKYDWSSIAKFCWSLGTGVTPLLGIFSPIIDIIFPALFGGNKLSLEQLKPQIEKLIIEKL
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="8">
<INSDSeq>
<INSDSeq_length>3720</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3720</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q8">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgaatgatatgacaaatttatctaattatattcacctgtaccatacaatgtgttagcaactccaatgtcttagcaacaacaacaaccactagcagatacagatgcattaaataaattttt
</INSDSeq>
</SequenceData>
```

```

<SequenceData sequenceIDNumber="9">
  <INSDSeq>
    <INSDSeq_length>1223</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1223</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q9">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MDDMTNLSDVYSPVPSNVLAAPLILEETKKKTPAEQAKEDLEKALRTGKFSDAIAQILNDVLINQKFSYQAVTVSLSLASIVLPEIGFFAPFVGLFFSALNKSQNIPTTSDIFEAMKPAIQTMI
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="10">
  <INSDSeq>
    <INSDSeq_length>3669</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3669</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q10">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atggatgacatgacaaatttatccgatgtatattcacccgtaccttccaatgtattagcagctccacttattcttgaagaacaaagaaaaaacaccggctgaacaagcaaaagaagatttaga
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="11">
  <INSDSeq>
    <INSDSeq_length>1792</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1792</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q11">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MRSDVMADSQFFLPAYYNVLADPPFISNTNVIENLDAAGPDCSDPNNALMMLCFAQDISTAWNKGKESGSYDLLEKTIGNSASWAFGGSSPSPGNYLDMAKISIGLTGHIIFLGLTTTAGLAF
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="12">
  <INSDSeq>
    <INSDSeq_length>5379</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..5379</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q12">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgttgaggagtgatgttatggcagattccagctttttttgccagcatattataacgtttttcagatcctcgctttatttcaaatacaaatgtaataagaatctaacttagatgcagcagccgg
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="13">
  <INSDSeq>
    <INSDSeq_length>1298</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..1298</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q13">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MIYISRRYFMVILNDIYKGPYNVLASPPLLETNSIDFSDILIPKIIKTVKDTAETGKVSLEINLKKFIDEGYGNDTNVMAAIFQTISTLIPLAYPPAAAVLPPIGAFVKLIFPTNSKSTFDVLKNI
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="14">
  <INSDSeq>
    <INSDSeq_length>3897</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3897</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q14">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgttgatttatatttcaaggagggtattttatggttattttaaatgatatttataaaggaccttataatgtatttagcaagtcaccattattagaacaaattcaatagattttctgatctgat
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="15">
  <INSDSeq>
    <INSDSeq_length>1089</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1089</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q15">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MQPSSQNNPVPYSTSPAYTQTNLQFISLDPTLNFFKKLKIGLINGQYVEIMEIWESVMMKHINYLFSVDLSISLITISVPHVGITVPFLNLFFSEFTGNYSALPIPDIFTAIYDTQNMFNQ
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="16">
  <INSDSeq>
    <INSDSeq_length>3267</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3267</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q16">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgcaaccttcctcagaataatcctgttcacatagtagcatcaccagcctacacccaacaaatcttcaattcatatcagacttagatcctactttaaaccttctttaagaagcttaaaatag
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="17">
  <INSDSeq>
    <INSDSeq_length>907</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..907</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q17">
            <INSDQualifier_name>organism</INSDQualifier_name>

```

```
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MEKELLNLNKYALKPVALGLLASNVLAFGGHTVAFAETNKAVSEKQTQKADALKVKYKTPLVSFAATDGTSELSELQKIMNEVIKEDNGITDMFLQRTKEAEQKGIEFDYLEFIKGVLENGIMFT
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="18">
<INSDSeq>
<INSDSeq_length>2721</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..2721</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q18">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggaaaaggagctgttaaatTTGAAAAATAATCTGAAACCAGTTGCATTAGGATTGTTAGCAAGTAACGTTCTTGCGTTTGGTGGTCACACAGTAGCATTGCTGAGACAAATAAGCAGT
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="19">
<INSDSeq>
<INSDSeq_length>1316</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1316</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q19">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MANLNEIYPSFYNVLAYPPANFDNDPSSWEVYKKNQKELNDKWNDDYDSNFLPDPMVDITNSLVNIYKDTPGSYVQFAQMAIRDAFLVLPGGQTAAWAINKVLGLIFPSHEKSLFDQIMEAVKEMV
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="20">
<INSDSeq>
<INSDSeq_length>3951</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3951</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q20">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgttggcaaatTTAAATGAAATTTATCCAAGCTTTTACAATGTTTtagcctatccacctgcaaatTTTGATAACGATCCTAGTTcatgggaagtgtataagaagaatcagaagaactaaatga
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="21">
<INSDSeq>
<INSDSeq_length>1295</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1295</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q21">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MIFKNSNNFLFYCSRRYFMVILNDIYKGPYNVLNPPPIILD TENPQNPDWSYVNVNRQELNDSWAEYEDFLPTPMVKIIDDIANAYEGKPGSYLSLAQDQIRFAFLFLPGGQSAAFAINKILGL
</INSDSeq>
</SequenceData>
```

```

<SequenceData sequenceIDNumber="22">
  <INSDSeq>
    <INSDSeq_length>3888</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3888</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q22">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgttgattttcaaaaattcaacaataattttttgtttattgttcaaggaggattttatggtcattttaaatgatatttataaaggacctataatgtattagcaaatccacctataatttt
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="23">
  <INSDSeq>
    <INSDSeq_length>1301</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1301</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q23">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MDNMTNLSDLYSAVPYNIMVTPPLKESSWDDTFEFIKELKGWEEFEKTGYSKPYLNTLDVAINLYKSGTLDYTALAKSFLSIGSALGEFIPGGAVVVPILSGLVDLIFPHLFGSKSSNSQTEFF
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="24">
  <INSDSeq>
    <INSDSeq_length>3903</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3903</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q24">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atggataatatgacaaatttatctgatttatattcagctgttccttataacattatggtaactccaccattaaagaatcctcttgggatgattttacggaattcataaaagaactaaaagggtgg
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="25">
  <INSDSeq>
    <INSDSeq_length>1333</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1333</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q25">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MAQLNEIYPSYYNVLAYPPLILDDKSLYDQYTEWKKIDKTKWQYDKDFLPKPLMDLGKSLAEAYKGDPPGYLHIANTAIRIAFLIPGGQTAAFGVNLVLNKAIGIFYPPQNKSLFDQIKDAVS
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="26">
  <INSDSeq>
    <INSDSeq_length>4002</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..4002</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q26">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
</INSDSeq>
<INSDSeq_sequence>atgttggcacaattaaatgaaatttatccaagttattacaatgttttagcatatccccctctaattctcgacgataagagcctatatgatcagtatacagagtggagaagaaaaattgataagac
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="27">
  <INSDSeq>
    <INSDSeq_length>1165</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1165</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q27">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MSEYELIDVSPKPYNVLMQRPDEAGGIDWDAEISKMIKTYQKGTFAADFATIILPLIAHNQWNVVLKSVLSFASALPGIGTAVSILSPFLQLLFPPTDPAHDKQLMKLILDQTKILIDQAVS
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="28">
    <INSDSeq>
      <INSDSeq_length>3495</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..3495</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q28">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>atgtctgaatatgaattaatagacgtatcacccaagccttataatgttttaatgcagcgccccgatgaggctggaggcatagattgggacgctgaaatttctaaaatgattaaaacgtattatca
      </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="29">
      <INSDSeq>
        <INSDSeq_length>1243</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
          <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>
            <INSDFeature_location>1..1243</INSDFeature_location>
            <INSDFeature_qual>
              <INSDQualifier>
                <INSDQualifier_name>mol_type</INSDQualifier_name>
                <INSDQualifier_value>protein</INSDQualifier_value>
              </INSDQualifier>
              <INSDQualifier id="q29">
                <INSDQualifier_name>organism</INSDQualifier_name>
                <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
              </INSDQualifier>
            </INSDFeature_qual>
          </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>MEQHALVPQNMTSNTGLIPYVYATAPSNFASFDTVDLKEAYDEFSKTGAIDVLKQHLNVAWNTRYKTNVVDYLALIKATISLLGFTPAGPAVPFINMFVDMVFPMLFGGSGADKNTIFFEMIN
        </INSDSeq>
      </SequenceData>
      <SequenceData sequenceIDNumber="30">
        <INSDSeq>
          <INSDSeq_length>3729</INSDSeq_length>
          <INSDSeq_moltype>DNA</INSDSeq_moltype>
          <INSDSeq_division>PAT</INSDSeq_division>
          <INSDSeq_feature-table>
            <INSDFeature>
              <INSDFeature_key>source</INSDFeature_key>
              <INSDFeature_location>1..3729</INSDFeature_location>
              <INSDFeature_qual>
                <INSDQualifier>
                  <INSDQualifier_name>mol_type</INSDQualifier_name>
                  <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q30">
                  <INSDQualifier_name>organism</INSDQualifier_name>

```

```
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggaaacaatgcactgggtaccacagaatatgacaagcaacacggggctcattccttataatgtatatgcaacagcgccatctaactttgcttcattacagatgttttaataatgatttaaaga
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="31">
<INSDSeq>
<INSDSeq_length>1277</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1277</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q31">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MRRSCMEQNNVLSEEGAQSMVSVSSEPLIPYNVYATAPSPPLSNLASFNDIFNDLKGAYDEFKGTGAIDVLKQHLNVAWGAYKNSAVDYLALIKATISLLGFTPAGPAVPFINMFVDMIFPVL F
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="32">
<INSDSeq>
<INSDSeq_length>3834</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3834</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q32">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgttgaggaggagtgtgcatggaacaaaataatgtattatcggaagagggggcgcaatctatgagtgtgtcttctgtagagtcacctttgattccttataatgtatatgcgacagcaccgtcacc
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="33">
<INSDSeq>
<INSDSeq_length>1329</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1329</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q33">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MEITSEIYPIAYNVLANPPTLDTEDQQNPWDAYVNWRLQNDTLWTYDQNFLLPDPVMAIINDMANAYAGKPGSYVALAQEGIRIAFLFLPGGQTAAFAINKVIGLFFPTHQPSLFDQIKDLVEQV
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="34">
<INSDSeq>
<INSDSeq_length>3987</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3987</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q34">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggaaataacttctgaaatttatctattgcgtataatgttttagcaaatccacctacttttagatacggagatcaacaaaatccttgggatgcttatgtaaattggagaaagcaactaaatga
</INSDSeq>
</SequenceData>
```

```

<SequenceData sequenceIDNumber="35">
  <INSDSeq>
    <INSDSeq_length>1324</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1324</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q35">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MKGEISMTTLSYYNVLAYPPLILDEKSPYDQYKEWKKINETWKEYDEDFLPKPVMDLGKNLAEVFKGDPQAYLHLANTAIRLAFLIIPGGQTAAGVNLVLNKVVGIFFPPQNKSLFDQIKDAV
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="36">
  <INSDSeq>
    <INSDSeq_length>3972</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3972</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q36">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgaaaggagaaatatcaatgactacctaagtattacaatgttttagcatatccccctctaattctcgacgaaaagagcccatatgatcaatataagagtggcagaaaaataaatgagac
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="37">
  <INSDSeq>
    <INSDSeq_length>1333</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1333</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q37">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MIKLETLNNDYPSYYNVLAYPPAILDEQSPYDQYTEWKEIEKTWKEYDEDFLPEPVM DLCKNIAETYGDPDPGYLHLANTAIRLAFLFLIPGGQTAAWALNLT LNKIVGIFFPPQHKS LFEQI
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="38">
  <INSDSeq>
    <INSDSeq_length>4002</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..4002</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q38">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgggtgataaaattggaacattaaataatgattaccctagttattacaatgttttagcatatccacctgccattctcgacgaacagagcccatatgatcaatatacagaatggaagaaaaaat
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="39">
  <INSDSeq>
    <INSDSeq_length>1287</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..1287</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q39">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MMANSSNFYSPYYNVLNPARLSSVDFDPFKETFDNLKSGWEDFGKTGLMDPLKKHMDLAWNTSKSGSVDF TALAKAFLSLVNLFPPAQAVVPFVSMFIDFIFPKLFGGASGKDANQAFD LIMKÇ
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="40">
  <INSDSeq>
    <INSDSeq_length>3861</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3861</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q40">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgatggctaattcatcaaatTTTTatccgagctattataatgttttagccaatccagctagattaagttcagtttttgatccgtttaaggagactttcaacgatctaaaaagtggttggaaga
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="41">
  <INSDSeq>
    <INSDSeq_length>1270</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1270</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q41">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MNDMTNLSYLHSAVPYNVMVTPPLKEYSWDDFTEFIEELKGGWEEFEKTGYSPYLNLTLDVAINLYKSGTLDYTALAKSFLSIGSALGEFIPGEAVVPILSGLVDLIFPHLFGSKSSNSQTEFF
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="42">
  <INSDSeq>
    <INSDSeq_length>3810</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3810</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q42">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgaatgatatgacaaatttatcttatttattacattcagctgttccttataacgttatggtaactccaccattaaaagaataactcttgggatgattttacggaattcatagaagaactaaaagggtgg
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="43">
  <INSDSeq>
    <INSDSeq_length>1318</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1318</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q43">
            <INSDQualifier_name>organism</INSDQualifier_name>

```

```
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MENIPSIYPIAYNLADPPYISNLDDNSTKCTEDDITSWLCWATNIGKAWQINQYKGVQDLLFAAIGEGFNAINGSPDYLKIVKSLIGLGGNIAIAFPGVGTAAANFVLVPLIKLLTGVFWPKH
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="44">
<INSDSeq>
<INSDSeq_length>3954</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3954</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q44">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggaaaatatccctcaatttattccaattgcttataatgttttagcagatccaccttattagcaatttagatgacgacaattcaacaaatgcacagaagatgataactagctggctttg
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="45">
<INSDSeq>
<INSDSeq_length>801</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..801</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q45">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MKSKKYMKPLAVGLLATNIIGFGSQTVAFAATDKAPAKEQAQKKDALKKAGKSMTSFAANDGTDELSDLQRIAAEVIEENKGIVPDDFSTKVKKEASQIEFNSEFVKGMVDEGIKGIAEITE
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="46">
<INSDSeq>
<INSDSeq_length>2406</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..2406</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>unassigned DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q46">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgaagagcaaaaagtatatgaagccactcgcagtaggcctactcgcgaactaacattattgggttttggtagccagacagttgcgttttctgcgcacggataaagcacctgcaaaagaacaagcaca
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="47">
<INSDSeq>
<INSDSeq_length>1291</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1291</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q47">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MVQREIQIILRRFFMEQNHLPEEGAQSTGVSIIDTPLIPYVYATAPSPLPSNLATFTDVFNDLKGYDEFKATGSMQDLVKQHLNIAWGAYKNNSVDYLALVKATVSLLGFIQQAAPAVPIINP
</INSDSeq>
</SequenceData>
```

```

<SequenceData sequenceIDNumber="48">
  <INSDSeq>
    <INSDSeq_length>3876</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3876</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q48">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgttggtacagagggaattcaaatcatattgaggaggtttttatggaacaaatcatgtattacctgaagagggggcgcaatctacgggtgtgtctatcatagatacacctttgatccctt
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="49">
  <INSDSeq>
    <INSDSeq_length>1292</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1292</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q49">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MVHITKEPHTFGTEEIQIILRRFFMEQNHLPEERAQSTGVSIIDTPLIPYNYATAPSPSPNLATFTDVFNDLKGYDEFKATGSMVDLKHQLNIAWGAYKNNSVDYLLVKATVSLLGFIQC
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="50">
  <INSDSeq>
    <INSDSeq_length>3879</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3879</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q50">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atggtaggttcattaccgaagaacgcatacatattggtacagagggaattcaaatcatattgaggaggtttttcatggaacaaatcatgtattacctgaagagggcgcaatctacgggtgt
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="51">
  <INSDSeq>
    <INSDSeq_length>1167</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1167</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q51">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MTNPITILYPSYHNVLHPIRLDSFFDPFVETFKDLGAWEEFGKTGYMDPLKQLQIAWDTSQNGTVDYLLTKASISLIGLIPGADAVVPFINMFVDFIFPKLFGRGSQQNAQAQFFELIEKV
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="52">
  <INSDSeq>
    <INSDSeq_length>3504</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..3504</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q52">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
</INSDSeq>
<INSDSeq_sequence>atgaccaatccgcagatcctgtatccgtcttaccataacgtgctggcgccaccgattcgctggacagctttttcgtacggtttgttgaaaccttcaagatctgaaaggcgcatgggaagaatt
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="53">
  <INSDSeq>
    <INSDSeq_length>1167</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1167</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q53">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MTNPTILYPSYHNVLHAHPIRLDSFFDPFVETFKDLKGAWEEFGKTYMDPLKQHLQIAWDTSQNGTVDYALTKASISLIGLIPGADAVVPFINMFVDFIPKLFGRGSQQNAQAQFFELIEKV
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="54">
    <INSDSeq>
      <INSDSeq_length>3504</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..3504</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>unassigned DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q54">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>atgacaaatccaactatactatatcctagttaccataatgtattagctcatccgattagattgattctttttttgatccattttagtagacatttaaggatttaaaagggccttggaagaatt
      </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="55">
      <INSDSeq>
        <INSDSeq_length>1167</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
          <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>
            <INSDFeature_location>1..1167</INSDFeature_location>
            <INSDFeature_qual>
              <INSDQualifier>
                <INSDQualifier_name>mol_type</INSDQualifier_name>
                <INSDQualifier_value>protein</INSDQualifier_value>
              </INSDQualifier>
              <INSDQualifier id="q55">
                <INSDQualifier_name>organism</INSDQualifier_name>
                <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
              </INSDQualifier>
            </INSDFeature_qual>
          </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>MTNPTILYPSYHNVLHAHPIRLDSFFDPFVETFKDLKGAWEEFGKTYMAPLKQHLQIAWDTSQNGTVDYALTKASISLIGLIPGADAVVPFINMFVDFIPKLFGRGSQQNAQAQFFELIEKV
        </INSDSeq>
      </SequenceData>
      <SequenceData sequenceIDNumber="56">
        <INSDSeq>
          <INSDSeq_length>3501</INSDSeq_length>
          <INSDSeq_moltype>DNA</INSDSeq_moltype>
          <INSDSeq_division>PAT</INSDSeq_division>
          <INSDSeq_feature-table>
            <INSDFeature>
              <INSDFeature_key>source</INSDFeature_key>
              <INSDFeature_location>1..3501</INSDFeature_location>
              <INSDFeature_qual>
                <INSDQualifier>
                  <INSDQualifier_name>mol_type</INSDQualifier_name>
                  <INSDQualifier_value>other DNA</INSDQualifier_value>
                </INSDQualifier>
                <INSDQualifier id="q56">
                  <INSDQualifier_name>organism</INSDQualifier_name>

```

```

        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
    </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
    <INSDFeature_key>misc_feature</INSDFeature_key>
    <INSDFeature_location>1..3501</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q57">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
        </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgacaaatccaacaatacttttccaagttatcataatgtgtcttcacaccctatcagactagactctttcttcgatccttttggtagactttcaaggatctcaagggtgcttggaagaggt
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="57">
    <INSDSeq>
        <INSDSeq_length>1286</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..1286</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q58">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            </INSDSeq_feature-table>
            <INSDSeq_sequence>MADLT ELYPSYHNLARPIRLDSIFDPFIDIFNALKGGWEEFAKTGYKDPLEQHLKIAWNASQNGTIDYLALTKASISFIGLIPDADAVVPFINMFVDFIFPKLFGEGSQNSQAQFFELIEKV
        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="58">
        <INSDSeq>
            <INSDSeq_length>3858</INSDSeq_length>
            <INSDSeq_moltype>DNA</INSDSeq_moltype>
            <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>source</INSDFeature_key>
                    <INSDFeature_location>1..3858</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier>
                            <INSDQualifier_name>mol_type</INSDQualifier_name>
                            <INSDQualifier_value>other DNA</INSDQualifier_value>
                        </INSDQualifier>
                        <INSDQualifier id="q59">
                            <INSDQualifier_name>organism</INSDQualifier_name>
                            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
                            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
                        </INSDQualifier>
                    </INSDFeature_qual>
                </INSDFeature>
            </INSDSeq_feature-table>
            <INSDSeq_sequence>atggctgattgacggaactttatcctagttaccacaatgttttggcaagaccgattagactcgactcaattttggatccttttatagacatatttaatgcattgaaggaggatgggaagaatt
        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="59">
        <INSDSeq>
            <INSDSeq_length>1301</INSDSeq_length>
            <INSDSeq_moltype>AA</INSDSeq_moltype>
            <INSDSeq_division>PAT</INSDSeq_division>
            <INSDSeq_feature-table>
                <INSDFeature>
                    <INSDFeature_key>source</INSDFeature_key>
                    <INSDFeature_location>1..1301</INSDFeature_location>
                    <INSDFeature_qual>
                        <INSDQualifier>
                            <INSDQualifier_name>mol_type</INSDQualifier_name>
                            <INSDQualifier_value>protein</INSDQualifier_value>
                        </INSDQualifier>
                        <INSDQualifier id="q61">
                            <INSDQualifier_name>organism</INSDQualifier_name>
                            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
                        </INSDQualifier>
                    </INSDFeature_qual>
                </INSDFeature>
            </INSDSeq_feature-table>
            <INSDSeq_sequence>MDNMNTLSDLYSAVPYNIMVTPPLKESSWDDFTFIKELKGGWEEFEKTGYSPKPYLNTLDVAINLYKSGTLDTALAKSFLSIGSALGEFIPGAVVVPILSGLVDLIFPHLFGSKSSNSQTEFF
        </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="60">
        <INSDSeq>

```

```

<INSDSeq_length>3903</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
  <INSDFeature>
    <INSDFeature_key>source</INSDFeature_key>
    <INSDFeature_location>1..3903</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier>
        <INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other DNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q62">
        <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>misc_feature</INSDFeature_key>
    <INSDFeature_location>1..3903</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q63">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggataatatgacaaatctctctgatttgatttcagcagctaccttataatattatggtaacaccacctttgaaggaaagttcttgggatgattttacagaattttattaaagagttaaaggagag
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="61">
  <INSDSeq>
    <INSDSeq_length>1289</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1289</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q64">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MVTLNDIYKGPYNVLSPPLLETNSIDFSDLIPKIIKTVKDTAETGKVSILNLKKFIDEGYGNDTNVMAAIFQTISTLIPLAYPPAAAVLPIIGAFVKLIFPTNSKSTFDVLKNLIDEXIDKSI
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="62">
    <INSDSeq>
      <INSDSeq_length>3867</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..3867</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>other DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q65">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>synthetic construct</INSDQualifier_value>
              <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>misc_feature</INSDFeature_key>
          <INSDFeature_location>1..3867</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q66">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>atgggtgatccttaatgacatctataagggtccatacaatgtccttgcaagccccctctattggaaaccaattcaatagacttttccgatttgatccctaaactcattaaaactgtgaaggacac
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="63">
    <INSDSeq>
      <INSDSeq_length>1276</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..1276</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>

```

```

        <INSDQualifier_value>protein</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier_id="q67">
        <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>Bacillus sp.</INSDQualifier_value>
    </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MVLNDIYKGPYNVLNPPPIILDTENPQNPDWYVNWQELNDSWAEYDEDFLPTVMKIIDIANAYEGKPGSYLSLAQDGIRFAFLFLPGGQSAFAINKILGLIFPTHQPSLFDQIKDLVEQ
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="64">
    <INSDSeq>
        <INSDSeq_length>3828</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..3828</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>other DNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier_id="q68">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
                        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>misc_feature</INSDFeature_key>
                <INSDFeature_location>1..3828</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier_id="q69">
                        <INSDQualifier_name>note</INSDQualifier_name>
                        <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>atgggtgatattaaacgacatttataaaggaccatataatgtgcttgcaaatcctccaattattcttgacactgaaacccctcaaaatccttgggattcgtacgtaaatggaggcaggaactcaa
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="65">
    <INSDSeq>
        <INSDSeq_length>1275</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..1275</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier_id="q70">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>MVLNDIYKRPYNVLNPPPIIVEEGPTPGSFMDIFEDIKKAFFEFQKTGNLQTTALQQAWNAYQGGTIDYLALLKSSLSLVGLLIPGGEAAPFIFGMFLDFVPKLFAGSGSNSDNVFEIIIKEV
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="66">
    <INSDSeq>
        <INSDSeq_length>3825</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..3825</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>other DNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier_id="q71">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
                        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>misc_feature</INSDFeature_key>
                <INSDFeature_location>1..3825</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier_id="q72">
                        <INSDQualifier_name>note</INSDQualifier_name>
                        <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>atgggtgattctcaatgatatttacaacgacctataatgtccttgcaaatcctccaatcatagtagaagaaggaccgactccagggtcattcatggatattttcgaagatataaagaagccttt

```

```

</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="67">
  <INSDSeq>
    <INSDSeq_length>1234</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1234</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q73">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MADLSNIYPIPYNTVSSQYFYQNQLDVPNGENNPLTKNEQLIEDFKKTLKEKPGNLLTAGADIFKDIYNAIDKQEVLYSLTTSILGLVSIFVPEIGFVAPLLGLFYRAMGTGNTTSDPNMNDI
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="68">
  <INSDSeq>
    <INSDSeq_length>3702</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3702</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q74">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..3702</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q75">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atggctgacttgtccaacatttatcctatcccgtaatacggatatctagccagtacttttatcagaatcagctcgatgtggaccaccaatggagagaataaccaccctactaagaacgagcaact
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="69">
  <INSDSeq>
    <INSDSeq_length>1263</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1263</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q76">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MVVLNNIYKGPYNVLTPTFLDTQEGSFDDLITDLQSAWDFNKTGAFSTEVLNQAYKMYENGGSFDYLLFKAGITVVGSVFPEIAPAVPFITMIANFIFPHLFGGTSDNKQTIINIIDDEVNF
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="70">
  <INSDSeq>
    <INSDSeq_length>3789</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3789</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q77">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>
  </INSDSeq>
</SequenceData>

```

```

    </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>misc_feature</INSDFeature_key>
  <INSDFeature_location>1..3789</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q78">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggctcgttcttaacaacatttataaagggccttataacgtattggcaaccccgacttttttggatacacaggagggaagcttcgatgatttaataacagatcttcagctgcctgggataactt
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="71">
  <INSDSeq>
    <INSDSeq_length>1219</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1219</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q79">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus cereus</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MKIIDDIANAYEGKPGSYLGLAQDGIRFAFLFLPGGQSAFAINKILGLIFPTHQPSLFDQIKDLVEQMIDQKFEQQEINSNINRLNGLITLQGQFSNSIQQALGKPMDFPVTHLSSTTNKLFDC
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="72">
  <INSDSeq>
    <INSDSeq_length>3657</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3657</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q80">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atgaagataatagatgatagctaatgcatatgagggttaagccaggatcgatttgggacttgacaggacgggacgcgttttgcattcttgttcctgcctggtgacaatccgctgcattcgc
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="73">
  <INSDSeq>
    <INSDSeq_length>1229</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1229</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q82">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MGRIPKTYGSKPYLSAIDDALKIYKGGVDYTLVKSFLSIGSTLGEFIPGGTVIVPILNGLVDLIFPHLFGSKEADNNTKFFNIIIEVAKMIDKSIQDLVIELDANTINGIGEAAKLLQTEIQ
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="74">
  <INSDSeq>
    <INSDSeq_length>3687</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>

```

```

<INSDSeq_feature-table>
  <INSDFeature>
    <INSDFeature_key>source</INSDFeature_key>
    <INSDFeature_location>1..3687</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier>
        <INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>other DNA</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q83">
        <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>misc_feature</INSDFeature_key>
    <INSDFeature_location>1..3687</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q84">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgggtagaattcctaagactggctattcacaagccatattgtcagcaatcgatgatccctgaaatttacaagggtgggatgtagattacactgctctgggtaagtccctcttcaatcgg
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="75">
  <INSDSeq>
    <INSDSeq_length>1167</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1167</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q85">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus cereus</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MTNPITILYPSYHNVLHAPIRLDSFFDPFVETFKDLKGAWEEFGKTGYMDPLKQHLQIAWDTSQNGTVDYLALTKASISLIGLIPGADAVVPFINMFVDIFPKLFGRGSQNAQTQFFELIEKV
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="76">
    <INSDSeq>
      <INSDSeq_length>3501</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..3501</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>other DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q86">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>synthetic construct</INSDQualifier_value>
              <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>misc_feature</INSDFeature_key>
          <INSDFeature_location>1..3501</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q87">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>atgacaaatcctacaattctgtaccatcatatcacaaatgtactggccatcctatccgtttggactcttttttcgaccctttcgtagaacggtttaagatttaaggcgcttgggaggaatt
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="77">
    <INSDSeq>
      <INSDSeq_length>1289</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..1289</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q88">

```

```

        <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
    </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MTTSLDLYSPIYNVMVTPPLKEGKYWDQFKALIKELKGGWNEFEKTGYSPYLSAIDEALKIYKGGVDYDTALVKSFLSIGSTLGEFIPGGTIIVPIFNGLVDLIFPHLFGSKEADNNTKFFNW
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="78">
    <INSDSeq>
        <INSDSeq_length>3867</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..3867</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>other DNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q89">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
                        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>misc_feature</INSDFeature_key>
                <INSDFeature_location>1..3867</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q90">
                        <INSDQualifier_name>note</INSDQualifier_name>
                        <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>atgacgacactctctgatctttattctccaattccatataatgtgatggttactcctcctcctcaaagaaggaaaaattgggatcagtttaaagcactgattaaggaacttaaaggggatggaa
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="79">
    <INSDSeq>
        <INSDSeq_length>1298</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..1298</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q91">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>Bacillus sp.</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>MTNLSDLYSAPVYNIMVTPPLKESSWDDFTEFIKELKGGWEEFEKTGYSPYLNLTLDVAINLYKSGTLDTALAKSFLSIGSALGEFIPGGAVVVPILSGLVDLIFPHLFGSKSSNSQTEFFDAI
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="80">
    <INSDSeq>
        <INSDSeq_length>3894</INSDSeq_length>
        <INSDSeq_moltype>DNA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>
                <INSDFeature_location>1..3894</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>
                        <INSDQualifier_name>mol_type</INSDQualifier_name>
                        <INSDQualifier_value>other DNA</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q92">
                        <INSDQualifier_name>organism</INSDQualifier_name>
                        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
                        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>misc_feature</INSDFeature_key>
                <INSDFeature_location>1..3894</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q93">
                        <INSDQualifier_name>note</INSDQualifier_name>
                        <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>atgacaaacttgctccgatctatattcggtgtttccatataacattatggttacaccgcctcttaaagagagttagttgggatgttttacagattcattaagagtttaaaggggctgggaaga
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="81">

```

```

<INSDSeq>
<INSDSeq_length>1292</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1292</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q94">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MDDMTTSLDLYSPIPYNMVTPLPLEGKYWDQFKALIKELKGGWNEFEKTGYSPYLSAIDEALKIYKGGVDVYTALVKSFLSIGSTLGEFIPGGTIIVPIFNGLVDLIFPHLFGSKEADNNTKF
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="82">
<INSDSeq>
<INSDSeq_length>3876</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3876</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q95">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>misc_feature</INSDFeature_key>
<INSDFeature_location>1..3876</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier id="q96">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggatgacatgactaccctgtcagatctttacagccccattccttacaacgtcatggaacaccaccctctaaagagggaagattgggatcaatttaaagcactcataaaagagcttaaggg
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="83">
<INSDSeq>
<INSDSeq_length>1243</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..1243</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q97">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MVLINDIYKRPYNVLNPPPIIVEEGPTPGSFMDIFEDIKKAFFEQKTGNLQTALQQAWNAYQGGTIDYLALLKSSLSLVGLLIPGGEAAPFIFGMFLDFVFPKLFASGSNSDNVFEIIKEV
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="84">
<INSDSeq>
<INSDSeq_length>3729</INSDSeq_length>
<INSDSeq_moltype>DNA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..3729</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>other DNA</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q98">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>

```

```

<INSDFeature_key>misc_feature</INSDFeature_key>
<INSDFeature_location>1..3729</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier id="q99">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atggttatattaaacgatatatacaagcgcccttacaatgtattggctaaccctcctattattgtcgaggaaggtcccactccgggatcttttatggacatatttgaagatattaaaaaagcatt
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="85">
  <INSDSeq>
    <INSDSeq_length>1146</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..1146</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q100">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MVLNLIYKGPYNVLATPTFLDTQEGSFDDLITDLQSAWDFNKTGAFSTEVLNQAYKMYENGGSFDYLALFKAGITVVGSVFPEIAPAVPFITMIANFIFPHLFGGTSNKTIIINIIDDEVNR
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="86">
  <INSDSeq>
    <INSDSeq_length>3438</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..3438</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>other DNA</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q101">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>misc_feature</INSDFeature_key>
        <INSDFeature_location>1..3438</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q102">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>atggctgctttgaacaatatatacaggaccttacaacgtattagctacgcctacttttttagacacacaggaaggtagttttgatgacctataactgatctccaagcgcttgggacaattt
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="87">
  <INSDSeq>
    <INSDSeq_length>705</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..705</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q103">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus wiedmannii</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MTNLSNLYSAVPYNVMTPLKESSWDDFTFIEELKGGWEFEKTYGSKPYLNTLDVAINLYKSGTLDYALAKSFLSIGSALGEFIPGGAVVVPILSGLVLIFPHLFGSKSSNSQTEFFDAI
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="88">
  <INSDSeq>
    <INSDSeq_length>2115</INSDSeq_length>
    <INSDSeq_moltype>DNA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

```

```

<INSDFeature_location>1..2115</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>other DNA</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q104">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>misc_feature</INSDFeature_key>
  <INSDFeature_location>1..2115</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q105">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>codon optimised DNA</INSDQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>atgactaatattaagtaacctatattccgcagtgccatataacgtgatggttactcctccactcaagagagttcgtgggacgattttactgaatttatagaggagcttaagggcggtgggagga
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="89">
  <INSDSeq>
    <INSDSeq_length>662</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..662</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q106">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>Bacillus thuringiensis</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>MTNPITILYPSYHNVLHAHPIRLDSFFDPFVETFKDLKGAWEEFGKTGYMDPLKQHLQIAWDTSQNGTVDYALTKASISLIGLIPGADAVVPFINMFVDFIFPKLFGRGSQONAQTQFFELIEKV
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="90">
    <INSDSeq>
      <INSDSeq_length>1986</INSDSeq_length>
      <INSDSeq_moltype>DNA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..1986</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>other DNA</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q107">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>synthetic construct</INSDQualifier_value>
              <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>atgaccaaccaacaatattatattccgtcttatcataacgtcttggtcatccattaggctcgattctttctttgacctttcgttgaacgtttaaagatcttaagggggcatgggaagaatt
      </INSDSeq>
    </SequenceData>
    <SequenceData sequenceIDNumber="91">
      <INSDSeq>
        <INSDSeq_length>1299</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
          <INSDFeature>
            <INSDFeature_key>source</INSDFeature_key>
            <INSDFeature_location>1..1299</INSDFeature_location>
            <INSDFeature_qual>
              <INSDQualifier>
                <INSDQualifier_name>mol_type</INSDQualifier_name>
                <INSDQualifier_value>protein</INSDQualifier_value>
              </INSDQualifier>
              <INSDQualifier id="q109">
                <INSDQualifier_name>organism</INSDQualifier_name>
                <INSDQualifier_value>synthetic construct</INSDQualifier_value>
                <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
              </INSDQualifier>
            </INSDFeature_qual>
          </INSDFeature>
        </INSDSeq_feature-table>
      </INSDSeq>
    </SequenceData>
  </SequenceData>

```

```

    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>REGION</INSDFeature_key>
  <INSDFeature_location>1..1299</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q110">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Consensus sequence Fig. 2</INSDQualifier_value>
      <NonEnglishQualifier_value>Secuencia de consenso Fig. 2</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>MXNXTXLPSYXNVLAHPIRLDSFFDPFVXXFXXLKXXWXXFGKTGYMXPLXQXXXTIAWXXXXXGXVDXLALTKASXSXIGLIPGAXXVVPXINMFVXXIXPXLFGXXSXXXXXAXFFXXIXXXV
</INSDSeq>
</SequenceData>
</ST26SequenceListing>
```