

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<ST26SequenceListing originalFreeTextLanguageCode="en" nonEnglishFreeTextLanguageCode="es" dtdVersion="V1_3" fileName="30698_WO_SL.xml" softwareName="WIPO Sequence" softwareVersion="2.3.0" productionDate="2024-10-31">
  <ApplicationIdentification>
    <IPOfficeCode>WO</IPOfficeCode>
    <ApplicationNumberText> </ApplicationNumberText>
    <FilingDate> </FilingDate>
  </ApplicationIdentification>
  <ApplicantFileReference>30698_WO_SL</ApplicantFileReference>
  <EarliestPriorityApplicationIdentification>
    <IPOfficeCode>US</IPOfficeCode>
    <ApplicationNumberText>63/600,468</ApplicationNumberText>
    <FilingDate>2023-11-17</FilingDate>
  </EarliestPriorityApplicationIdentification>
  <ApplicantName languageCode="es">Eli Lilly and Company</ApplicantName>
  <ApplicantNameLatin>Eli Lilly and Company</ApplicantNameLatin>
  <InventionTitle languageCode="en">COMPOUNDS FOR THE TREATMENT OF DIABETES OR OBESITY</InventionTitle>
  <InventionTitle languageCode="es">COMPUESTOS PARA EL TRATAMIENTO DE LA DIABETES O LA OBESIDAD</InventionTitle>
  <SequenceTotalQuantity>81</SequenceTotalQuantity>
  <SequenceData sequenceIDNumber="1">
    <INSDSeq>
      <INSDSeq_length>42</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..42</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q1">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>synthetic construct</INSDQualifier_value>
              <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>1</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q2">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
              <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>9</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q3">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
              <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>14</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q4">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
              <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>15</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q5">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
              <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>33</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q6">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
              <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>42</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q7">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
              <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDSeq_feature-table>
      <INSDSeq_sequence>GSPSIVTSLDVPXTXLLQKILEQERAEKARQQAEEILAQV</INSDSeq_sequence>
    </INSDSeq>
  </SequenceData>
  <SequenceData sequenceIDNumber="2">
    <INSDSeq>
      <INSDSeq_length>42</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>
          <INSDFeature_location>1..42</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>
              <INSDQualifier_name>mol_type</INSDQualifier_name>
              <INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q8">
              <INSDQualifier_name>organism</INSDQualifier_name>
              <INSDQualifier_value>synthetic construct</INSDQualifier_value>
              <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>1</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q9">
              <INSDQualifier_name>note</INSDQualifier_name>
              <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
              <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
        <INSDFeature>
          <INSDFeature_key>SITE</INSDFeature_key>
          <INSDFeature_location>9</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier id="q10">
```

```
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q11">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q12">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q13">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q14">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPXTLLQKLLQERAEKARQQAEEAAILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="3">
<INSDSeq>
<INSDSeq_length>42</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q15">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q16">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q17">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q18">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q19">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q20">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-PKE-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)-PKE-ácido gamma-glutámico-CO-(CH2)18-CO2H.</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q21">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPXTLLQKILEQERAEKARQQAEEAAILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="4">
<INSDSeq>
```

```
<INSDSeq_length>42</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
  <INSDFeature>
    <INSDFeature_key>source</INSDFeature_key>
    <INSDFeature_location>1..42</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier>
        <INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>protein</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q22">
        <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>1</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q23">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
        <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>9</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q24">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
        <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>14</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q25">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
        <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>15</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q26">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
        <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>33</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q27">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with 6-amino-hexanoic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
        <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido 6-amino-hexanoico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-gamma-ácido glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>42</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q28">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
        <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEA EILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="5">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q29">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q30">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q31">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q32">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q33">
            <INSDQualifier_name>note</INSDQualifier_name>
```

```
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q34">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-6-amino-hexanoic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-6-ácido-amino-hexanoico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q35">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEAAILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="6">
<INSDSeq>
<INSDSeq_length>42</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q36">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q37">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q38">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q39">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q40">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q41">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-GKEKEKE-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente mediante la conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-GKEKEKE-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q42">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEAAILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="7">
<INSDSeq>
<INSDSeq_length>42</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q43">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q44">
```

```
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q45">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q46">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q47">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q48">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with Glycine-(Beta-Alanine)3-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente mediante la conjugación del grupo épsilon-amino de la cadena lateral de lisina con glicina-(beta-alanina)3-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q49">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="8">
<INSDSeq>
<INSDSeq_length>42</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q50">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q51">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q52">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q53">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q54">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q55">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with Glycine-(Beta-Alanine)4-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente mediante la conjugación del grupo épsilon-amino de la cadena lateral de lisina con glicina-(beta-alanina)4-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q56">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
```

```
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="9">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q57">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q58">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q59">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q60">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q61">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>33</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q62">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-KEKEKE-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)-KEKEKE-ácido gamma-glutámico-CO-(CH2)18-CO2H.</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q63">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="10">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q64">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q65">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q66">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q67">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
```

```
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q68">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>33</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q69">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (Beta-Alanine)-Serine-(Beta-Alanine)-Serine-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (beta-alanina)-serina-(beta-alanina)-serina-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q70">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="11">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q71">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q72">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q73">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q74">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q75">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>33</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q76">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-PKE-6-amino-hexanoic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-PKE-6-amino-hexanoico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q77">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="12">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q78">
            <INSDQualifier_name>organism</INSDQualifier_name>
```

```
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q79">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q80">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q81">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q82">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q83">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)16-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)16-CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q84">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Amidated Residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPXTLLQKLLEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="13">
<INSDSeq>
<INSDSeq_length>42</INSDSeq_length>
<INSDSeq_moltype>AA</INSDSeq_moltype>
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
<INSDFeature>
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..42</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier>
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q85">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q86">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
<NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q87">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>14</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q88">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q89">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q90">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-PKE-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
<NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-PKE-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
```

```
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q91">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPXTLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="14">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q92">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q93">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q94">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q95">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q96">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>33</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q97">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-PPP-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-PPP-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q98">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GSPSIVTSLDVPXTLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="15">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q99">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q100">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q101">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q102">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q103">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>33</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q104">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-PPPPPP-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-PPPPPP-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q105">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPXTXLLQKILEQERAQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="16">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q106">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q107">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q108">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q109">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q110">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>33</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q111">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-PEPEPE-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-PEPEPE-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q112">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GSPSIVTSLDVPXTXLLQKILEQERAQAKEAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="17">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..42</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier_id="q113">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q114">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>9</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q115">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q116">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q117">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>33</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q118">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)2-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q119">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPXTLLQKILEQERA EKARQQAEEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="18">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q120">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q121">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q122">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q123">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q124">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>33</INSDFeature_location>
<INSDFeature_quals>
  <INSDQualifier_id="q125">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-epsilon-Lysine-gamma-Glutamic acid-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
    <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-épsilon-lisina- ácido gamma-glutámico-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_quals>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_quals>
    <INSDQualifier_id="q126">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_quals>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEAAILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="19">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q127">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q128">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q129">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q130">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q131">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>33</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q132">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-epsilon-Lysine-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-épsilon-lisina-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>42</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q133">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAEEAAILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="20">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q134">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q135">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>9</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q136">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q137">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q138">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q139">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="21">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q140">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q141">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q142">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q143">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q144">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>33</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q145">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)16-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)16-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q146">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="22">
  <INSDSeq>
    <INSDSeq_length>44</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..44</INSDFeature_location>
```

```
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q147">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q148">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-terminal Pyroglutamic acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido piroglutámico N-terminal</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q149">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>16</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q150">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>17</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q151">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>35</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q152">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>44</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q153">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XGSPSGIVTSLDVPTXLLQKILEQERAKEARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="23">
  <INSDSeq>
    <INSDSeq_length>44</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..44</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q154">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q155">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal Pyroglutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido piroglutámico N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q156">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>16</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q157">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>17</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q158">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature_location>44</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier_id="q159">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
    <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XGSPSGIVTSLDVPXTLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="24">
  <INSDSeq>
    <INSDSeq_length>44</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..44</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q160">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q161">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal Pyroglutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido piroglutámico N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q162">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>16</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q163">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>17</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q164">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>35</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q165">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)16-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)16-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>44</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q166">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>XGSPSGIVTSLDVPXTLLQKILEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="25">
  <INSDSeq>
    <INSDSeq_length>43</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..43</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q167">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q168">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Gamma-glutamic acid is chemically modified by conjugation of the alpha-amino group of the gamma-glutamic acid side chain with the carboxylic acid group of (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>El ácido gamma-glutámico se modifica químicamente por conjugación del grupo alfa-amino de la cadena lateral del ácido gamma-glutámico con el grupo ácido carboxílico de (2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q169">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q170">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>16</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q171">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>43</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q172">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XGSPSIVTSLDVPXTLLQKILEQERA EKARQQATEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="26">
  <INSDSeq>
    <INSDSeq_length>43</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..43</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q173">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q174">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Gamma-glutamic acid is chemically modified by conjugation of the alpha-amino group of the gamma-glutamic acid side chain with the carboxylic acid group of (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-K-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>El ácido gamma-glutámico se modifica químicamente por conjugación del grupo alfa-amino de la cadena lateral del ácido gamma-glutámico con el grupo ácido carboxílico de (2-[2-(2-amino-etoxi)-etoxi]-acetil)-K-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q175">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q176">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>16</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q177">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>43</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q178">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>XGSPSIVTSLDVPXTLLQKILEQERA EKARQQATEAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="27">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q179">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>9</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q180">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q181">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q182">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q183">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKILEQERA EKARQQATEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="28">
  <INSDSeq>
    <INSDSeq_length>43</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..43</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q184">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>1</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q185">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>Gamma-glutamic acid is chemically modified by conjugation of the alpha-amino group of the gamma-glutamic acid side chain with the carboxylic acid group of (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)16-CO2H</INSDQualifier_value>
          <NonEnglishQualifier_value>El ácido gamma-glutámico se modifica químicamente por conjugación del grupo alfa-amino de la cadena lateral del ácido gamma-glutámico con el grupo ácido carboxílico de (2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)16-CO2H</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>10</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q186">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
        <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>15</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q187">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
        <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>16</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q188">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
        <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>43</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q189">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
        <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XGSPSIVTSLDVPTXLLQKILEQERA EKARQQATEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="29">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q190">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>1</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q191">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
          <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDFeature>
</INSDFeature>
```

```
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>5</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q192">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q193">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
      <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q194">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q195">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q196">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="30">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q197">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q198">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q199">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q200">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q201">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q202">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)- ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q203">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
```

```
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="31">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q204">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q205">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q206">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q207">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q208">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q209">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (gamma-Glutamic acid)2-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (ácido gamma-glutámico)2-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q210">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="32">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q211">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q212">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q213">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q214">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq_sequence>
</INSDSeq>
</SequenceData>
```

```
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>11</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier_id="q215">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
    <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q216">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q217">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="33">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q218">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q219">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q220">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q221">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q222">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q223">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-gamma-Glutamic acid-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-ácido-gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q224">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="34">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q225">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q226">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>5</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q227">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q228">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
      <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q229">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q230">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with epsilon-Lysine-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con épsilon-lisina-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q231">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="35">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q232">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q233">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q234">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q235">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q236">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q237">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with epsilon-Lysine-gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con épsilon-lisina-ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq>
  </SequenceData>
</SequenceData>
```

```
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q238">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="36">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q239">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q240">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q241">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q242">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q243">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q244">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxil]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q245">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="37">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q246">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q247">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q248">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q249">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
      <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q250">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q251">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-epsilon-Lysine-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-épsilon-lisina-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q252">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="38">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q253">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q254">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q255">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q256">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q257">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q258">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-gamma-Glutamic acid-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-ácido gamma-glutámico-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q259">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="39">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..38</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier_id="q260">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q261">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>5</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q262">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q263">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
      <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q264">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q265">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-epsilon-Lysine-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-épsilon-lisina-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q266">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="40">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q267">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q268">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q269">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q270">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q271">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature_key>SITE</INSDFeature_key>
<INSDFeature_location>29</INSDFeature_location>
<INSDFeature_quals>
  <INSDQualifier_id="q272">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with epsilon-Lysine-(gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
    <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con épsilon-lisina-(ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_quals>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_quals>
    <INSDQualifier_id="q273">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_quals>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="41">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q274">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q275">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q276">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q277">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q278">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q279">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q280">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier_id="q281">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPTXLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="42">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_quals>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q282">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_quals>
      </INSDFeature>
```

```
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q283">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>5</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q284">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q285">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
      <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>10</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q286">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q287">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q288">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q289">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPIXLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="43">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q290">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q291">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q292">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q293">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q294">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
```

```
<INSDFeature_qual>
  <INSDQualifier id="q295">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with GKEKEKE-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
    <NonEnglishQualifier_value>La lisina se modifica quimicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con GKEKEKE-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q296">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="44">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q297">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q298">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q299">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q300">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q301">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q302">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-(gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica quimicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)-(ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q303">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="45">
  <INSDSeq>
    <INSDSeq_length>42</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..42</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q304">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q305">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPTGLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
```

```
<INSDFeature_location>9</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier_id="q306">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
    <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q307">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
      <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q308">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q309">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>33</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q310">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q311">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XGPSIVTSLDVPIXLQIKLEQERAERKQQA KENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="46">
  <INSDSeq>
    <INSDSeq_length>41</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..41</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q312">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q313">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q314">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q315">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>13</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q316">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q317">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>18</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q318">
```

```

    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
    <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>32</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q319">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>41</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q320">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>PPPIVTSLDVPTXLLQKXLEQERA EKARQQA KENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="47">
  <INSDSeq>
    <INSDSeq_length>41</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..41</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q321">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q322">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q323">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q324">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>13</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q325">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q326">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>32</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q327">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>41</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q328">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>PPPIVTSLDVPTXLLQKLL EQERA EKARQQA EAAEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="48">
  <INSDSeq>
    <INSDSeq_length>41</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..41</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDQualifier>
<INSDQualifier id="q329">
  <INSDQualifier_name>organism</INSDQualifier_name>
  <INSDQualifier_value>synthetic construct</INSDQualifier_value>
  <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q330">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>8</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q331">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>13</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q332">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q333">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>32</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q334">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with gamma-Glutamic acid-(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-epsilon-Lysine-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con ácido gamma-glutámico-(2-[2-(2-amino-etoxi)-etoxi]-acetil)-épsilon-lisina-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>41</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q335">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>PPPIVTSLDVPTXLLQKLLLEQERA EKARQQAKEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="49">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q336">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q337">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-methylated Isoleucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Isoleucina N-metilada</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q338">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q339">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q340">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVP IGLLLQK LIEQEKQEKEKQQAKENTEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
```

```
<SequenceData sequenceIDNumber="50">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q341">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q342">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-methylated Isoleucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Isoleucina N-metilada</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q343">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q344">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q345">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>IVTSLDVPIGLLQKLLLEQERAQKEARQQAEEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="51">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q346">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q347">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q348">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q349">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q350">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q351">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>29</INSDFeature_location>
        <INSDFeature_qual>
```

```
<INSDQualifier id="q352">
  <INSDQualifier_name>note</INSDQualifier_name>
  <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
  <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (ácido gamma-glutámico)2-CO-(CH2)18-
  CO2H</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q353">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPIXLLQIKLEQERAERARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="52">
  <INSDSeq>
    <INSDSeq_length>43</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..43</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
        <INSDQualifier id="q354">
          <INSDQualifier_name>organism</INSDQualifier_name>
          <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>1</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q355">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>Gamma-glutamic acid is chemically modified by conjugation of the alpha-amino group of the gamma-glutamic acid side chain with the carboxylic acid group of (2-[2-(2-Amino-ethoxy)-
          ethoxy]-acetyl)-2,3-Diaminopropionic Acid-CO-(CH2)18-CO2H</INSDQualifier_value>
          <NonEnglishQualifier_value>El ácido gamma-glutámico se modifica químicamente por conjugación del grupo alfa-amino de la cadena lateral del ácido gamma-glutámico con el grupo ácido carboxílico de (2-[2-(2-
          amino-etoxi)-etoxi]-acetil)-2,3-ácido diaminopropiónico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>10</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q356">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
          <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>15</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q357">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
          <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>16</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q358">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
          <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>43</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q359">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
          <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>XGSPSIVTSLDVPTXLLEKILEQERAERARQQATEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="53">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
        <INSDQualifier id="q360">
          <INSDQualifier_name>organism</INSDQualifier_name>
          <INSDQualifier_value>synthetic construct</INSDQualifier_value>
          <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>SITE</INSDFeature_key>
      <INSDFeature_location>38</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q361">
          <INSDQualifier_name>note</INSDQualifier_name>
          <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
          <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
        </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>IVLSLDVPIGLLLQILLEQARARAAREQATTNARILARV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="54">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
```

```
<INSDQualifier>
  <INSDQualifier_name>mol_type</INSDQualifier_name>
  <INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier id="q362">
  <INSDQualifier_name>organism</INSDQualifier_name>
  <INSDQualifier_value>synthetic construct</INSDQualifier_value>
  <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q363">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-methylated Isoleucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Isoleucina N-metilada</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>29</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q364">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-(gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-(ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q365">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVLSLDVPIGLLQILLEQEKEQEKEKQAKTNAQILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="55">
  <INSDSeq>
    <INSDSeq_length>39</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..39</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q366">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q367">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>13</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q368">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q369">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>39</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q370">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>YXEGTFTSDYSIXLDKIAQKAFVQWLIAGGPSSGAPPPS</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="56">
  <INSDSeq>
    <INSDSeq_length>39</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..39</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q371">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q372">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
```

```
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>13</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q373">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>17</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q374">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>20</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q375">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>39</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q376">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>YXQGTFTSDYSILLDKKAQXAFIEYLLGGPSSGAPPPS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="57">
  <INSDSeq>
    <INSDSeq_length>39</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..39</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q377">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q378">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>13</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q379">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>17</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q380">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q381">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>39</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q382">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>YXQGTFTSDYSILLDKKAQXAFIEYLLGGPSSGAPPPS</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="58">
  <INSDSeq>
    <INSDSeq_length>39</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..39</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q383">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
```

```
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>2</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q384">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>17</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q385">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>20</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q386">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>39</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q387">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>YXQGTFTSDYSILLDKKAQXAFIEYLLGGPSSGAPPPS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="59">
  <INSDSeq>
    <INSDSeq_length>34</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q388">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q389">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q390">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)16-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)16-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q391">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>HXQGTFTSDYSKYLDEKKAKEFVEWLLEGGPSSG</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="60">
  <INSDSeq>
    <INSDSeq_length>34</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q392">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q393">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q394">
```

```

    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-(gamma-Glutamic acid)2-CO-(CH2)16-
    CO2H</INSDQualifier_value>
    <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-(ácido gamma-glutámico)2-CO-
    (CH2)16-CO2H</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>34</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q395">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>HXQGTFTSDYSKYLDEKKAKEFVEWLLSGGPSSG</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="61">
  <INSDSeq>
    <INSDSeq_length>34</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q396">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q397">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q398">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-
            CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-
            (CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q399">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>HXQGTFTSDYSKYLDEKKAKEFVEWLLSGGPSSG</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="62">
  <INSDSeq>
    <INSDSeq_length>34</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q400">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q401">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q402">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-(gamma-Glutamic acid)2-CO-(CH2)18-
            CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-(ácido gamma-glutámico)2-CO-
            (CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q403">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>HXQGTFTSDYSKYLDEKKAKEFVEWLLSGGPSSG</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="63">
  <INSDSeq>
    <INSDSeq_length>37</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
```

```
<INSDFeature_location>1..37</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q404">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q405">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>gamma-Glutamic acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido gamma-glutámico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>CROSSLNK</INSDFeature_key>
  <INSDFeature_location>2..7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q406">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>methylene thioacetal linkage (Cys-Cys)</INSDQualifier_value>
      <NonEnglishQualifier_value>enlace metileno tioacetal (Cys-Cys)</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q407">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>L-ornithine</INSDQualifier_value>
      <NonEnglishQualifier_value>L-ornitina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q408">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-phenylalanine</INSDQualifier_value>
      <NonEnglishQualifier_value>alfa-metil-fenilalanina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>22</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q409">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-methylated asparagine</INSDQualifier_value>
      <NonEnglishQualifier_value>asparagina N-metilada</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>26</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q410">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>37</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q411">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
</INSDSeq_sequence>XCNTATCATGXLAEFLVRSSNFGPKLPPTVEGSNTY</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="64">
  <INSDSeq>
    <INSDSeq_length>37</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..37</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q412">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q413">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>CROSSLNK</INSDFeature_key>
        <INSDFeature_location>2..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q414">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>methylene thioacetal linkage (Cys-Cys)</INSDQualifier_value>
            <NonEnglishQualifier_value>enlace metileno tioacetal (Cys-Cys)</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q415">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>L-ornithine</INSDQualifier_value>
            <NonEnglishQualifier_value>L-ornitina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
```

```
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier_id="q416">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>alpha-methyl-phenylalanine</INSDQualifier_value>
    <NonEnglishQualifier_value>alfa-metil-fenilalanina</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>22</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q417">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>N-methylated aspartic acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido aspártico N-metilado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>26</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q418">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>37</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q419">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XCNTATCATGXLAEFLVRSSNDFGPKLPTEVGSNTY</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="65">
  <INSDSeq>
    <INSDSeq_length>37</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..37</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q420">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q421">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>CROSSLNK</INSDFeature_key>
        <INSDFeature_location>2..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q422">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>methylene thioacetal linkage (Cys-Cys)</INSDQualifier_value>
            <NonEnglishQualifier_value>enlace metileno tioacetal (Cys-Cys)</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q423">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>L-ornithine</INSDQualifier_value>
            <NonEnglishQualifier_value>L-ornitina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>15</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q424">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-phenylalanine</INSDQualifier_value>
            <NonEnglishQualifier_value>alfa-metil-fenilalanina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>22</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q425">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-methylated aspartic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido aspártico N-metilado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>37</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q426">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>KCETATCATGXLAEFLVRSSNDFGPILPTEVGSNTY</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="66">
  <INSDSeq>
    <INSDSeq_length>37</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..37</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
```

```
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q427">
  <INSDQualifier_name>organism</INSDQualifier_name>
  <INSDQualifier_value>synthetic construct</INSDQualifier_value>
  <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>1</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q428">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (gamma-Glutamic acid)2-CO-(CH2)18-CO2H</INSDQualifier_value>
      <NonEnglishQualifier_value>La lisina se modifica quimicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (ácido gamma-glutámico)2-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>CROSSLNK</INSDFeature_key>
  <INSDFeature_location>2..7</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q429">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>methylene thioacetal linkage (Cys-Cys)</INSDQualifier_value>
      <NonEnglishQualifier_value>enlace metileno tioacetal (Cys-Cys)</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q430">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>L-ornithine</INSDQualifier_value>
      <NonEnglishQualifier_value>L-ornitina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>12</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q431">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>37</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier_id="q432">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
      <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>KCETATCATGXLAEFLVRSSHNFGPILPTEVGSNTY</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="67">
  <INSDSeq>
    <INSDSeq_length>32</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..32</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier_id="q433">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q434">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal acetylated residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo acetilado N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q435">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lysine is chemically modified by conjugation of the epsilon-amino group of the Lysine side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>La lisina se modifica quimicamente por conjugación del grupo épsilon-amino de la cadena lateral de lisina con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q436">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>32</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier_id="q437">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Amidated Residue</INSDQualifier_value>
            <NonEnglishQualifier_value>Residuo amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>ASHLSTAVLGKLSXELHKLEDYPRTDVGAESP</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="68">
  <INSDSeq>
    <INSDSeq_length>44</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..44</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
```

```
<INSDQualifier_name>mol_type</INSDQualifier_name>
<INSDQualifier_value>protein</INSDQualifier_value>
</INSDQualifier>
<INSDQualifier_id="q438">
<INSDQualifier_name>organism</INSDQualifier_name>
<INSDQualifier_value>synthetic construct</INSDQualifier_value>
<NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>1</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q439">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>N-terminal Pyroglutamic acid, gamma-Glutamic acid, E, or may be absent wherein this position may be N-acetylated, N-methylated or N-acylated</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido piroglutámico N-terminal, ácido gamma-glutámico, E, o puede estar ausente en donde esta posición puede ser N-acetilada, N-metilada o N-acilada</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>2</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q440">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>G or absent, wherein this position may be N-acetylated, N-acylated or N-methylated if position 1 is absent</INSDQualifier_value>
<NonEnglishQualifier_value>G o ausente, en donde esta posición puede estar N-acetilada, N-acilado o N-metilada si la posición 1 está ausente</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>3</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q441">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>G, S, or absent, wherein this position may be N-acetylated, N-acylated or N-methylated if positions 1-2 are absent</INSDQualifier_value>
<NonEnglishQualifier_value>G, S, o ausente, en donde esta posición puede ser N-acetilada, N-acilada o N-metilada si las posiciones 1-2 están ausentes</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>4</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q442">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>S, P, G, or absent, wherein this position may be N-acetylated, N-acylated or N-methylated if positions 1-3 are absent</INSDQualifier_value>
<NonEnglishQualifier_value>S, P, G, o ausente, en donde esta posición puede ser N-acetilada, N-acilada o N-metilada si las posiciones 1-3 están ausentes</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>5</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q443">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>S, P, or absent, wherein this position may be N-acetylated, N-acylated or N-methylated if positions 1-4 are absent</INSDQualifier_value>
<NonEnglishQualifier_value>S, P, o ausente, en donde esta posición puede ser N-acetilada, N-acilada o N-metilada si las posiciones 1-4 están ausentes</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>6</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q444">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>G, S, P, or absent, wherein this position may be N-acetylated, N-acylated or N-methylated if positions 1-5 are absent</INSDQualifier_value>
<NonEnglishQualifier_value>G, S, P, o ausente, en donde esta posición puede ser N-acetilada, N-acilada o N-metilada si las posiciones 1-5 están ausentes</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>7</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q445">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>This position may be N-acetylated, or N-acylated or N-methylated if positions 1-6 are absent</INSDQualifier_value>
<NonEnglishQualifier_value>Esta posición puede estar N-acetilada, N-acilado o N-metilada si las posiciones 1-6 están ausentes</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>11</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q446">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>L or alpha-methyl-leucine</INSDQualifier_value>
<NonEnglishQualifier_value>L o alfa-metil-leucina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>13</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q447">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>V or d-enantiomer of Valine</INSDQualifier_value>
<NonEnglishQualifier_value>V o d-enantiómero de valina</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>15</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q448">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>T or I</INSDQualifier_value>
<NonEnglishQualifier_value>T o I</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>16</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q449">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>2-Aminoisobutyric Acid or G</INSDQualifier_value>
<NonEnglishQualifier_value>Ácido 2-aminoisobutírico o G</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>17</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q570">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>alpha-methyl-leucine or L</INSDQualifier_value>
<NonEnglishQualifier_value>Alfa-metil-leucina o L</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
<INSDFeature_key>VARIANT</INSDFeature_key>
<INSDFeature_location>19</INSDFeature_location>
<INSDFeature_qual>
<INSDQualifier_id="q451">
<INSDQualifier_name>note</INSDQualifier_name>
<INSDQualifier_value>Q or E</INSDQualifier_value>
<NonEnglishQualifier_value>Q o E</NonEnglishQualifier_value>
</INSDQualifier>
```

file:///C:/Users/JannethCastroSabogal/Downloads/260507_30698_WO_SeqList_es (1).xml

```
<INSDFeature_qual>
  <INSDQualifier id="q562">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>This residue may be N-acetylated</INSDQualifier_value>
    <NonEnglishQualifier_value>Este residuo puede ser N-acetilado</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>9</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q465">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>14</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q466">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>15</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q467">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>VARIANT</INSDFeature_key>
  <INSDFeature_location>19</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q468">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>I or L</INSDQualifier_value>
      <NonEnglishQualifier_value>I o L</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>VARIANT</INSDFeature_key>
  <INSDFeature_location>42</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q563">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>This residue may be amidated</INSDQualifier_value>
      <NonEnglishQualifier_value>Este residuo puede ser amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>GSPSIVTSLDVPTXLLQKXLEQERA EKARQQAEEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="70">
  <INSDSeq>
    <INSDSeq_length>44</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..44</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q470">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q471">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>N-terminal Pyroglutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido piroglutámico N-terminal</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>11</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q472">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>16</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q473">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>17</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q474">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>44</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q564">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>This residue may be amidated</INSDQualifier_value>
            <NonEnglishQualifier_value>Este residuo puede ser amidado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>XGSPSGIVTSLDVPTXLLQKILEQERA EKARQQAEEILAQV</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="71">
  <INSDSeq>
    <INSDSeq_length>44</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
```

```
<INSDSeq_division>PAT</INSDSeq_division>
<INSDSeq_feature-table>
  <INSDFeature>
    <INSDFeature_key>source</INSDFeature_key>
    <INSDFeature_location>1..44</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier>
        <INSDQualifier_name>mol_type</INSDQualifier_name>
        <INSDQualifier_value>protein</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q560">
        <INSDQualifier_name>organism</INSDQualifier_name>
        <INSDQualifier_value>synthetic construct</INSDQualifier_value>
        <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>VARIANT</INSDFeature_key>
    <INSDFeature_location>1</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q477">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>gamma-Glutamic acid or absent</INSDQualifier_value>
        <NonEnglishQualifier_value>Ácido gamma-glutámico o ausente</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>11</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q478">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
        <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>16</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q479">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
        <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>17</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q480">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
        <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>VARIANT</INSDFeature_key>
    <INSDFeature_location>19</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q481">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>Q or E</INSDQualifier_value>
        <NonEnglishQualifier_value>Q o E</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>VARIANT</INSDFeature_key>
    <INSDFeature_location>43</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q565">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>This residue may be amidated</INSDQualifier_value>
        <NonEnglishQualifier_value>Este residuo puede ser amidado</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
  <INSDFeature>
    <INSDFeature_key>SITE</INSDFeature_key>
    <INSDFeature_location>2</INSDFeature_location>
    <INSDFeature_qual>
      <INSDQualifier id="q561">
        <INSDQualifier_name>note</INSDQualifier_name>
        <INSDQualifier_value>absent</INSDQualifier_value>
        <NonEnglishQualifier_value>Ausente</NonEnglishQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XXGSPSIVTSLDVPXTLLXKILEQERA EKARQQATEAAEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="72">
  <INSDSeq>
    <INSDSeq_length>38</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..38</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q483">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q566">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Residue may be N-terminal acetylated</INSDQualifier_value>
            <NonEnglishQualifier_value>El residuo puede ser N-terminal acetilado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>5</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q485">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q486">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
  </INSDSeq>
</SequenceData>
```

```
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>VARIANT</INSDFeature_key>
  <INSDFeature_location>9</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q487">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>T or I</INSDQualifier_value>
      <NonEnglishQualifier_value>T o I</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>VARIANT</INSDFeature_key>
  <INSDFeature_location>10</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q488">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>G or 2-Aminoisobutyric Acid</INSDQualifier_value>
      <NonEnglishQualifier_value>G o ácido 2-aminoisobutírico</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>11</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q489">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
      <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>VARIANT</INSDFeature_key>
  <INSDFeature_location>38</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q567">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>This residue may be amidated</INSDQualifier_value>
      <NonEnglishQualifier_value>Este residuo puede ser amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>IVTSLDVPXXLLQIKLEQERA EKARQQAKENTEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="73">
  <INSDSeq>
    <INSDSeq_length>41</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..41</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q491">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q568">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>This residue may be N-terminal acetylated</INSDQualifier_value>
            <NonEnglishQualifier_value>Este residuo puede ser N-terminal acetilado</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q493">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>10</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q494">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>V or d-enantiomer of Valine</INSDQualifier_value>
            <NonEnglishQualifier_value>V o d-enantiómero de valina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>13</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q495">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>14</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q496">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>alpha-methyl-leucine</INSDQualifier_value>
            <NonEnglishQualifier_value>Alfa-metil-leucina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>18</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q497">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>L or 2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>L o ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>34</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q498">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>A or N</INSDQualifier_value>
            <NonEnglishQualifier_value>A o N</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>VARIANT</INSDFeature_key>
        <INSDFeature_location>35</INSDFeature_location>
        <INSDFeature_qual>
```

```
<INSDQualifier id="q499">
  <INSDQualifier_name>note</INSDQualifier_name>
  <INSDQualifier_value>A or T</INSDQualifier_value>
  <NonEnglishQualifier_value>A o T</NonEnglishQualifier_value>
</INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>VARIANT</INSDFeature_key>
  <INSDFeature_location>41</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q569">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>This residue may be amidated</INSDQualifier_value>
      <NonEnglishQualifier_value>Este residuo puede ser amidado</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>PPPIVTSLDXPTXLLQKXLEQERAQAKQAKEXXEILAQV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="74">
  <INSDSeq>
    <INSDSeq_length>8</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q501">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q502">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q503">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Glutamic acid attached to CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido glutámico unido a CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>XGKEKEKE</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="75">
  <INSDSeq>
    <INSDSeq_length>7</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q504">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q505">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>(2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl) attached to Lysine</INSDQualifier_value>
            <NonEnglishQualifier_value>(2-[2-(2-amino-etoxi)-etoxi]-acetil) unido a lisina</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q506">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid attached to CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico unido a CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>KEKEKEX</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="76">
  <INSDSeq>
    <INSDSeq_length>7</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q507">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q508">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
```

```
<INSDFeature_qual>
  <INSDQualifier id="q509">
    <INSDQualifier_name>note</INSDQualifier_name>
    <INSDQualifier_value>Proline attached to CO-(CH2)18-CO2H</INSDQualifier_value>
    <NonEnglishQualifier_value>Prolina unida a CO-(CH2)18-CO2H</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>XPPPPPP</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="77">
  <INSDSeq>
    <INSDSeq_length>7</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q510">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>1</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q511">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>7</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q512">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Glutamic acid attached to CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido glutámico unido a CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>XPEPEPE</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="78">
  <INSDSeq>
    <INSDSeq_length>8</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q513">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>8</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q514">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>gamma-Glutamic acid attached to CO-(CH2)18-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido gamma-glutámico unido a CO-(CH2)18-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>GKEKEKEX</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="79">
  <INSDSeq>
    <INSDSeq_length>31</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..31</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q516">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>2</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q522">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>2-Aminoisobutyric Acid</INSDQualifier_value>
            <NonEnglishQualifier_value>Ácido 2-aminoisobutírico</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
      <INSDFeature>
        <INSDFeature_key>SITE</INSDFeature_key>
        <INSDFeature_location>20</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier id="q523">
            <INSDQualifier_name>note</INSDQualifier_name>
            <INSDQualifier_value>Lys is chemically modified by conjugation of the epsilon-amino group of the Lys side chain with (2-[2-(2-Amino-ethoxy)-ethoxy]-acetyl)2-gamma-Glutamic acid-CO-(CH2)16-CO2H</INSDQualifier_value>
            <NonEnglishQualifier_value>Lys se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de Lys con (2-[2-(2-amino-etoxi)-etoxi]-acetil)2-ácido gamma-glutámico-CO-(CH2)16-CO2H</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>HXEGTFTSDVSSYLEGQAAKEFIAWLVRGR</INSDSeq_sequence>
  </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="80">
  <INSDSeq>
    <INSDSeq_length>31</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
```

```
<INSDFeature_key>source</INSDFeature_key>
<INSDFeature_location>1..31</INSDFeature_location>
<INSDFeature_qual>
  <INSDQualifier>
    <INSDQualifier_name>mol_type</INSDQualifier_name>
    <INSDQualifier_value>protein</INSDQualifier_value>
  </INSDQualifier>
  <INSDQualifier id="q524">
    <INSDQualifier_name>organism</INSDQualifier_name>
    <INSDQualifier_value>synthetic construct</INSDQualifier_value>
    <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
  </INSDQualifier>
</INSDFeature_qual>
</INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>
  <INSDFeature_location>20</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q525">
      <INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>Lys is chemically modified by conjugation of the epsilon-amino group of the Lys side chain with gamma-Glutamic acid-CO-(CH2)14-CH3</INSDQualifier_value>
      <NonEnglishQualifier_value>Lys se modifica químicamente por conjugación del grupo épsilon-amino de la cadena lateral de Lys con ácido gamma-glutámico-CO-(CH2)14-CH3</NonEnglishQualifier_value>
    </INSDQualifier>
  </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>HAEGTFTSDVSSYLEGQAAKEFIAWLVRGRG</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="81">
  <INSDSeq>
    <INSDSeq_length>275</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>
        <INSDFeature_location>1..275</INSDFeature_location>
        <INSDFeature_qual>
          <INSDQualifier>
            <INSDQualifier_name>mol_type</INSDQualifier_name>
            <INSDQualifier_value>protein</INSDQualifier_value>
          </INSDQualifier>
          <INSDQualifier id="q526">
            <INSDQualifier_name>organism</INSDQualifier_name>
            <INSDQualifier_value>synthetic construct</INSDQualifier_value>
            <NonEnglishQualifier_value>constructo sintético</NonEnglishQualifier_value>
          </INSDQualifier>
        </INSDFeature_qual>
      </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>HGEGTFTSDVSSYLEEQAAKEFIAWLVGKGGGGGGGGGGGGGGGSAESKYGPCPPCPAPEAAGGSPVFLFPPKPKDTLMISRTPEVTCVWVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQFNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTIISKAKGQPREPQVYTLPPSQEEMTKNQVSL
  </INSDSeq>
</SequenceData>
</ST26SequenceListing>
```